Title: Sustainable Food Production: constraints, challenges and choices by 2050

Authors: Fiona McKenzie and John Williams

Affiliation(s) and address(es) of the author(s):

- Fiona McKenzie, Policy Director for the Australian Futures Project and an Honorary Associate in the Faculty of Humanities and Social Sciences, La Trobe University, Melbourne, Australia. fiona@australianfutures.org
- John Williams, Adjunct Professor, Crawford School of Public Policy, Australian National University, Canberra, Australia. jwil3940@bigpond.net.au

The authors declare that they have no conflict of interest.

Corresponding Author: Fiona McKenzie, +61 432 922 652, fiona@australianfutures.org

Keywords: agricultural intensification, sustainability, paradigm shift, choices, 2050, food security

Abstract The way we grow and consume food is changing both landscapes and societies globally. The constraints and challenges we face in meeting the anticipated large increase in global food demand out to 2050 are examined to show that while they present significant difficulties on many fronts, we have a large range of choices in the way this food demand might be met. Meeting this future food demand has frequently been articulated as a crisis of supply alone by some dominant institutions and individuals with prior ideological commitments to a particular framing of the food security issue. Our analysis indicates that the crisis can be avoided by the choices we make. The food security debate will be enriched by a rigorous evaluation of all these choices and recognition that the eventual solution will reside in a mixture of these choices. We could shift from our current paradigm of productivity enhancement while reducing environmental impacts, to a paradigm where ecological sustainability constitutes the entry point for all agricultural development. If we embraced this new paradigm, sustainable governance and management of ecosystems, natural resources and earth system processes at large, could provide the framework for practical solutions towards an intensification of agriculture. Such a paradigm shift could reposition world food production from its current role as the world's single largest driver of global environmental change, to becoming a critical part of a world transition to work within the boundaries of the safe operating space for humanity with respect to the planet's biophysical processes and functions.

1. Introduction

The way we grow and consume food is changing both landscapes and societies globally. Agricultural intensification has dramatically increased in recent decades and it has outstripped rates of agricultural expansion (Foley et al., 2011). The intensification of agriculture has the potential to be both a blessing and curse, depending on how it is done and who you ask. This paper focuses on food production in the context of better understanding food security means in terms of the challenges faced in agricultural landscapes. We acknowledge that food production is only one component of the food security challenge. In recent years, the focus of many researchers, commentators and policy makers has been on the physical availability of food, facilitated by sufficient agricultural production. This has partly been fuelled by the widespread repetition of the claim that we need to increase global food production by 70-100% in order to feed the world in 2050. These figures, and the framing of food security as an agricultural productivity challenge, has been widely critiqued – not least by the authors of the original source of the statistics (see Alexandratos and Bruinsma, 2012). They go so far as to say that food security is only weakly linked to the capacity of the world as a whole to produce food, “to the point of becoming nearly irrelevant” (Alexandratos & Bruinsma, 2012). Godfray & Garnett (2014) observe that the goal of producing more food is “unthinkingly accepted by some and vigorously contested by others”. Meanwhile Tomlinson (2014) concludes “these statistics are a key discursive device used by dominant institutions and individuals with prior ideological commitments to a particular framing of the food security issue.” However, as Tomlinson acknowledges, there have been social, institutional, scientific, and political challenges to this framing and the articulation of an alternative set of discourses around concepts of ecological food provision, food sovereignty, and agro-ecology. We accept the FAO definition that “food security exists when all people, at all times, have physical and economic access to sufficient, safe and nutritious food that meets their dietary needs and food preferences for an active and healthy life”. That is, both availability and access (physical and economic) are important. Here, we focus on availability, whilst retaining consideration of access and consumption where possible.

2. How much food do we need to produce?

In terms of food availability, the world average per capita availability of food for direct human consumption improved to 2,770 kcal/person/day in 2005/2007. However, approximately 870 million people were still estimated to have been undernourished (in terms of dietary energy supply) in the period 2010–12. This figure represents 12.5 percent of the global population, or one in eight people. The vast majority of these, 852 million, live in developing countries, where the prevalence of undernourishment is now estimated at 14.9 percent of the population (FAO et al., 2012). Micronutrient deficiencies continue to affect around 2 billion people (FAO et al., 2012). More than 100 million children under the age of five are underweight, and therefore unable to realize their full socio-economic and human potential. Childhood malnutrition is a cause of death for more than 2.5 million children every year (FAO et al., 2012).

While food availability (i.e. crop production) is necessary for access to healthy, safe, and nutritious food, it is not sufficient to ensure food security. Food access is also required. The caloric content of the food produced worldwide would be sufficient to feed the whole global population - yet there are still countries in conditions of chronic food scarcity. South Asia has the largest number of food insecure people, while Sub-Saharan Africa has the highest proportion, as well as the highest rates of child underweight and infant and child mortality (FAO et al., 2012). About 33% of people in Sub-

Saharan Africa are undernourished, with more than 60% of the undernourished being in eastern Africa (Khan et al., 2014). The majority of countries whose population growth is expected to be fast in the future are precisely those showing inadequate food consumption and high levels of undernourishment. Most of them are in sub-Saharan Africa (Alexandratos & Bruinsma, 2012).

In terms of food demand, the projected global growth rate in consumption is 1.1 percent per year from 2005/07-2050 (Alexandratos & Bruinsma, 2012) which implies a 56 % increase over the period. Others such as Tilman et al., (2011) however forecast of a 100–110% (requiring a 1.4 to 1.5 percent per year growth rate) increase in global crop production using a global relationship between per capita GDP and per capita demand for crop calories or protein. The magnitude of this dependence is surprisingly large in that per capita use of calories and protein by the richest nations (GDP~US\$20,000) were 256% and 430% greater, respectively, than use by the poorest nations (GDP~US\$2,000). These large differences in crop demand partially result from greater dietary meat consumption at higher income and the low efficiency with which some types of livestock convert crop calories and protein into edible foods. Therefore per capita food consumption can be expected to expand most rapidly in Eastern Europe, Asia and Latin America where incomes are rising and population growth is slowing. Vegetable oils, sugar, meat and dairy products should experience the highest increases in demand (OECD-FAO, 2011). More recent very detailed work by Valin et al., (2014) examines the nature of food demand under the influences of population growth, economic wealth distribution and dietary change. For a world population of 9.3 billion by 2050 and more than a doubling in average income per capita globally, from 6,700 USD in 2005 to 16,000 USD in 2050, generates a food demand increase of 59–98% between 2005 and 2050. This is slightly higher than the most recent FAO projection of 56% from 2005/2007. The range of results is large, in particular for animal calories (between 61% and 144%), caused by differences in demand systems specifications, and in income and price elasticities. Their results show importantly that demand is more sensitive to socioeconomic assumptions than to climate change or bioenergy scenarios.

In terms of the growth in agricultural production, to match the 1.1% growth in consumption, global production in 2050 would need to be approximately 60 percent higher than that of 2005/2007 (Alexandratos & Bruinsma, 2012). Fischer, et al., (2014) provides an comprehensive analysis of crop yield improvements and suggests that it would be prudent to have crop yield increases per annum of around 1.2 -1.3% which delivers around a 45% increase in staples over 2010 yields with a 10% increase in area cropped. As Alexandratos and Bruinsma (2012) note, this is not a reflection of what is required to feed the world population but a projection of the aggregate volume of world agricultural production. This means that productivity would need to increase at rates much *lower* than in the past. This is because total agricultural output in the preceding equal period was 2.2 percent pa (and 2.6% in the previous decade OCED-FAO, 2011), much less than the required 1.1 percent p.a. from 2005/2007 to 2050. Currently, for 2010-2020, global agricultural production is projected to grow at 1.7% annually, on average (OECD-FAO, 2011). This is within the margin needed. While the need for lower growth rates is reassuring, the challenge is still significant, not least because of the projected reduction in annual growth rates of yields. There are fears that the trend in declining yields may not reverse and that the productivity of many intensive systems cannot be maintained with current management (World Bank, 2008; Khan & Hanjra, 2009; Alexandratos & Bruinsma, 2012). In addition, it is predicted that up to 25% of world food production may be lost during the 21st century due to climate change, water scarcity, invasive pests and land degradation (UNEP, 2009). Even at a lower growth rate, the volumes are not trivial. Cereals production would need to increase by 940 million tonnes to reach 3 billion tonnes projected for 2050; meat by 196

million tonnes to reach 455 million tonnes by 2050; and oil crops by 133 million tonnes to reach 282 million tonnes (oil equivalent) by 2050 (Alexandratos & Bruinsma, 2012).

At a global level, while there are risks associated with falling growth rates of global average yields, this is not necessarily an indication of an impending crisis. However, as with many things on this earth, productivity is not distributed evenly. At a local level, falling growth rates can lead to tragedy (Alexandratos & Bruinsma, 2012). In this case, concern is greatest for sub-Saharan Africa where per capita food production has seen an annual decline of at least 3% in per capita food production since 1990.

3. Are there limits to food production?

Given lower productivity growth rates, ongoing soil and water degradation and the loss of biodiversity and ecosystem services in agricultural landscapes, the big challenge is to maintain current levels of productivity growth, let alone seek increases. The question is, will this be possible? Based on the information reviewed below, we can say that, in theory, there are enough natural resources and yield growth potential to meet requirements. Although this is no guarantee of the long-term sustainability of food production in practice.

We have enough nitrogen, potassium and phosphorus. From the 1960s and 70s, as is widely documented, the green revolution turned developments in crop genetics, inexpensive pesticides and fertilizers, and mechanization into greater yields (Tilman, 1998). From the 1950s, global fertilizer use rapidly expanded, increasing by 500% in the past 50 years. At the same time, the production of pesticides increased by more than 850% (Balmford *et al.*, 2005; Foley *et al.*, 2011). Industrial agriculture is increasingly reliant on external inputs. It now takes 2-3 times more fertilisers and 1.5 times more pesticides to produce 1 kilogram of food than it did 40 years ago (UNCTAD, 2010). Key biophysical drivers of crop yield include nitrogen (N), phosphate (P₂O₅) and potash (K₂O) fertilizers (Mueller *et al.*, 2012). The world has enough potassium to last several centuries (Vaccari, 2009). And with the Haber-Bosch process, N fertilizer can be produced without limits from atmospheric N₂ – although at a serious fossil fuel and climate change cost. However Rockström *et al.*, (2009), point out that at the “planetary scale, the additional amounts of nitrogen and phosphorus activated by humans are now so large that they significantly perturb the global cycles of these two important elements”. The manufacture of fertilizer for food production and the cultivation of leguminous crops convert around 120 million tonnes of N₂ from the atmosphere per year into reactive forms is more than the combined effects from all Earth’s terrestrial processes (Sayer & Cassman, 2013). Much of this new reactive nitrogen ends up in the environment, polluting waterways and the coastal zone, accumulating in land systems and adding a number of gases to the atmosphere. It slowly erodes the resilience of important Earth subsystems. Nitrous oxide, for example, is one of the most important non-CO₂ greenhouse gases and thus directly increases radiative forcing.

In contrast to the N cycle, the phosphorus (P) cycle has no gaseous atmospheric component. A key component of DNA, cell membranes and cellular energy transport, phosphorus is essential to every form of life. Yet most soils contain only low concentrations of this nutrient (Obersteiner *et al.*, 2013). As is well known, the growing consumption of inorganic phosphorus (P) fertilizers has contributed to major increases in crop yields since the 1950s (MacDonald *et al.*, 2011). For example, Ringeval *et al.* (2014) found that the contribution of anthropogenic P to food production in France was as high as 84%. In the United States, crop production would decline at least around 50% over time without N, P, and K commercial fertilizer (Ringeval *et al.*, 2014). P mined from phosphate rock is a finite fossil resource with highly concentrated deposits – more so than for oil reserves (Vaccari, 2009). Morocco

is estimated to hold 85% of the global share, followed by China with 6% and the US with 3% (MacDonald *et al.*, 2011; Obersteiner *et al.*, 2013). Twenty three megatons of P (equivalent to 178.5 Mt of phosphate rock) are currently mined every year, mainly from these three countries (MacDonald *et al.*, 2011; Ringeval *et al.*, 2014).

Fertiliser use varies greatly between different parts of the world. Total fertilizer nutrient consumption in Asia is 58.7 per cent of the world total, the bulk of which is in East Asia and South Asia. The total for America is 23.7 per cent, of which North America constitutes 13.2 percent and Latin America & Caribbean 10.5 percent. Europe's share in global consumption of total fertilizer nutrients is about 13 percent. The share of Oceania in world consumption of total fertilizer nutrients is only 1.7 per cent (including Australia and New Zealand) – the same as for North Africa (FAO, 2012). This unequal distribution means that only 10% of cropland area contributes 45% of the cumulative global P surplus. These large surpluses cover most of East Asia, as well as sizeable tracts of Western and Southern Europe, the coastal United States, and southern Brazil, but <2% of the cropland in Africa (MacDonald *et al.*, 2011). These soils are saturated with P because of historically high applications (Cordell & White, 2011). Meanwhile, P deficits occur across 30% of the world's cropland area. Prolonged P deficits that can deplete soil P and limit crop yields (MacDonald *et al.*, 2011). In general, the low-income and food-deficient countries in sub-Saharan Africa, central Asia and Latin America suffer from low P inputs (0–5 kg ha⁻¹) to their agricultural production systems (this pattern is also true for other crops, alongside wheat). Perversely, Africa is a major exporter of phosphate and nitrogen but only accounts for about 2.9 percent of world fertilizer consumption (FAO, 2012).

Estimates of when existing P reserves could be exhausted range from the next 40 to 400 years (Cordell & White, 2011; Elser & Bennett, 2011; Obersteiner *et al.*, 2013). P scarcity would seriously threaten soil fertility, agricultural production, and global food security (Cordell & White, 2011; Ringeval *et al.*, 2014). However, there is potential to manage this scarcity. Up to 80% of the phosphorus supplied to crops is estimated to be lost before consumption, largely due to the erosion of agricultural soils (Cordell & White, 2011; Obersteiner *et al.*, 2013). Reductions in wastage could free up this resource for low-income, food-deficient countries (Obersteiner *et al.*, 2013). At a global scale, if current volumes of P-fertilizer used more efficiently and redistributed, there would be no P deficit cropland. If a 21% reduction in P fertilizer use in all locations with high surpluses was redistributed across all P-deficit cropland, it would effectively meet the total crop P requirements in these locations, eliminating all P deficits globally (MacDonald *et al.*, 2011). Mueller *et al.* (2012) also suggest it would be possible to close global yield gaps on major cereals to within 75% of attainable yields with fairly minimal changes to total worldwide nitrogen and phosphate use by coupling targeted intensification with efforts to reduce nutrient imbalances and inefficiencies. It is also worth remembering that total N and P in animal manure generated by livestock production exceeds the global N and P fertilizer use in global crop production (Bouwman *et al.*, 2013). Achieving more effective manure P recycling at the global scale would promote tighter P cycling in agricultural landscapes (MacDonald *et al.*, 2011).

The bigger challenge is nutrient imbalance. Global food security must address the dual challenges of closing yield gaps between actual and potential yield (which is largely about management of soil nutrient balance) while improving environmental sustainability. Nutrient balance is essential for achieving global food security (Ciampitti & Vyn T., 2014). The global spatial imbalance of fertilizer consumption in large parts of the developing world, particularly Africa, is compounded by an increasingly unsustainable regional nutrient consumption ratio (van der Velde *et al.*, 2014). The availability of carbon from rising atmospheric carbon dioxide levels and of nitrogen from various human-induced inputs to ecosystems is continuously increasing. However, this is not being matched

by similar increases in P inputs (Peñuelas *et al.*, 2013). Unbalanced application of N versus P applications cause yield deficits by affecting the stoichiometric relationship between N and P in plant leaves (van der Velde *et al.*, 2014). The change in the stoichiometry of carbon and nitrogen relative to phosphorus has no equivalent in Earth's history (Peñuelas *et al.*, 2013).

In Africa, total N consumption increased by 120% between 1975 and 2005 while total phosphate consumption only increased by 16% in 2005 (van der Velde *et al.*, 2014). If this increasing imbalance is not reversed, then significant reductions in future crop yields (>40%) could also occur (van der Velde *et al.*, 2014). Based on simulated maize yields, van der Velde *et al.* (2014) estimated N inputs would need to increase 5-fold to allow Africa to close yield gaps (ca. 70%). This would require an associated 11.7-fold increase in P (van der Velde *et al.*, 2014). The P demand to overcome these yield deficits would provide a significant additional pressure on current global extraction of P resources (van der Velde *et al.*, 2014). As described above, this demand could be managed, if P was distributed more evenly and new reserves became economically viable.

The area of irrigated agriculture will continue to grow. Food production requires more water than any other human activity – even more so for irrigated than rainfed lands (D'Odorico *et al.*, 2014). In the past 50 years, the world's irrigated cropland area roughly doubled, with 70% of global freshwater withdrawals now devoted to irrigation (Foley *et al.*, 2011). This is driven by the fact that yields on irrigated croplands are, on average, 2–3 times higher than for dryland agriculture (UNEP, 2009). Irrigated areas are heavily concentrated in South Asia, East Asia and parts of the United States (Mueller *et al.*, 2012). In Africa, while there has been limited irrigation to date, there is the potential for much greater expansion. However recent work by Sullivan and Pittock (2014) suggest that the next generation of irrigation development in Africa must focus on achieving clear socioeconomic benefits sustainably through increased emphasis on greater water productivity, poverty reduction and institutional arrangements and incentives that drive implementation at the local scale. This would address a big challenge for many African regions, where the problem is not lack of water (particularly for Central Africa), but unpredictable and highly variable rainfall patterns with occurrences of dry spells every two years causing crop failure (UNEP, 2009). Demand for irrigated land is projected to increase by 56% in Sub-Saharan Africa (from 4.5 to 7 million ha), and rainfed land by 40% (from 150 to 210 million ha) (Tweeten & Thompson, 2008; UNEP, 2009). For this demand to be met, much greater human, institutional and financial capital would be needed to gain water access (Perrone & Hornberger, 2014).

We have enough 'spare' agricultural land. The average amount of arable land per person fell from 0.39 hectares in 1960 to 0.23 hectares in 2000 and 0.21 hectares in 2007 (Evans, 2010; FAO, 2009). However, at a global scale, there is sufficient land that could be recruited in to agriculture - if and when economic, policy and institutional settings created the conditions to do so (Alexandratos & Bruinsma, 2012). There are 7.2 billion hectares (ha) of land with rainfed production potential of various degrees of suitability. Of this, 1.4 billion ha is currently in use for crop production. 2.8 billion ha is under forest, in protected areas, or already occupied by non-agricultural uses. 1.5 billion ha is of poor quality for rainfed crops, leaving 1.4 billion ha of prime land and good land that could be brought into cultivation, in theory (Alexandratos & Bruinsma, 2012). Clearly if this were done there would be a huge loss of biodiversity and significant consequences for the mitigation of climate change. Schmitz, *et al.* (2014) provide analysis of two different socioeconomic scenarios and three climate scenarios for possible expansion of agricultural land. Across all models most of the cropland expansion takes place in South America and sub-Saharan Africa. As constraints in available land area arise, agricultural production will continue to expand into less developed areas and into marginal lands with lower fertility and higher risk of adverse weather events (OECD-FAO, 2011). In a recent

study UNEP (2014) suggest that 1,640 Mha is safe operating space as a preliminary and indicative value based on a cautious global target to halt the expansion of global cropland into grasslands, savannahs and forests by 2020. They show that under business-as-usual conditions the net expansion of cropland will range from around 123 to 496 Mha between 2005 and 2050. Shifts to more protein-rich diets in developing countries and a growing demand for biofuels and biomaterials, in particular in developed countries, are especially increasing the demand for land. In addition, cropland will be shifted to compensate for the expansion of built-up land and land degradation, leading all in all to a gross expansion of cropland in the range of 320 to 849 Mha. UNEP (2014) propose that with major actions to reduce cropland requirements and to relieve the social and environmental pressures associated with land-use change, the expansion of global cropland could be limited to an additional 8–37% until 2050. Then, in the best case, the remaining net expansion of cropland by 2050 would be within the ‘safe operating space’.

As with most other resources, this ‘spare’ land is not evenly distributed. Many regions of the world face a shortage of arable land for additional cropland expansion (Morton *et al.*, 2006). Only thirteen countries account for 60 percent of this 1.4 million ha. of potential agricultural land: Brazil; United States of America; Russian Federation; Argentina; Australia; Sudan; China; Democratic Republic of the Congo; Kazakhstan; Angola; Canada; Mozambique; and Madagascar (Alexandratos & Bruinsma, 2012). There is a reason this land hasn’t been used in the past, including constraints such as lack of accessibility, lack of infrastructure, distance from markets and from other constraints such as the incidence of pests and disease (Alexandratos & Bruinsma, 2012). As food demand increases, some of these constraints will be overcome. Further expansion of agricultural land is projected to 2050, particularly across central and southern Africa (UNEP, 2009). Several developing countries are expected to experience area increases of more than one million hectares, including Nigeria, Brazil, Niger, Sudan, Ethiopia and the DRC (Foresight, 2011). According to the World Bank (2013), Africa is a continent that “holds more than half of the world’s unused fertile farm land, and impressive but untapped water resources”. They predict that agriculture and agribusiness will expand to become a \$1 trillion industry in Sub-Saharan Africa by 2030 (compared to \$313 billion in 2010). However the findings of Sullivan and Pittock (2014) are much more sanguine on the matter.

We don’t use all the available agricultural land that we have. Of the current global crop production area, not all is allocated to growing human food. A significant proportion goes to animal feed, bioenergy, seed and other industrial products (Foley *et al.*, 2011). By 2020, an estimated 13% of global coarse grain production, 15% of vegetable oil production and 30% of sugar cane production will be used for biofuel production (OECD-FAO, 2011). North America and Europe devote only about 40% of their croplands to direct food production, whereas Africa and Asia allocate typically over 80% of their cropland to food crops (Foley *et al.*, 2011). In addition to putting cropland to non-food related agricultural uses, we are also seeing existing cropland converted to other non-agricultural uses due to increasing urbanization, industrialization, energy demand and population growth (UNEP, 2009).

We don’t use all the available food that we have. Developing countries lose more than 40% of food post-harvest or during processing, not least due to storage and transport conditions (Lipinski *et al.*, 2013). Industrialized countries have lower producer losses, but at the retail and consumer level more than 40% of food may be wasted (PBL, 2009; Foley *et al.*, 2011). As a global average, 24% of food loss and waste occurs at production, another 24% during handling and storage, and 35% at consumption. The amount of cropland used to grow this ‘lost food’ is approximately 198 million hectares per year, equivalent to an area the size of Mexico (Lipinski *et al.*, 2013). In addition to food lost after harvest, significant potential food is lost during production due to pests and diseases.

While pesticides have made a significant contribution to growth in productivity since the 1950s, losses globally are still high. Oerke (2006) suggests losses of 26–29% for soyabean and wheat, and 30–40% for maize, rice and potatoes (Beddington, 2010). This isn't a matter of using more pesticides but in improving application. Only 50 per cent of the impact of crop protection products is accounted for by the effectiveness of the product itself; the rest is dependent on factors such as the timing of the application and the precision of delivery (Beddington, 2010).

We already produce more than enough food. While under-nutrition is clearly an urgent food security challenge, especially for the 870 million people who suffer from it, obesity is also a serious problem. It affects more than 1 billion people (Lang, 2006; UNEP, 2009; Kjaergard *et al.*, 2013; MODI, 2013). This is especially true for developed countries United States, where obesity-related medical expenses are expected to top \$344 billion per year by 2018 and in Australia, where obesity already costs an estimated \$56 billion per year (MODI, 2013). It is also true for developing countries. In fact, 80% of the deaths caused by obesity and non-communicable diseases (NCDs) such as diabetes and cancer are now occurring in low- and middle- income countries (Dube *et al.*, 2013). We live in a world where the majority of the population (65%) lives in countries where overweight and obesity kills more people than under-nutrition (WHO, 2013). That is, obesity, under-nutrition and food insecurity co-exist in the same societies. The problem is likely to grow rapidly in coming years, even while problems of hunger and malnutrition persist (Godfray & Garnett, 2014).

Not all food is created equal. In developed and developing countries alike, societies are awash with cheap, highly processed, and nutritiously lacking “empty” calories (Carolan, 2013). For example, in many small island states in the Pacific Ocean, nutrition security is being threatened by changing tastes, a growing dependence on store foods, and the poor quality of cheap imported processed food and drinks – the control of which is complicated by trade agreements. In a great irony, even tinned fish is becoming a common import, despite being surrounded by ocean (Connell, 2013). This transition from subsistence agriculture to a Western-type diet is occurring in countries around the world (Dube *et al.*, 2013). It is happening in the space of a few decades with little time for health systems to shift gears from infectious diseases to non-communicable diseases as a key cause of death. It is another challenge for societies that can least afford it – and while health systems bear the cost, the levers of change for nutrition security lie largely outside the health sector's reach (Dube *et al.*, 2013). It is a challenge that doesn't fit neatly into the worldview or mandate of the agriculture and food sector (Benson, 2012).

4. Can agriculture be sustainable?

So, we have enough resources and the potential to produce all the food needed for the population of the future. Despite the long-term threats to the sustainability of agricultural landscapes, it would appear that there are no hard biophysical limits to producing more food – nothing to stop humans from using more resources, more chemicals, more land and more energy. While many of us would hope to see the world produce more food with limited land and water, using less energy, fertilizer and pesticides and with less environmental impacts (Beddington, 2010), that is not the trajectory we are on. If we want to take a different path, we will have to make the choice to do so. And we need to be clear that we do have choices – options that need to be debated rather than subsumed in a dialogue of crisis and food shortages. The following outlines some of the choices we could make, recognising that implementation of any of these choices has to be done at the national and local levels. This would require significant capacity building and policy development. But we have to start somewhere.

We could choose to limit agricultural expansion. Agriculture requires more land (40% of the world's terrestrial surface), water and human labour than any other industry (Kiers *et al.*, 2008; PBL, 2009). In the last two centuries, humans have cleared or converted 70% of the grassland, 50% of the savannah, 45% of the temperate deciduous forest, and 27% of the tropical forest biome for agriculture (Foley *et al.*, 2011). Between 1985 and 2005 the world's croplands and pastures expanded by 154 million hectares (Foley *et al.*, 2011). Across the tropics, between 1980 and 2000 more than 55% of new agricultural land came at the expense of intact forests, and another 28% came from disturbed forests (Gibbs *et al.*, 2010). Up to 40% of this global crop area may be experiencing some degree of soil erosion or reduced fertility (Foley *et al.*, 2005) while more than 20% of total global land area is thought to be degraded (Bai *et al.*, 2008). Much of this area is concentrated in Africa south of the equator, South-East Asia and south China. As a whole, it is estimate that over 75% of arable land in Africa being degraded as a result of continuous cropping with minimal or no investment in soil improvement or even maintenance (Khan *et al.*, 2014). As constraints in available land area arise, agricultural production will continue to expand into less developed areas and into marginal lands with lower fertility and higher risk of adverse weather events (OECD-FAO, 2011).

It has been suggested that the best way to minimise the expansion of new cropland is by increasing the productivity of existing cropland. This concept is referred to as the Borlaug (land sparing due to agricultural innovation) hypothesis. While some land sparing has occurred due to the Green Revolution in Asia, Latin America, and the Middle East, it is less clear that this would be the case of a prospective African Green Revolution (Hertel *et al.*, 2014). This is not to imply that there shouldn't be a Green Revolution in Africa, but that the context is different and the likely trajectory will not be a repeat of the past. There are also new drivers for agricultural expansion beyond national borders. The purchase of quality agricultural land by foreign actors is increasing, particularly in Africa and Asia. In 2009, approximately 56 million hectares worth of large-scale farmland deals were announced (although not all announced deals proceeded) (Deininger & Byerlee, 2012). Hertel *et al.* (2014) suggest that measures to discourage conversion of carbon-rich ecosystems to low-yielding crop production will help to boost environmental efficiencies in the region and limit the environmental and climate change impacts of expansion.

We could encourage new crops and greater genetic diversity. Greater specialisation and homogenisation of agricultural systems is contributing to the loss of diversity at a local level. About 75% of the genetic diversity of agricultural crops has been lost since 1900 while 32% of livestock breeds are under threat of extinction within the next 20 years (FAO, 2009). This is to say nothing of the more than 4000 plant and animal species threatened with extinction by agricultural intensification (UNEP, 2009). We need to breed for a 2030 world (GSCSA, 2011). This requires increasing crop and livestock genetic diversity to improve resilience, yield and pest management. There also needs to be a valuing of informal seeds systems to facilitate the exchange of plant genetic resources at local scales (FAO, 2014). Africa has huge diversity of cropping systems, and many orphan crops are central to food security. These crops should not be overlooked in the mad rush to grow more hectares of maize. Interventions focus on strengthening the formal agricultural systems (such as maize) at the expense of local informal systems threatens to undermine the sources of diversity from which people in different localities need to draw if they are the build livelihoods that are resilient to shocks and long-term stresses (Westley *et al.*, 2011). This is because policies that promoted staple crop production, such as fertilizer and credit subsidies, price supports, and irrigation infrastructure can crowd out the production of traditional non-staple crops (Pingali, 2012).

Many solutions to the crops for food have been proffered, but most are from limited perspectives and often represent vested interests of some sort—economic, political, or academic (Gready, 2014).

Gready (2014) argues that new ideas and disruptive ways of thinking are necessary to conceive adequate solutions to these challenges, and that disruptive ‘technologies’ will be necessary for their effective implementation. She suggests we need to reconceptualise the requirements for global food systems for the future, with a view to identifying best-fit options, especially for crop staples such as grains and legumes. Her focus is not merely to address the commonly perceived issue of ‘food security’, which represents public concerns and responsibilities of governments for food provision, but ‘food insecurity’ and its crippling impacts on people most at risk of being unable to obtain sufficient, affordable, safe and nutritious food reliably (Gready, 2014).

We could choose to protect the ecological foundation of food security. Agricultural ecosystems are managed by humans largely to optimize provisioning ecosystem services, such as food, fibre and fuel, yet these benefits depend upon regulating ecosystem, for example pollination and pest regulation, from the wider landscape and environment for their long-term provision and sustainability (Poppy *et al.*, 2014). This is the ecological foundation of food security (McKenzie & Ashton, 2012). At a local level, ecosystem services are crucial to the food security of many poor households. Every year, even in good years, households can still have days when they have no access to food. Food availability for many of the world's rural poor is particularly dependent on their being able to benefit from the flow of ecosystem services from non-agricultural ecosystems, for example wild foods (Poppy *et al.*, 2014). Such food stuffs do not appear in agricultural statistics as they are not traded commercially (Poppy *et al.*, 2014).

Despite being dependent on ecosystem services (or perhaps because of) agricultural landscapes continue to face major (Mueller *et al.*, 2012). For decades now, we have watched on as landscapes around the world have experienced declines in regulating (eg. climate regulation, pollination, water purification) and supporting (eg. soil formation, nutrient cycling, primary production) ecosystem services (IAASTD, 2008; Trumper *et al.*, 2009). The increased use of nitrogen (N) and phosphorus (P) fertilizers has had unintended consequences in water use, soil degradation, and chemical runoff, increased energy use and widespread pollution (Bouwman *et al.*, 2013). Nearly 25 years ago, Chen (1990) and then Tilman (1998) described the intensification of agriculture as having broken what was once the tight, local recycling of nutrients on individual farms. These consequences are having impacts beyond the areas farmed and are widely recognized as a potential threat to the long-term sustainability and replication of the green revolutions’ success (Pingali, 2012).

To protect the ecological foundation of agriculture, we could choose to act in the way that the world agreed in the Convention on Biological Diversity in 2000 (CBD, 2000) to:

- Align incentives to promote biodiversity conservation and sustainable use
- Manage ecosystems within the limits of their functioning
- Adopt an integrated landscape approach to produce ecosystem services as well as agricultural products
- Value ecosystem services by ensuring that well-functioning markets provide the right signals to reflect the scarcity value of natural resources

Protecting the ecological foundation of agriculture requires protecting the land on which agriculture is already based. This would mean protecting existing agricultural land through land use planning that zones agro-ecological areas, protecting productive agricultural land from being concreted over for car parks, buildings and other non-agricultural uses. It would also mean reversing soil and water degradation. One of the biggest opportunities to sustainably produce more food is to restore the millions of hectares of degraded soils in existing agricultural areas (UNCCD, 2012). Another essential action is to better manage sources of rainwater and runoff for multifunctional agroecosystems at the catchment scale. There is also an urgent need for the regulation of groundwater aquifers to reduce

unsustainable water withdrawals. Two-thirds of global water supplies for irrigation are drawn from underground aquifers at unsustainable rates (FAO, 2011). Any country using more than 20 percent of its renewable resources for irrigation is considered as crossing the threshold of impending water scarcity. There are already 22 countries (developing but including some in the Central Asia region) that have crossed this threshold. Large agricultural regions with unsustainable water withdrawal rates include eastern Australia, southern Spain, north Africa, the Great Plains of North America, northwestern India and northern China (Tweeten & Thompson, 2008; Godfray & Garnett, 2014).

We could choose to focus on integrated farming systems. The way land is being used is changing changed, particularly in developed countries with a longer history of industrial agriculture. What were once mixed cropping and livestock systems in Western Europe and North America have increasingly become separate specialised enterprises since the middle of the twentieth century (Brown & Schulte, 2011; Kirkegaard *et al.*, 2011). More recently in Australia, in the higher rainfall areas of the eastern and western wheat/sheep belts, there has already been a swing away from traditional mixed crop-livestock systems towards either crop or livestock systems (McKenzie, 2014). These trends towards land use specialisation can confound alternative visions for sustainable agriculture. Rather than moving into a more multifunctional or post-productivist modes of agriculture, production in many dryland agriculture areas is in fact becoming more intensified with fewer, not more, land uses (McKenzie, 2014). As developing country agriculture moves towards more intensive agricultural systems, greater homogenisation and the spread of monocultures is likely. Agricultural research and development has largely focused on single system component or single enterprises - neglecting the interaction between crops and livestock. What has resulted is a poor understanding of the complexities of inter-relationships between enterprises on mixed farms. Gaining a renewed appreciation of the benefits of multiple land uses for productivity will be an important means of not only moving towards a more sustainable agricultural sector, but ensuring that mixed farming systems survive (McKenzie, 2014).

We could distribute phosphorus more equitably and efficiently. Scarcities in phosphorus supplies and constraints in accessibility are likely to lead to marked rises in the cost of phosphorus (Obersteiner *et al.*, 2013). On the one hand, it will become increasingly economical to mobilise previously unaccessed reserves, which are probably currently underestimated (Godfray & Garnett, 2014). On the other hand, this would see phosphorus become economically inaccessible to low-income and food-deficient countries. Continuation of business as usual would favour the short-term interests of those able to pay for high-priced fertilizers, exacerbating food crises and agricultural expansion in the short-term (Obersteiner *et al.*, 2013). Low-income food-deficient countries, many of which are now endowed with phosphorus-deficient soils, often as a result of unsustainable management practices, will want to see inequalities in access to phosphorus supplies addressed (Obersteiner *et al.*, 2013). Obersteiner *et al.* (2013) are pessimistic about this likelihood. They contend that the interests of rich phosphorus consumers, poor and food-insecure phosphorus consumers, and phosphorus producers are, to a large degree, conflicting - with competing interests in the longevity, equitability and cost of phosphorus supplies (Obersteiner *et al.*, 2013). They note that wealthy phosphorus consumers are already using their political and economic weight to secure future supplies from phosphorus producers. They suggest the divergent agendas of these three groups of nations render a sustainable management regime of finite phosphorus resources almost impossible (Obersteiner *et al.*, 2013).

We could choose to avoid dangerous climate change. In the next two decades, climate change is predicted to cause major crop losses in the world's poorest regions (Kiers *et al.*, 2008). According to the IPCC's Fifth Assessment Report, all aspects of food security are potentially affected by climate

change, including food access, utilization, and price stability (Porter *et al.*, 2014). Elevated CO₂ already has the potential to negatively affect nutritional quality of food and fodder, including protein and micronutrients (Porter *et al.*, 2014). While agriculture will be adversely impacted by climate change it is also well recognised food production is also a major contributor the emissions that drive climate change. Bajželj,et al., (2014) draw attention to the imperative to find ways to achieve global food security without expanding crop or pastureland and without increasing greenhouse gas emissions. Many authors have emphasized a role for sustainable intensification of Agriculture in closing global ‘yield gaps’ between the currently realized and potentially achievable yields. However, Bajzeli et al., (2014) show in their analysis that even if yield gaps are closed, the projected demand will drive further agricultural expansion. They argue there has to be a reduction in demand. Although it is theoretically possible to decarbonize energy supply, such complete reductions are unattainable in the livestock part of the agricultural sector. Their work indicates that a decrease in overall agriculture-related emissions can only be achieved by employing demand-side reductions. Reducing emissions from agriculture is essential to reduce the risks of dangerous climate change. Bajzeli, et al., (2014) conclude that while agricultural production must strive to improve yields and food distribution, improved diets and reductions in food waste are also essential to deliver emissions reductions, and to provide enough food for the global population of 2050.

We can choose how to invest. From an economic point of view, it has been estimated that cumulative gross investment requirements for developing countries’ agriculture is approximately US\$9.2 trillion for the 44 years from 2006 – 2050 (Schmidhuber *et al.*, 2009). Of this total, investments in primary agriculture would account for about US\$5.2 trillion, while the remaining US\$4.0 trillion would be absorbed by downstream needs (processing, transportation, storage, etc.). Within primary agriculture, mechanisation and improvements to irrigation would be the single biggest investment items. The average annual spend would be approximately US\$210 billion gross and US\$83 billion net, respectively. US\$210 billion is the projected size of the agricultural products market in 2020 (TEEB, 2010). As Schmidhuber et al. (2009) note, these estimates have nothing to do with achieving Millenium Development Goals or any sustainability agenda. They are simply cost estimates for achieving the levels of crop and livestock production that the FAO has forecast as baseline levels through to 2030 and 2050. Nor do such estimates take in to account the potential cost implications of reforms to trading rules and market access. Assuming US\$210 billion was required each year, how much should come from the public and private sectors? In a World Bank report on land acquisitions, Deininger et al (2011) suggested that the rediscovery of investment in the agricultural sector could be an opportunity for land abundant countries to gain better technology and create rural jobs. However, if managed improperly, it could result in “conflict, environmental damage, and a resource curse” (p. xv). We could make strategic decision about how to manage the interlinkages and trade-offs between different investment decisions.

We could choose to limit consumption. Decision makers are reluctant to wade in to question of limiting consumption or to tackle the global convergence to a western diet (Stokstad, 2010). Yet, we live in a world where under and over-nutrition are impacting seriously on human health, side by side in the same countries. If diets were changed and if waste in the food system were reduced, then not only could we feed the world on existing agricultural land, but it might also be possible to reduce inputs and the environmental damage current food production causes. Radical choices would need to be made for this to happen (Godfray & Garnett, 2014). Evidence indicates this now must receive attention and that improved diets and decreases in food waste are essential to deliver emissions reductions and to provide global food security in 2050 (Bajželj *et al.*, 2014). This would not just mean improving storage for crops (via small metal silos, hermetically sealed plastic storage bags and

plastic crates) but potentially also policies to change food date labels to reduce consumer confusion about when food is no longer safe to eat (Lipinski *et al.*, 2013).

We could focus on alternative sources of energy for agricultural intensification. It is well recognised that modern agriculture was built on cheap fossil fuels to power not only on-farm operation, transport to and from farm of supplies and products, but more importantly, the embodied energy in fertiliser and to less extent pesticides (Steinbuks & Hertel, 2013). A bag of synthetic nitrogen is a bag of energy. We overlook this at our peril. Utz (2011) provides a useful examination of energy in modern agriculture operated by smallholder farmers in the developed world. There are two main energy requirements for greater agricultural productivity in a market-oriented agriculture, provided by either renewable or conventional energy sources or a combination of both: energy for transport (fossil fuels or biofuels) for many services within the supply chain; and energy for production and processing. We need to be creative in how this energy is produced.

We could encourage more resilient and equitable trade regimes. Trade plays a crucial role in allowing societies in conditions of food deficit to meet their demand through imports from other regions of the world. The amount of food calories traded in the international market more than doubled between 1986 and 2009, while the number of links in the trade network increased by more than 50% (D'Odorico *et al.*, 2014). This still only adds up to about 23% of total food produced for human consumption being traded internationally (D'Odorico *et al.*, 2014). Still, the fact that about one quarter of all food is traded suggest that global food security can be threatened not only by regional climate extremes (drought, flood, frost) but also by price volatility and changes in the food market (Headley, 2010; D'Odorico *et al.*, 2014). Almost 50% of the net exports are contributed by only 5 countries: United States; Brazil; Argentina; Indonesia; and France (D'Odorico *et al.*, 2014). Countries that strongly rely on trade are expected to be particularly vulnerable, especially if their economies are not strong enough to absorb the shocks of food price volatility in the global market (FAO-OECD, 2011; D'Odorico *et al.*, 2014). The urban poor in least developed countries are much more exposed to global food market prices than the rural poor. This is crucial given that many urban areas are now dependent on globalised food production and distribution networks, with a supply of food and water that would support their population for several days at most in an emergency (Pelletier *et al.*, 2011). As urbanization increases, so does the likelihood that food price increases and fluctuations lead to political and social instability (Godfray & Garnett, 2014).

Many argue that the global trading system itself needs to be redesigned to maintain the economic viability of agriculture as well as environmental sustainability (Kissinger and Rees, 2009). There have been call for more diversified international supply chains with reduced reliance on a small number of agro-companies, for reformed international trade policies that are supportive of ecological agriculture, and for improved market access for developing country producers. Yet suggestions on exactly how to realistically achieve this are not easy to find nor are many decision makers willing to take on this particular political dynamite. In recent years, negotiations over market access and domestic support have not gone well and it is not likely that issues of free trade in relation to environmental and social sustainability will be addressed in the near future (Dibden *et al.*, 2009).

We could choose to support smallholders and agriculture for development. Agriculture at a global scale is an important source of food. At the local and national scales, particularly in developing and emerging countries, it is also an important source of income and economic growth (Pingali, 2012). The choice to promote agriculture as a development pathway has been made by many nations, development agencies and organisations. However, agriculture for development does not necessarily have the same objectives as agriculture for food security. Indeed, food scarcity can be of

greater economic benefit where producers can earn more from higher prices. If the choice is made to promote agriculture for development, this needs to be reconciled with alternative goals of food security and sustainability. Growing more food doesn't necessarily mean a better livelihood for farmers. Sustainable food production does not necessarily mean sustaining farmer's livelihoods or even farming communities.

Likewise, the industrialisation of agriculture doesn't necessarily mean a better life for smallholders either. As Gimenez and Altieri (2013) suggest, the expansion of industrial agriculture and the formalisation of associate markets for seed, land and other inputs has the potential to destroy the livelihoods of many smallholders. According to the FAO, agricultural growth involving smallholders, especially women, will be most effective in reducing extreme poverty and hunger when it increases returns to labour and generates employment for the poor (FAO *et al.*, 2012). This may mean choosing a pathway that avoids greater mechanisation of agriculture. Or it could mean promoting diversified rural economies and markets and alternative opportunities for rural employment outside agriculture. Positive results can come from policies that support micro-enterprise development, which reduces reliance on land and provides alternative livelihoods that require less space (Muriuki *et al.*, 2010).

Lastly, we need to pay attention to the marginal environments where many smallholders are located. Technologies in the Green Revolution period did not focus on the constraints to production in more marginal environments, especially tolerance to stresses such as drought or flooding. More often than not, marginal environments were left behind, because the climate and resource constraints were such that returns to investment in green revolution varieties were low (Pingali, 2012). In Sub-Saharan Africa, if grown under the conditions typical of smallholder cultivation, high yielding varieties would often yield less than the traditional farmer varieties (Sayer & Cassman, 2013). Greater attention needs to be paid to the production challenges of agricultural in marginal and degraded areas.

We could choose a different paradigm. We could shift from our current paradigm of productivity enhancement while reducing environmental impacts, to a paradigm where ecological sustainability constitutes the entry point for all agricultural development. If we embraced this new paradigm, sustainable governance and management of ecosystems, natural resources and earth system processes at large, would provide the basis for practical solutions towards an intensification of agriculture to deliver the huge increase in food production required by a global population of nine billion. Such a paradigm could reposition world agriculture from its current role as the world's single largest driver of global environmental change, to becoming a critical part of a world transition to a safe operating space on our planet (Rockström *et al.*, 2009; Rockström *et al.*, 2010). This is our choice to make.

5. Conclusion

We have options in how we go about meeting the food security challenge. There are serious choices facing humanity that we haven't even begun to properly debate or address. Questions about the choices that we face in coming decades – value judgements that must be faced and cannot be avoided by expecting physical limits to intensification within the safe operating space of the planet to constrain our behaviour. As is made clear by current and emerging trends, the visions of a sustainable or green agriculture are a long way from the trajectory that food and agricultural systems are on. Around the world, there is growing recognition of the importance of sustainability

and the need to take immediate and sustained action to transform our agricultural and food systems is an imperative, particularly in the face of climate change. We have choices in how we go about producing food – choices that we need to face up to instead of waiting for limits to be imposed by nature, or crises to knock some sense in to us. Neither will come soon enough. If the world decided it was ready to take serious action, what would be required? Social, environmental and economic considerations come in to play. Issues of livelihoods, rural development and health are central. There is no right answer. There are many answers, many possible scenarios and many system inter-linkages to consider. We need to move forward.

6. References

- Alexandratos, N. & Bruinsma, J., 2012. *World Agriculture Towards 2030/2050: The 2012 Revision. ESA Working Paper No 12-03*. Food and Agriculture Organization of the United Nations, Rome.
- Bai, Z.G., Dent, D.L., Olsson, L. & Schaepman, M.E., 2008. Proxy global assessment of land degradation. *Soil Use and Management*, **24**, 223–234.
- Bajželj, B., Richards, K.S., Allwood, J.M., Smith, P., Dennis, J.S., Curmi, E. & Gilligan, C.A., 2014. Importance of food-demand management for climate mitigation. *Nature Climate Change*, **4**, 924–929.
- Balmford, A., Green, R.E. & Scharlemann, J.P.W., 2005. Sparing land for nature: exploring the potential impact of changes in agricultural yield on the area needed for crop production. *Global Change Biology*, **11**, 1594–1605.
- Beddington, J., 2010. Food security: contributions from science to a new and greener revolution. *Phil. Trans. R. Soc. B*, **365**, 61–71.
- Benson, T., 2012. Cross-Sectoral Coordination in the Public Sector: A Challenge to Leverage Agriculture for Improving Nutrition and Health. *Reshaping Agriculture for Nutrition and Health* (ed. by S. Fan and R. Pandya-Lorch). International Food Policy Research Institute, Washington DC.
- Bouwman, L., Klein Goldewijk, K.K., Van Der Hoek, K.W., Beusen, A.H.W., Van Vuuren, D.P., Willems, J., Rufino, M.C. & Stehfest, E., 2013. Exploring global changes in nitrogen and phosphorus cycles in agriculture induced by livestock production over the 1900–2050 period. *Proceedings of the National Academy of Sciences*, **110**, 20882–20887.
- Brown, P.W. & Schulte, L.A., 2011. Agricultural landscape change (1937–2002) in three townships in Iowa, USA. *Landscape and Urban Planning*, **100**, 202–212.
- Carolan, M., 2013. *Reclaiming food security*. Routledge, Milton Park.
- CBD, 2000. *COP 5 Decision V/6*. Available at: <http://www.cbd.int/decision/cop/?id=7148> (accessed 1/10/14 2014).
- Chen, R.S., 1990. Global Agriculture, Environment, and Hunger Past, Present, and Future Links. *Environmental Impact Assessment Review*, **10**, 335–358.
- Ciampitti, I., A. & Vyn T., J., 2014. Understanding Global and Historical Nutrient Use Efficiencies for Closing Maize Yield Gaps. *Agronomy Journal*, **106**, 2107–2117.
- Connell, J., 2013. *Islands at Risk*. Edward Elgar, Cheltenham.
- Cordell, D. & White, S., 2011. Peak Phosphorus: Clarifying the Key Issues of a Vigorous Debate about Long-Term Phosphorus Security. *Sustainability*, **3**.
- D'Odorico, P., Carr, J.A., Laio, F., Ridolfi, L. & Vandoni, S., 2014. Feeding humanity through global food trade. *Earth's Future*, doi: 10.1002/2014EF000250.
- Deininger, K. & Byerlee, D., 2012. The rise of large farms in land abundant countries: do they have a future? *World Development*, **40**, 701–714.

- Deininger, K., Byerlee, D., Lindsay, J., Norton, A., Selod, H. & Stickler, M., 2011. *Rising Global Interest in Farmland: Can It Yield Sustainable And Equitable Benefits?* The World Bank, Washington, D.C.
- Dube, L., Pingali, P. & Webb, P., 2013. Paths of convergence for agriculture, health, and wealth. *PNAS*, **In press**.
- Elser, J. & Bennett, E., 2011. Phosphorus cycle: A broken biogeochemical cycle. *Nature*, **478**, 29–31.
- FAO-OECD, 2011. *Price Volatility in Food and Agricultural Markets: Policy Responses*. Food and Agriculture Organization/Organization for Economic Co-operation and Development, Rome.
- FAO, 2009. Global agriculture towards 2050. In: *How to feed the world 2050: High-level expert forum*. Food and Agriculture Organization of the United Nations, Rome.
- FAO, 2011. *Energy-Smart Food For People and Climate (Issue Paper)*. Food and Agriculture Organization, Rome.
- FAO, 2012. *Current world fertilizer trends and outlook to 2016*. Food and Agriculture Organization of the United Nations (FAO), Rome.
- FAO, 2014. *Draft Guide For National Seed Policy Formulation*. Item 3 of the Provisional Agenda, Seventh Session, Intergovernmental Technical Working Group on Plant Genetic Resources for Food and Agriculture, Rome, 9 - 11 July 2014, CGRFA/WG-PGR-7/14/Inf.2. Commission On Genetic Resources For Food And Agriculture, Food and Agriculture Organization of the United Nations, Rome.
- FAO, WFP & IFAD, 2012. *State of Food Insecurity in the World 2012: Economic Growth is necessary but not Sufficient to Accelerate Reduction of Hunger and Malnutrition*. FAO, Rome.
- Fischer, R.A., Byerlee, D. & Edmeades, G.O., 2014. *Crop yields and global food security: will yield increase continue to feed the world?* ACIAR Monograph No. 158. Australian Centre for International Agricultural Research, Canberra.
- Foley, J.A., Defries, R., Asner, G.P., Barford, C., Bonan, G., Carpenter, S.R., Chapin, F.S., Coe, M.T., Daily, G.C., Gibbs, H.K., Helkowski, J.H., Holloway, T., Howard, E.A., Kucharik, C.J., Monfreda, C., Patz, J.A., Prentice, I.C., Ramankutty, N. & Snyder, P.K., 2005. Global consequences of land use. *Science*, **309**, 570-574.
- Foley, J.A., Ramankutty, N., Brauman, K.A., Cassidy, E.S., Gerber, J.S., Johnston, M., Mueller, N.D., O'Connell, C., Ray, D.K., West, P.C., Balzer, C., Bennett, E.M., Carpenter, S.R., Hill, J., Monfreda, C., Polasky, S., Rockstrom, J., Sheehan, J., Siebert, S., Tilman, D. & Zaks, D.P.M., 2011. Solutions for a cultivated planet. *Nature*, **478**, 337-342.
- Foresight, 2011. *Synthesis Report C4: Food system scenarios and modelling*. Foresight Project on Global Food and Farming Futures. UK Government Office for Science, London.
- Gibbs, H.K., Ruesch, A.S., Achard, F., Clayton, M.K., Holmgren, P., Ramankutty, N. & Foley, J.A., 2010. Tropical forests were the primary sources of new agricultural land in the 1980s and 1990s. *Proceedings of the National Academy of Sciences*, **107**, 16732–16737.
- Godfray, H.C.J. & Garnett, T., 2014. Food security and sustainable intensification. *Phil. Trans. R. Soc. B*, **369**, 20120273.
- Gready, J., 2014. 'Best of the old and the new: a way forward for the food security dilemma. *A Love of Ideas* (ed. by H. Sykes), pp. 69-84. Future Leaders, Canberra Australia.
- GSCSA, 2011. *The Wageningen Statement: Climate-Smart Agriculture - Science for Action*. Available at: http://ccafs.cgiar.org/sites/default/files/assets/docs/the_wageningen_statement_26-10_14_17_final.pdf (accessed 02/10/14 2014).
- Headley, D., 2010. Rethinking the global food crisis: The role of trade shocks. *Food Policy*, **36**, 136–146.
- Hertel, T.W., Ramankutty, N. & Baldosa, U.L.C., 2014. Global market integration increases likelihood that a future African Green Revolution could increase crop land use and CO2 emissions. *Proceedings of the National Academy of Sciences*, **111**, 13799–13804.
- Holt-Gimenez, E. & Altieri, M.A., 2013. Agroecology, Food Sovereignty, and the New Green Revolution. *Agroecology and Sustainable Food Systems*, **37**, 90-102.

- IAASTD, 2008. Executive Summary of the Synthesis Report of the International Assessment of Agricultural Knowledge, Science and Technology for Development (IAASTD). In, IAASTD.
- Khan, S. & Hanjra, M.A., 2009. Footprints of water and energy inputs in food production - Global perspectives. *Food Policy*, **34**, 130-140.
- Khan, Z.R., Midega, C.A.O., Pittchar, J.O., Murage, A.W., Birkett, M.A., Bruce, T.J.A. & Pickett, J.A., 2014. Achieving food security for one million sub-Saharan African poor through push-pull innovation by 2020. *Phil. Trans. R. Soc. B*, **369**, 20120284.
- Kiers, E.T., Leakey, R.R.B., Izac, A., Heinemann, J.A., Rosenthal, E., Nathan, D. & Jiggins, J., 2008. Agriculture at a Crossroads. *Science*, **320**, 320-321.
- Kirkegaard, J.A., Peoples, M.B., Angus, J.F. & Unkovich, M.J., 2011. Diversity and evolution of rainfed farming systems in Southern Australia. *Rainfed Farming Systems* (ed. by P. Tow, I. Cooper, I. Partridge and C. Birch), pp. 715-754. Springer.
- Kjaergard, B., Land, B. & Bransholm, K., 2013. Health and sustainability. *Health Promotion International*, in press.
- Lang, T., 2006. *Understanding the links between agriculture and health (Focus 13: 2)*. International Food Policy Research Institute (IFPRI), Washington DC.
- Lipinski, B., Hanson, C., Lomax, J., Kitinoja, L., Waite, R. & Searchinger, T., 2013. *Installment 2 of "Creating a Sustainable Food Future": Reducing Food Loss and Waste. Working Paper June 2013*. World Resources Institute.
- MacDonald, G.K., Bennett, E.M., Potter, P.A. & Ramankutty, N., 2011. Agronomic phosphorus imbalances across the world's croplands. *Proceedings of the National Academy of Sciences*, **108**, 3086-3091.
- McKenzie, F., 2014. Trajectories of change in rural landscapes – the end of the mixed farm? *Rural Change in Australia* (ed. by J. Connell and R. Duffy-Jones). Ashgate Publishing Ltd, Farnham.
- McKenzie, F. & Ashton, R., 2012. *Safeguarding and Enhancing the Ecological Foundation of Agricultural and Food Systems to Support Human Well-Being: Bridging the Implementation Gap. Draft Working Paper, February 2012*. Prepared for the United Nations Environment Programme, Nairobi.
- MODI, 2013. *Economic Impact of Obesity*. Available at: <http://www.modi.monash.edu.au/obesity-facts-figures/economic-impact-of-obesity/> (accessed 03/07/2013 2013).
- Morton, D.C., DeFries, R.S., Shimabukuro, Y.E., Anderson, L.O., Arai, E., del Bon Espirito-Santo, F., Freitas, R. & Morisette, J., 2006. Cropland expansion changes deforestation dynamics in the southern Brazilian Amazon. *Proceedings of the National Academy of Sciences*, **103**, 14637-14641.
- Mueller, N.D., Gerber, J.S., Johnston, M., Ray, D.K., Ramankutty, N. & Foley, J.A., 2012. Closing yield gaps through nutrient and water management. *Nature*, **490** 254-257.
- Muriuki, G., McAlpine, C., Seabrook, L. & Baxter, G., 2010. The role of squatters in retention of native vegetation: A case study of the Chyulu Hills, Kenya. *Applied Geography*, **31**, 577-589.
- Obersteiner, M., Peñuelas, J., Ciais, P., van der Velde, M. & Janssens, I.A., 2013. The phosphorus trilemma. *Nature Geoscience* **6**, 897-898.
- OECD-FAO, 2011. *Agricultural Outlook 2011-2020*. OECD and FAO, Paris and Rome.
- Oerke, E.C., 2006. Crop losses to pests. *Journal of Agricultural Science*, **144**, 31-43.
- PBL, 2009. *Growing within Limits: A Report to the Global Assembly 2009 of the Club of Rome*. Netherlands Environment Assessment Agency (PBL), Bilthoven.
- Pelletier, N., Audsley, E., Brodt, S., Garnett, T., Henriksson, P., Kendall, A., Kramer, K.J., Murphy, D., Nemecek, T. & Troell, M., 2011. Energy Intensity of Agriculture and Food Systems. *Annual Review of Environment and Resources*, **36**, 223-246.
- Peñuelas, J., Poulter, B., Sardans, J., Ciais, P., van der Velde, M., Bopp, L., Boucher, O., Godderis, Y., Hinsinger, P., Llusia, J., Nardin, E., Vicca, S., Obersteiner, M. & Janssens, I.A., 2013. Human-induced nitrogen–phosphorus imbalances alter natural and managed ecosystems across the globe. *Nature Communications*, **4**, 2934.

- Perrone, D. & Hornberger, G.M., 2014. Water, food, and energy security: scrambling for resources or solutions. *Wiley Interdisciplinary Reviews: Water*, **1**, 49-68.
- Pingali, P.L., 2012. Green Revolution: Impacts, limits, and the path ahead. *Proceedings of the National Academy of Sciences*, **109**, 12302 - 12308.
- Poppy, G.M., Chiotha, S., Eigenbrod, F., Harvey, C.A., Honzák, M., Hudson, M.D., Jarvis, A., Madise, N.J., Schreckenberg, K., Shackleton, C.M., Villa, F. & Dawson, T.P., 2014. Food security in a perfect storm: using the ecosystem services framework to increase understanding. *Phil. Trans. R. Soc. B*, **369**, 20120288.
- Porter, J.R., Xie, L., Challinor, A.J., Cochrane, K., Howden, S.M., Iqbal, M.M., Lobell, D.B. & Travasso, M.I., 2014. Food security and food production systems. *Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (ed. by C.B. Field, V.R. Barros, D.J. Dokken, K.J. Mach, M.D. Mastrandrea, T.E. Bilir, M. Chatterjee, K.L. Ebi, Y.O. Estrada, R.C. Genova, B. Girma, E.S. Kissel, A.N. Levy, S. Maccracken, P.R. Mastrandrea and L.L. White). Cambridge University Press, Cambridge, UK and New York, NY, USA.
- Ringeval, B., Nowak, B., Nesme, T., Delmas, M. & Pellerin, S., 2014. Contribution of anthropogenic phosphorus to agricultural soil fertility and food production. *Global Biogeochemical cycles*, **28**, 743-756.
- Rockström, J., Karlberg, L., Wani, S.P., Barron, J., Hatibu, N., Oweis, T., Bruggeman, A., Farahani, J. & Qiang, Z., 2010. Managing water in rainfed agriculture - the need for a paradigm shift. *Agricultural Water Management*, **97**, 543-550.
- Rockström, J., Steffen, W., Noone, K., Persson, Å., Chapin, S.F., Lambin, E.F., Lenton, T.M., Scheffer, M., Folke, C., Schellnhuber, H.J., Nykvist, B., de Wit, C.A., Hughes, T., van der Leeuw, S., Rodhe, H., Sörlin, S., Snyder, P.K., Costanza, R., Svedin, U., Falkenmark, M., Karlberg, L., Corell, R.W., Fabry, V.J., Hansen, J., Walker, B., Liverman, D., Richardson, K., Crutzen, P. & Foley, J.A., 2009. A safe operating space for humanity. *Nature*, **461**, 472-475.
- Sayer, J. & Cassman, K.G., 2013. Agricultural innovation to protect the environment. *Proceedings of the National Academy of Sciences*, **110**, 8345-8348.
- Schmidhuber, J., Bruinsma, J. & Boedeker, G., 2009. *Capital Requirements For Agriculture In Developing Countries To 2050*. Paper presented at the FAO Expert Meeting on "How to Feed the World in 2050", 24-26 June 2009, Rome. .
- Schmitz, C., van Meijl, H., Kyle, P., Nelson, G.C., Fujimori, S., Gurgel, A., Havlik, P., Heyhoe, E., Mason d'Croz, D., Popp, A., Sands, R., Tabeau, A., van der Mensbrugghe, D., von Lampe, M., Wise, M., Blanc, E., Hasegawa, T., Kavallari, A. & Valin, H., 2014. Land-use change trajectories up to 2050: Insights from a global agro-economic model comparison. *Agricultural Economics*, **45**, 69-84.
- Steinbuks, J. & Hertel, T.W., 2013. Energy prices will play an important role in determining global land use in the twenty first century. *Environmental Research Letters*, **8**, 014014.
- Stokstad, E., 2010. Could Less Meat Mean More Food? *Science*, **327**, 810-811.
- Sullivan, A. & Pittock, J., 2014. Agricultural policies and irrigation in Africa-expert advice and government priorities. *Water, Food and Agricultural Sustainability in Southern Africa* (ed. by J. Pittock, R.Q. Grafton and C. White). Tilde university Press, Prahran, Australia.
- Tilman, D., 1998. The greening of the green revolution. *Nature*, **396**, 211-212.
- Tilman, D., Balzer, C., Hill, J. & Befort, B.L., 2011. Global food demand and the sustainable intensification of agriculture. *Proceedings of the National Academy of Sciences*, **108**, 20260-20264.
- Tomlinson, I., 2014. Doubling food production to feed the 9 billion: A critical perspective on a key discourse of food security in the UK. *Journal of Rural Studies*, **29**, 81-90.

- Trumper, K., Bertzky, M., Dickson, B., van der Heijden, G., Jenkins, M. & Manning, P., 2009. *The Natural Fix? The Role of Ecosystems in Climate Mitigation. A UNEP Rapid Response Assessment*. . United Nations Environment Programme, UNEP-WCMC, Cambridge, UK.
- Tweeten, L. & Thompson, S.R., 2008. *Long-Term Global Agricultural Output Supply-Demand Balance, and Real Farm and Food Prices*. Working Papers, Ohio State University, Department of Agricultural, Environmental and Development Economics.
- UNCCD, 2012. *Zero Net Land Degradation: A Sustainable Development Goal for Rio+20*. UNCCD Secretariat Policy Brief. United Nations Convention to Combat Desertification (UNCCD), Bonn , Germany.
- UNCTAD, 2010. *Agriculture at the Crossroads: Guaranteeing Food Security in a Changing Global Climate. Policy Briefs 18 (December 2010)*. United Nations Conference on Trade and Development (UNCTAD), Geneva.
- UNEP, 2009. *The Environmental Food Crisis: The Environment's Role in Averting Future Food Crises*. United Nations Environment Programme, Nairobi.
- Utz, V., 2011. *Modern Energy Services for Modern Agriculture: A Review of Smallholder Farming in Developing Countries*. GIZ-HERA: Poverty-oriented Basic Energy Services.
- Vaccari, D.A., 2009. Phosphorus: A Looming Crisis. *Scientific American*, **June 2009**, 54-59.
- Valin, H., Sands, R.D., van der Mensbrugghe, D., Nelson, G.C., Ahammad, H., Blanc, E., Bodirsky, B., Fujimori, S., Hasegawa, T., Havlik, P., Heyhoe, E., Kyle, P., Mason-D'Croz, D., Paltsev, S., Rolinski, S., Tabeau, A., van Meijl, H., von Lampe, M. & Willenbockel, D., 2014. The future of food demand: understanding differences in global economic models. *Agricultural Economics*, **45**, 51–67.
- van der Velde, M., Folberth, C., Balkovic, J., Ciais, P., Fritz, S., Janssens, I.A., Obersteiner, M., See, L., Skalsky, R., Xiong, W. & Penuelas, J., 2014. African crop yield reductions due to increasingly unbalanced Nitrogen and Phosphorus consumption. *Global Change Biology*, **20**, 1278-1288.
- Westley, F., Olsson, P., Folke, C., Homer-Dixon, T., Vredenburg, H., Loorbach, D., Thompson, J., Nilsson, M., Lambin, E., Sendzimir, J., Banerjee, B., Galaz, V. & van der Leeuw, S., 2011. Tipping Toward Sustainability: Emerging Pathways of Transformation. *Ambio*, **40**, 762-780.
- WHO, 2013. *Obesity and overweight. Fact sheet N°311*. Available at: <http://www.who.int/mediacentre/factsheets/fs311/en/> (accessed 26/8/13 2013).
- World Bank, 2008. *Agriculture for Development: World Development Report 2008*. The International Bank for Reconstruction and Development / The World Bank, Washington DC.
- World Bank, 2013. *Growing Africa: Unlocking the Potential of Agribusiness*. The World Bank, Washington, DC.