TESTING REGULATORY CONSISTENCY

ROBERT BREUNIG and FLAVIO M. MENEZES*

We undertake an analysis of regulatory consistency using a database of publicly available regulatory decisions in Australia. We propose a simple exploratory model which allows us to test for regulatory consistency across jurisdictions and industries without detailed knowledge of the regulatory process. We compare two measures using our approach—the weighted average cost of capital (WACC) and the proportion of firms' revenue requirement claims disallowed by the regulator. Our comparison suggests that the WACC is a very poor measure of regulatory consistency. Moreover, our empirical results may be interpreted as indicating that a range of measures ought to be considered when assessing regulatory consistency. Our results also provide an empirical foundation for theoretical modeling of regulatory processes. (JEL L51)

I. INTRODUCTION

Consistency is generally deemed to be a key principle of good regulation.¹ It is also often demanded by regulated businesses.² Although no general definition for regulatory consistency exists, it usually means a requirement for equitable treatment; different firms under identical conditions regulated by different regulators should expect to be treated in the same way.

An important issue, and the starting point of this paper, is that there does not seem to be a clear articulation of how one should measure consistency. The approach followed in legislation often seems to rely on ensuring

that particular regulatory parameters are the same. For example, the weighted average cost of capital (WACC) parameters that will apply to all electricity distribution businesses across Australia for regulatory proposals submitted between April 1, 2009 and April 1, 2014 will be identical “unless there is persuasive evidence provided in individual distribution proposals that justify a departure”³ from the standard rate set by the regulator.

Without detailed knowledge of the regulatory process, an outside observer may be tempted to equate consistency of specific regulatory parameters such as the WACC with regulatory consistency. This focus could be rationalized by the view that the WACC is based on the firms' capital requirements, which can be objectively assessed. This view, however, can be misleading as it ignores the discretionary nature of the choice of the WACC and other regulatory parameters by the regulator.

Consider, for example, two identical firms that are assessed by different regulators. It is

*R.B. and F.M.M. acknowledge the financial support of the Australian Research Council (ARC Grants DP 0557885 and 0663768). The authors thank Fernando Camacho, Steven Hamilton, and Tom Gole, participants at the 2008 Association for Public Economic Theory Conference, Robert Michaels, and an anonymous referee for useful comments. The authors are thankful to Cardy Man for research assistance. The usual disclaimer applies.

Breunig: Professor, Research School of Economics, Australian National University, Canberra, ACT 0200, Australia. Phone +61 2 6125 2148, Fax +61 2 6125 0744. E-mail Robert.Breunig@anu.edu.au

Menezes: Professor, School of Economics, University of Queensland, Brisbane, QLD 4072, Australia. Phone +61 07 3365 6340, Fax +61 07 3365 7299, E-mail f.menezes@economics.uq.edu.au

1. See, for example, statements available at http://www.dfes.gov.uk/hegateway/uploads/principles_good_regulation.doc, <http://www.finance.gov.au/obpr/proposal/coag-requirements.html>, and <http://www.oecd.org/dataoecd/38/13/40395187.pdf>.

2. See, for example, Energy Retailers Association of Australia (2003), Australian Logistics Council (2006), and National Insurance Brokers Association of Australia (2007).

3. See Australian Energy Regulator (2008), 5.

ABBREVIATIONS

ACCC: Australian Competition and Consumer Commission
CPI-X: Consumer Price Index minus a factor (X)
MAR: Maximum Allowable Revenue
NEC: National Electricity Code
NEM: National Electricity Market
NSW: New South Wales
PDC: Proportion of Disallowed Claims
WACC: Weighted Average Cost of Capital

clear that the regulatory decisions should yield the same return on capital. Suppose further that the WACC parameters are identical across the two decisions but there are two different methods for setting the regulated asset base. In this simple example, identical WACC parameters will result in inconsistent returns on capital. This example highlights that regulators typically set both the WACC and other regulated parameters simultaneously. This is different from the role that the WACC plays in unregulated markets where the value of assets is determined by the market. Therefore, using the WACC to measure regulatory consistency might be misleading.

Perhaps the focus on specific parameters such as the WACC is understandable; it is easier to compare the WACC across decisions than to compare more multidimensional criteria such as asset valuation methods. However, as the example illustrates, focusing on the WACC as a measure of regulatory consistency may be misleading. This observation provides one motivation for this paper, namely, to provide an alternative measure of regulatory consistency which has the advantage of being one-dimensional but avoids the disadvantage of focusing on a single parameter such as the WACC.

We propose to measure consistency as the proportion of firms' revenue requirement claims (proportion of disallowed claims [PDC]) disallowed by the regulator when determining the maximum revenue. This measure aggregates a wide variety of inputs into the regulatory process and also focuses on a concrete outcome which both the firm and the regulator care about. This measure also has the advantage of not requiring any detailed knowledge of how the regulatory decision was arrived at. One limitation is that for some countries the data to construct PDC will not exist. However, this data will be available for many countries including those that use rate-of-return regulation (like the United States) and others that undertake a building blocks approach (like for some industries in the United Kingdom, New Zealand, and other countries).

A second motivation for this paper is to propose an approach for testing regulatory consistency across jurisdictions and industries. We do not specify a model of the regulatory decision-making process, instead taking an econometric approach which allows for, but does not impose, systematic differences across time, industry, and regulator. We can then test whether in fact differences exist. We view our analysis as exploratory in nature and we apply our

technique to a database that we assembled from publicly available information in Australia.

One important finding is that when we examine WACC parameters across decisions in six industries, we find almost no consistency across regulatory agencies in Australia, giving the impression of regulatory chaos. However, using the proportion of firms' cost claims disallowed by the regulator, we find a much greater degree of consistency. This finding of consistency in one dimension, but not in another dimension, should also be of interest to those developing more structural models of the regulatory process, as it indicates the kind of stylized facts which such models must be able to accommodate.

The finding that the proportion of firms' cost claims disallowed by the regulator is fairly consistent across regulators, after controlling for industry effects, is not sufficient to claim that nothing in the regulatory process is changing. Unobserved cost inefficiencies, incentives, technical complexity of production, the behavior of firms, the behavior of regulators, and informational asymmetries between the two may all be evolving over time. But such changes, if there are any, are not having a systematic effect on the proportion of firms' cost claims disallowed by the regulator. This is an interesting result and should be taken into account in further investigation of these processes.

We also find systematically different treatment, for both measures, of publicly owned and privately owned firms after controlling for industry, regulator, and time.⁴ We find no political effects as measured by which party is in power in the regulator's jurisdiction. We find some evidence that consistency appears to have increased over time.

Our paper is similar in nature to Hagerman and Ratchford (1978) in that we also advance a fact-finding approach with the aim of informing the development of theory. It also fits with a recent, albeit small, literature that aims to explain the variability of regulatory outcomes. Examples include Lehman and Weisman (2000), Figueiredo and Edwards (2007), and Edwards and Waverman (2006).

4. There is no *a priori* reason for government-owned businesses to be treated differently by the regulator in Australia. Unlike the United States where collectively owned systems such as municipals and cooperatives are not subject to state-level regulation due to constitutional restrictions, in Australia government-owned infrastructure businesses are subject to corporate law and have a mandate to maximize profits.

Our approach is also similar in spirit to the fact-finding literature that aims at investigating whether regulatory outcomes vary with particular aspects of the regulatory regime such as whether regulators are appointed or elected. In this vein, Lehman and Weisman (2000) find that prices of telecommunication leases are higher in U.S. states with elected public utility commissioners. For retail telecommunications and electricity, prices in states with elected commissioners are found to be either lower (Besley and Coate 2003) or not statistically significantly different (Primeaux and Mann 1986) from prices in states with appointed commissioners. Using a richer database of regulatory decisions over time, Quast (2008) shows that the political affiliation of elected commissioners may be correlated with the lease (wholesale) prices that they set. Moreover, he shows that retail prices may vary with the political affiliation of appointed regulators.

This paper is organized as follows. In the next section, we provide background on the regulatory environment in Australia for the industries we analyze. In Section III, we discuss our alternative measure of consistency and our empirical strategy. Section IV describes the database that we assembled and our estimation results. In that section we address our main hypotheses, examine the effect of private ownership, and undertake robustness checking of our findings. Section V concludes.

II. THE INSTITUTIONAL FRAMEWORK

The institutional arrangements that prevailed as the deregulation of the network utility sectors saw regulatory responsibilities spread between state, territory, and national regulators.⁵ Even within industries, different segments of the supply chain were regulated by different regulators and at different jurisdictional levels. This practice resulted in divergent implementations of the underlying principles of price regulation. This divergence was a primary motivation for the regulatory reforms that established the Australian Energy Regulator, which has taken over

responsibility for the regulation of electricity distribution in most states from 2009.

The remainder of this section describes the different regulatory frameworks that applied for the industry sectors during the period covered in this study.⁶ Broadly speaking, price regulation in Australia takes the form of either a price or revenue cap. The regulatory process can be characterized as follows: a maximum revenue requirement is determined that specifies the forward-looking efficient costs that can be recovered during the regulatory period (usually 5 years). This revenue requirement is determined following an initial submission from the regulated business and a public consultation process. The x-factor in the price (or revenue) cap can then be thought of as being implicitly calculated so that the firm achieves the level of efficiency gains embedded in the forward-looking cost estimates.⁷

A. Electricity

Responsibility for electricity regulation in Australia was divided amongst state, territory, and national regulators since the introduction of deregulation. As part of the deregulation process a National Electricity Market (NEM) was developed. This market comprises Queensland, New South Wales (NSW), Australian Capital Territory, Victoria, and South Australia. Tasmania joined the NEM when the Basslink Interconnector was commissioned in April 2006. Jurisdictions in the NEM were required to regulate the electricity industry according to an industry access code developed under Part IIIA of the Trade Practices Act 1974: the National Electricity Code (NEC).

Price regulation under the NEC focused on an incentive-based mechanism that applied a CPI-X approach.⁸ The regulation of electricity transmission companies in NEM jurisdictions was conducted on a national basis by the Australian Competition and Consumer Commission

6. The telecommunications industry was not included in this study because of a lack of publicly available data.

7. Note that this is not dissimilar to the approach followed by most state-based regulators in the United States. The main distinction is that whereas U.S. regulators look at costs that have already been incurred to determine whether these costs were efficient, in Australia this exercise is forward looking.

8. CPI-X approach refers to a regulator who uses the Consumer Price Index minus a factor (X) which the regulator determines to reflect anticipated productivity gains or efficiency gains.

5. Australia is a federal system with six states and two main self-governing territories, the Northern Territory and the Australian Capital Territory. Australia also has several minor overseas territories which do not figure in the analysis presented here. Governance in the states and territories is identical in relation to the regulatory issues presented here and we refer to both generically as "states" in the following.

(ACCC), whereas distribution companies were regulated via the relevant state-based regulator.

While the ACCC-regulated electricity transmission under the NEC, there was sufficient scope within the NEC to allow the ACCC to interpret regulatory pricing components in different ways. The NEC also allowed state-based regulators to develop alternative pricing principles to those set out in the NEC. As a result, price regulation developed differently amongst state-based regulators. For example, while the NSW regulator applied a revenue cap regime, the Victorian regulator applied a price cap regime. In addition, other incentive-based mechanisms of the regime also varied. For instance, Victoria was the only jurisdiction to apply a service incentive scheme and an efficiency carryover mechanism.

For jurisdictions outside the NEM, state-based regulation applied for both transmission and distribution, although there is movement toward regulatory regimes similar to the NEM style of price control.

Finally, the ownership profile varies quite dramatically across states. While electricity distribution businesses in Victoria and South Australia are privately owned, public ownership is the norm across other states. This divergence of ownership profiles is also present in electricity transmission.

B. Gas

Gas industry regulation in Australia during the period covered by this study was developed under the National Third Party Access Regime for Natural Gas Pipelines (the Gas Access Regime). This regime applied to third party access to natural gas transmission and distribution pipelines. Unlike for electricity, the Gas Access Regime operated in each state and territory through the corresponding gas law.

The Gas Access Regime in Australia only applied to pipelines that were “covered” under the regime. “Covered” pipeline operators were required to have an access arrangement in place. Transmission pipeline access arrangements were the responsibility of the ACCC (except in Western Australia), while the distribution pipelines were the responsibility of state-based regulators. The ownership profile (i.e., public vs. public ownership) of the gas distribution industry is similar to that of electricity although gas transmission is characterized entirely by private ownership.

C. Water

Water regulation in Australia is conducted on a state and territory basis with different jurisdictional arrangements applying across them. Water pricing decisions typically consider bulk water, storm water, and wastewater as well as general water supply services. Water price regulation is conducted under specific state-based water legislation with regulatory powers provided through the legislation specific to the regulator. The industry is characterized by complex arrangements involving ownership by local councils and states of the various segments of the industry. Most water businesses were affected by the drought and the imposition of severe water restrictions in many jurisdictions over the last 5 years.

D. Rail

We assembled regulatory decisions for access prices to rail infrastructure by two state regulators (Victoria and Queensland). These are the two states for which data was available from the Economic Regulator’s website.

The Essential Services Commission of Victoria’s objectives under the legislation are to ensure that users have fair and reasonable access to declared rail transport services, and to ensure that users requiring access to declared rail transport services to provide passenger services have priority over users requiring such access to provide services other than passenger services. Tracks are owned by private firms in Victoria.

By contrast, the rail infrastructure in Queensland was owned by a single government-owned firm. The state regulator, the Queensland Competition Authority, has a legislated duty to assess and approve third party access undertakings to Queensland’s intrastate rail network; arbitrate access disputes; enforce breaches of access obligations; and assess competitive neutrality.

III. TESTING CONSISTENCY

This section develops an approach to test the consistency of regulatory decisions across jurisdictions and industries, controlling for the effect of time, ownership, and political affiliation. The approach we take may be thought of as asking a broad question, “As an outsider, how can I tell if two regulatory decisions are consistent?” This question is obviously of interest to anyone who wishes to analyze whether regulatory reform has

been successful in increasing consistency. Here, we focus on two specific aspects of this broader question: What should I be testing? and How should I be testing it?

Public debate often focuses on specific parameters such as the WACC. We propose an alternative to the WACC, which is the difference between a firm's revenue requirements measured in dollars (Y) and the maximum allowable revenue (MAR) as determined by the regulator.⁹ We define the following unit-free variable:

$$(1) \quad PDC = Y - MAR/Y.$$

We refer to our variable as PDC for short. Note that in principle we have $0 < PDC < 1$ as in one extreme the regulator can set the MAR to exactly cover the firm's revenue requirement claims making $PDC = 0$.¹⁰ At the other extreme, the regulator sets the MAR to zero making.

To be able to interpret PDC it is useful to consider a heuristic description of the regulatory process. When determining the MAR, regulators are very likely to have less information than the regulated firm about its efficient costs—and efficient levels of management effort and production processes—to provide the service. Regulated firms then have an incentive to exaggerate their forward-looking costs. In equilibrium, however, regulators have an incentive to cut firms' claims and, in particular, to cut further the claims of firms with greater informational advantage. How the equilibrium of this game will play itself out will depend crucially on how the information advantage is modeled. For example, if one assumes truthful revelation of costs by firms, then PDC could be interpreted as a measure of a firm's deviation from the efficiency frontier, a higher PDC indicating a more inefficient firm. By the same token, if firms' behavior across industries were the same so that they all exaggerated their forecasted future costs, then PDC can be interpreted as a measure of the toughness of the regulator, a higher PDC indicating a tougher regulator.

9. We proposed and used this measure in an earlier paper—see Breunig et al. (2006). That paper did not consider any information on political effects and used a pilot data set which was less than half the size of the data set used in this paper.

10. In practice it is possible to observe $PDC < 0$. This can be the result, for example, of the regulator allowing the firm to anticipate to period t certain expenses that would be incurred at a later date.

The development of a model of the regulatory process is beyond the scope of this paper. Instead we interpret PDC as a summary statistic for a potentially complex regulatory process (that might evolve over time) and focus on uncovering empirical regularities that can be used to motivate further theoretical work. In particular, we specify a simple model for the regulatory parameter (whether it be the WACC or PDC) that depends upon industry, regulator, and time. The model does not depend upon any knowledge of the underlying regulatory process. We also allow for the effect of private ownership and the political party in power in the jurisdiction of the regulator.

The model is

$$(2) \quad \begin{aligned} z_{irt} = & \alpha + RD'_{it}\beta + ID'_{it}\gamma + TD'_{it}\delta \\ & + \text{Priv}_{irt}\theta + \text{Labor}_{irt}\lambda + \varepsilon_{irt} \end{aligned}$$

where z is the variable of interest (WACC or PDC), subscripts irt indicate, respectively, the industry, regulator, and time of the decision. RD are dummy variables indicating which regulator took the decision, ID are dummy variables representing the industry to which the decision applies, TD are dummy variables for the year in which the decision was taken, Priv is a dummy variable equal to one when the firm is privately owned (and zero otherwise) and Labor is a dummy variable equal to one when a labor government is in power in the regulatory jurisdiction (and zero otherwise). α , β , γ , δ , θ , and λ are (vectors of) parameters to be estimated while ε_{irt} is a random term.

The model may be viewed as a three-way error component model. Our approach can also be viewed as a flexible, nonparametric model where we group the data into cells by time period, regulator, and industry. We then calculate means for each cell, which we can use to make cross-cell comparisons. The regression framework allows us to easily conduct hypothesis tests for pairs and groups of cells while controlling for ownership and political effects.

This approach implies that the tests we present in the following comparing different regulators are based upon within-industry variation only. The approach allows different industries to have different levels of informational asymmetries between regulator and firm, for example. We are not able to control for firm-specific fixed effects because of the lack of sufficient observations for each firm.

Finally, we would remind the reader that our objective is not to explain the WACC values

TABLE 1

Number of Observations and Decisions (Top Line), Average PDC (Middle Line—in Italics) and Average “Vanilla” WACC Value (Bottom Line—in Bold) by Regulator and Industry

Industry	Regulator									Total
	ACCC	Vic	NSW	QLD	WA	SA	ACT	TAS	NT	
Electricity transmission	29 (4) <i>0.107</i> 0.085									29 (4) <i>0.107</i> 0.085
Electricity distribution		25 (5) <i>0.165</i> 0.059	20 (4) <i>0.089</i> 0.067	10 (2) <i>0.115</i> 0.085				3 (1) <i>0.094</i> 0.081	4 (1) <i>−0.055</i> 0.097	62 (13) <i>0.112</i> 0.070
Gas distribution			9 (2) <i>0.116</i> 0.068	10 (2) <i>0.026</i> 0.087	5 (1) <i>0.082</i> 0.062	5 (1) <i>0.103</i> 0.061	6 (1) <i>0.081</i> 0.096			35 (7) <i>0.079</i> 0.076
Gas transmission	5 (1) <i>0.141</i> 0.088				11 (2) <i>0.063</i> 0.068					16 (3) <i>0.089</i> 0.075
Water		65 (24) <i>0.014</i> 0.052	20 (7) <i>0.087</i> 0.062					27 (6) <i>0.246</i> 0.064		112 (37) <i>0.065</i> 0.056
Rail		3 (1) <i>0.377</i> 0.066		20 (5) <i>0.043</i> 0.084						23 (6) <i>0.099</i> 0.081
Total	34 (5) <i>0.114</i> 0.086	93 (30) <i>0.051</i> 0.054	49 (13) <i>0.092</i> 0.065	40 (9) <i>0.055</i> 0.085	16 (3) <i>0.069</i> 0.066	5 (1) <i>0.103</i> 0.061	6 (1) <i>0.081</i> 0.096	30 (7) <i>0.224</i> 0.066	(4) 1 <i>−0.055</i> 0.097	277 (70) <i>0.082</i> 0.065

(nor the values of PDC) but rather to estimate a simple exploratory model that allows us to test differences across regulatory decisions in various dimensions. The empirical regularities reported can then be used in future theoretical and structural approaches to modeling the regulatory process.

IV. DATA AND RESULTS

The data were obtained by searching the websites of all Australian utility regulators for their pricing determinations. Therefore, the data are limited to those decisions where the regulator has provided the information on both the proposal and the determination on the Internet.¹¹ There are 115 decisions, all of which were made since 1998, for which we were able to find the required information to construct PDC

as described in Equation (1). Decisions cover 3–9 years, with 5 years being both the average and the most common decision length. Most regulatory decisions report several different WACC values; we use the “vanilla” WACC.¹²

Of the 115 decisions in our database, there are 70 regulatory decisions for which we have information on both PDC and the “vanilla” WACC. As one objective of the paper is to compare the degree of consistency which we find when we use different measures of consistency, we focus on this subset of 70 decisions for which we can compare the two measures. As a robustness check, we also estimate Equation (2) using the full sample of 115 regulatory decisions—but we can only do this for PDC (see Section IVC). We describe the data in Section IVA and present our main estimation results in Section IVB.

A. Descriptive Statistics

Tables 1–3 summarize the basic information about the 70 decisions used in estimating

11. In most cases, the business’s proposed revenue requirement and the regulator’s maximum allowable revenue determination were found in the regulator’s final decision report for that business or industry. In some instances, the business’s proposed revenue requirements were not available in the final decision. When this was the case, the business’s initial submission was used to obtain the data. WACC parameters were not available for all decisions.

12. This is the WACC value prior to adjustments for taxes and imputation credits.

TABLE 2
Number of Observations (Decisions) by Industry Split by Publicly/Private Owned Firm

Ownership	Industry						Total
	Electricity Transmission	Electricity Distribution	Gas Distribution	Gas Transmission	Water	Rail	
Public	14 (2)	37 (8)	9 (2)	5 (1)	112 (37)	20 (5)	197 (55)
Private	15 (2)	25 (5)	26 (5)	11 (2)	0	3 (1)	80 (15)
Total	29 (4)	62 (13)	35 (7)	16 (3)	112 (37)	23 (6)	277 (70)

TABLE 3
Number of Observations and Decisions (Top Line), Average Value of PDC (Middle Line—in Italics) and “Vanilla” WACC (Bottom Line—in Bold) by Regulator and Public/Private Ownership

Ownership	Regulator									
	ACCC	Vic	NSW	QLD	WA	SA	ACT	TAS	NT	Total
Public	19 (3)	65 (24)	44 (12)	35 (8)				30 (7)	4 (1)	197 (55)
	<i>0.070</i>	<i>0.014</i>	<i>0.094</i>	<i>0.057</i>				<i>0.224</i>	<i>−0.055</i>	<i>0.066</i>
	0.088	0.052	0.064	0.085				0.066	0.097	0.064
Private	15 (2)	28 (6)	5 (1)	5 (1)	16 (3)	5 (1)	6 (1)			80 (15)
	<i>0.179</i>	<i>0.201</i>	<i>0.075</i>	<i>0.042</i>	<i>0.069</i>	<i>0.103</i>	<i>0.081</i>			<i>0.138</i>
	0.083	0.060	0.070	0.087	0.066	0.061	0.096			0.069
Total	34 (5)	93 (30)	49 (13)	40 (9)	16 (3)	5 (1)	6 (1)	30 (7)	4 (1)	277 (70)
	<i>0.114</i>	<i>0.051</i>	<i>0.092</i>	<i>0.055</i>	<i>0.069</i>	<i>0.103</i>	<i>0.081</i>	<i>0.224</i>	<i>−0.055</i>	<i>0.082</i>
	0.086	0.054	0.065	0.085	0.066	0.061	0.096	0.066	0.097	0.065

Equation (2) for both WACC and PDC. Each decision comprises several years and the tables also provide information about the 277 annual observations which make up these 70 decisions. Tables A1–A4 provide information about the full sample of 115 decisions and regression results.¹³

Table 1 provides a number of observations and decisions for each of the six industries for which we have data by the nine regulators covered in our database. The ACCC is the national regulator, and as described in Section II, regulated only electricity and gas transmission during the period covered by our sample. Note that half of the decisions in our database relate to the water industry and that average values for both the WACC and PDC are lowest for that industry. We discuss the robustness of our results to the predominance of the water industry in Section IVC.

Tables 2 and 3 describe the decisions relating to privately owned firms and those relating to publicly owned firms. From Table 2, we see

that all decisions in the water industry relate to publicly owned firms. In all other industries, we have a mix of privately and publicly owned firms in the data. Table 3 provides average values for both the WACC and PDC by regulator, split by ownership status of the firm. We see a very small difference in average WACC across publicly and privately owned firms, but PDC is twice as large, on average, for privately owned firms than for publicly owned firms. Of course, these are average values before we control for any systematic differences across industry or regulator.

The only jurisdictions within which there is any variation in political party in power during the time period of our data are South Australia, Victoria, and the Australian Capital Territory. Given this lack of variation, the political variable is statistically insignificant in the regression models of the next subsection.

B. Regression Results

Table 4 presents the estimated coefficients from the model of Equation (2) using the WACC parameter as the dependent variable. Table 5 presents the estimated coefficients using the

13. The full database is available at http://www.uq.edu.au/economics/staff/flavio_menezes/Regulation_database_with_ownershipv2.xls.

average PDC across all years of the decision as the dependent variable.¹⁴ For both measures, we find significant differences across the decisions for privately and publicly owned firms in keeping with the descriptive statistics of Table 3 even after controlling for industry, regulator, and time effects. Time dummies are included in the regressions but are not presented as they are not of particular interest.

We are primarily interested in the coefficient estimates from Tables 4 and 5 to address the question that we pose in this paper: Do we arrive at different conclusions regarding regulatory consistency if we use a parameter such as the WACC or if we use the revenue requirement of the business compared to the revenue determination of the regulator?

Table 6 provides the results of pairwise hypothesis tests across all regulators using the regression results from Table 4 (the regression model of Equation (2) using WACC as the dependent variable). The null hypothesis in each test is that the two regulators behave similarly. The values in the table are the p -values associated with this hypothesis test. A p -value greater than .1 means that we fail to reject the null hypothesis at the 10% level.

Strikingly, we find many significantly different coefficients and no patterns of consistency across state- or national-based regulators which correspond to any market groupings. In particular, the NEM members (except neighbors South Australia and Victoria) appear to behave differently from one another in a statistically significant way. We can conclude that South Australia, Victoria, and Western Australia (as reported in the last row of Table 6) can be grouped together but it is difficult to find any economic justification for this grouping.

Table 7 provides the results of pairwise hypothesis tests across all regulators using the results from Table 5 (the model of Equation (2) using our proposed measure, PDC). The null

TABLE 4
Estimated Model Coefficients Dependent Variable: "Vanilla" Weighted Average Cost of Capital

	Coefficient Estimate (Standard Error)
Industry (Water is Reference Category)	
Electricity transmission	0.0082** (0.0032)
Electricity distribution	0.0056* (0.0008)
Gas transmission	0.013** (0.0023)
Gas distribution	0.0071** (0.0013)
Rail	0.0072** (0.0012)
Regulator (ACCC is Reference Category)	
Victoria	-0.023** (0.0028)
New South Wales	-0.014** (0.0027)
Queensland	0.0031 (0.0027)
Western Australia	-0.022** (0.0021)
South Australia	-0.022** (0.0031)
Australian Capital Territory	0.012** (0.0031)
Tasmania	-0.0046 (0.0037)
Northern Territory	0.011** (0.0037)
Ownership (Publicly Owned is Reference Category)	
Privately owned	0.0015* (0.0009)

Note: Regression includes time dummies.

**Significant at 5% level; *significant at 10% level.

hypothesis in each test is again that the two regulators behave similarly.

The Northern Territory appears to behave quite differently from the other states. While this may perhaps not be surprising given the very low population density and very high proportion of remote communities, one should probably not infer too much from these results as this coefficient is identified by only one decision! Dropping it from the model has no effect on the other results.

We find a large degree of consistency amongst the state-based regulators, in contrast to the impression of regulatory chaos that one gets looking at the WACC results. We fail to reject

14. For each decision in our data set, we observe one value of the WACC parameter. Thus, Equation (2) is estimated at the level of the decision. However, regulators' decisions regarding firms' allowable cost claims are spread across multiple years (usually five) so the equation for PDC can be estimated either at the level of the decision or at the level of the annual value of PDC. In the latter case, one would want to allow for correlation in ε_{it} as the disallowed cost claims of a firm over different years within the same decision are clearly related. For comparability across measures, we have presented results at the decision level. A model estimated using individual yearly observations with correction for clustering produces substantively similar results.

TABLE 5
Estimated Model Coefficients Dependent
Variable: PDC

	Coefficient Estimate (Standard Error)
Industry (Water is Reference Category)	
Electricity transmission	-0.083 (0.128)
Electricity distribution	0.090** (0.039)
Gas transmission	-0.054 (0.097)
Gas distribution	-0.036 (0.054)
Rail	0.105** (0.049)
Regulator (ACCC is Reference Category)	
Victoria	-0.145 (0.116)
New South Wales	-0.071 (0.113)
Queensland	-0.182 (0.111)
Western Australia	-0.128 (0.089)
South Australia	-0.158 (0.127)
Australian Capital Territory	-0.056 (0.139)
Tasmania	-0.140 (0.130)
Northern Territory	-0.289 (0.130)
Ownership (Publicly Owned is Reference Category)	
Privately owned	0.102** (0.035)

Note: Regression includes time dummies.

**Significant at 5% level.

that the Australian Capital Territory, Queensland, South Australia, and Victoria behave consistently with one another. The p -value of this test is .6, as reported in the last row of Table 7. This is exactly the type of consistency that one might expect to find given the joint participation of these four states in the NEM described in Section II. We do find that the fifth member of the NEM, NSW, behaves significantly differently than both Victoria and Queensland, although not differently than the Australian Capital Territory and South Australia.

In the robustness checking of Section IVC, we explore this divergence of NSW from its Victorian and Queensland neighbors and conclude that it may be driven by the predominance

of water industry decisions in the subsample for which we have both a measure of PDC and of the WACC. From Table 1, we see that the average PDC in water decisions is six times larger in NSW than in Victoria and this drives the significant difference in the coefficients relating to these two states that we see in Table 5.

Overall, we find a large degree of homogeneity amongst the state regulators and the ACCC. We fail to reject the similarity of any grouping of the ACCC with the state regulators provided the grouping excludes NSW and the Northern Territory.

Tables 8 and 9 present the results of the hypothesis tests for consistency across industry for the WACC and PDC. For our measure of relative revenue requirement, we find broad consistency across electricity transmission, gas transmission, gas distribution, and water (Table 9). Rail and electricity distribution cannot be grouped with the other industries.

Table 8 presents the analog tests for industry consistency for the regression model of Equation (2) using the WACC parameter as the dependent variable. Although the patterns are slightly different, we find a roughly similar degree of consistency across industries when we examine the WACC parameter. In particular, we find that the different WACC values which have been used by regulators across electricity distribution, electricity transmission, gas distribution, and rail are not statistically different from one another. For the WACC parameter, it is water and gas transmission that look quite different from the other industries.

C. Robustness Checking

Our hypothesis tests are based upon the premise that a failure to find statistically significant differences is evidence of regulatory consistency. But it could also be that our failure to find statistically significant differences is simply a function of small sample sizes and large standard errors. This is a concern mostly for the estimates of Table 5 using our measure of relative costs allowed by the regulator, PDC. We find many significant differences using the WACC values, as reported in Tables 4 and 6.

Fortunately, the sample of data for which we were able to find information about firms' cost claims and regulators' decisions is much larger than the subsample used in Tables 1 through 9 (where we needed consistent information to compare PDC and WACC). Our full

TABLE 6
Hypothesis Tests of Consistency of the “Vanilla” WACC Across Regulator

Industry	Regulator							
	Vic	NSW	QLD	WA	SA	ACT	TAS	NT
ACCC	0.00**	0.00**	0.26	0.00**	0.00**	0.00**	0.23	0.00**
Vic		0.00**	0.00**	0.62	0.75	0.00**	0.00**	0.00**
NSW			0.00**	0.00**	0.00**	0.00**	0.00**	0.00**
QLD				0.00**	0.00**	0.00**	0.01**	0.00**
WA					0.88	0.00**	0.00**	0.00**
SA						0.00**	0.00**	0.00**
ACT							0.00*	0.71
TAS								0.00**

Note: p -Value for test of joint equality between Victoria, South Australia, and Western Australia: .87.

**Significant at 5% level; *significant at 10% level.

TABLE 7
Hypothesis Tests of Consistency of PDC Across Regulator

Industry	Regulator							
	Vic	NSW	QLD	WA	SA	ACT	TAS	NT
ACCC	0.22	0.53	0.11	0.16	0.22	0.69	0.29	0.03**
Vic		0.01**	0.41	0.83	0.87	0.33	0.95	0.06*
NSW			0.01**	0.47	0.26	0.86	0.37	0.01**
QLD				0.51	0.77	0.20	0.58	0.16
WA					0.75	0.48	0.91	0.14
SA						0.33	0.87	0.22
ACT							0.50	0.06*
TAS								0.11

Note: p -Value for test of joint equality between Australian Capital Territory, Queensland, South Australia, and Victoria: .60.

**Significant at 5% level; *significant at 10% level.

data set for the PDC variable contains 498 yearly observations on 115 regulatory decisions. Descriptive statistics are provided in Tables A1–A3.

In Tables 10 and 11 we present the results of the hypothesis tests for regulatory consistency across regulators and industries based upon Equation (2) estimated across all 115 decisions. These hypothesis tests are based upon a sample size which is 50% larger than that upon which Tables 7 and 9 are based, giving us more confidence in the consistency tests.¹⁵

15. However, the p -values are not directly comparable. The smaller sample for which we have available both WACC and PDC has the characteristic that the variance of PDC is much smaller than the variance of PDC in the full sample of 115 observations. As a consequence, the r^2 in the small sample is 67% whereas in the large sample it is only 43%. Thus, the p -values do not become smaller as the sample gets bigger in this case.

In addition to the larger sample size, this group of 115 decisions is spread more evenly across industries and less concentrated in decisions relating to water (only 25% of the decisions in the larger data set relate to water), which is a drawback of our smaller data set that we flagged earlier. For all of these reasons, the results we present here are our “preferred” results for the PDC variable.

Table 10 presents the results of the hypothesis tests across regulators, while Table 11 presents the hypothesis tests across industries.¹⁶ The basic results presented earlier are confirmed and, in several senses, strengthened. We find

16. Table A4 contains the regression results using the average observation of PDC over the full-decision period as the dependent variable. Regressions estimated using the multiple yearly observations for each decision, with appropriate correction of the standard errors for clustering, result in very similar hypothesis tests and are available from the authors.

TABLE 8
Hypothesis Tests of WACC Consistency Across Industry

Ownership	Industry				
	Electricity Distribution	Gas Distribution	Gas Transmission	Rail	Water
Electricity transmission	0.38	0.68	0.01**	0.74	0.00**
Electricity distribution		0.15	0.00**	0.11	0.00**
Gas distribution			0.00**	0.92	0.00**
Gas transmission				0.01**	0.00**
Rail					0.00**

Note: p -Value for test of joint equality of electricity distribution, electricity transmission, gas distribution, and rail: .33.
**Significant at 5% level.

TABLE 9
Hypothesis Tests of PDC Consistency Across Industry

Ownership	Industry				
	Electricity Distribution	Gas Distribution	Gas Transmission	Rail	Water
Electricity transmission	0.15	0.67	0.72	0.13	0.52
Electricity distribution		0.01**	0.13	0.72	0.02**
Gas distribution			0.81	0.00**	0.52
Gas transmission				0.09*	0.58
Rail					0.04**

Note: p -Value for test of joint equality of electricity transmission, gas transmission, gas distribution, and water: .90.
**Significant at 5% level; *significant at 10% level.

TABLE 10
Hypothesis Tests of Consistency Across Regulator

Industry	Regulator							
	Vic	NSW	QLD	WA	SA	ACT	TAS	NT
ACCC	0.04**	0.02**	0.15	0.06*	0.12	0.09*	0.00**	0.74
Vic		0.18	0.25	0.28	0.82	0.74	0.00**	0.14
NSW			0.06*	0.13	0.50	0.33	0.00**	0.07*
QLD				0.71	0.67	0.60	0.00**	0.35
WA					0.50	0.46	0.00**	0.58
SA						0.99	0.01**	0.29
ACT							0.00**	0.23
TAS								0.00**

Note: p -Value for test of joint equality of ACT, Vic, NSW, SA, and Qld: .34.
**Significant at 5% level; *significant at 10% level.

very strong consistency across the five states which participate in the NEM, with the p -value of the test of pooling these five states equal to .34. We also find that Western Australia and Queensland, which have similar characteristics, are quite similar. Only Tasmania now stands out as being very different from the other states.

Looking at Table 11, we find consistency across industry of a type that we expect. The

two transmission industries—gas and electricity—are quite similar as are the gas and electricity distribution industries. We find that rail can also be easily grouped with the two distribution industries while water behaves quite dissimilarly to the others.

Finally, we note that the other results discussed earlier are unchanged in the larger data set. Regulators still appear to be “tougher” when

TABLE 11
Hypothesis Tests of Consistency Across Industry

Ownership	Industry				
	Electricity Distribution	Gas Distribution	Gas Transmission	Rail	Water
Electricity transmission	0.02**	0.01**	0.41	0.10	0.01**
Electricity distribution		0.53	0.03**	0.33	0.06*
Gas distribution			0.01**	0.17	0.29
Gas transmission				0.15	0.01**
Rail					0.05**

Note: p -Value for test of joint equality of gas distribution, electricity distribution, and rail: .37.

**Significant at 5% level; *significant at 10% level.

the decision relates to a privately owned firm than to a publicly owned firm and the difference is statistically significant. Also, the dummy variable for which political party is in power in the regulatory jurisdiction remains insignificant.

D. Has Consistency Increased Over Time?

In an earlier paper (Breunig et al. 2006), we looked at regulatory consistency in Australia over the time period 1997–2005 using a database which was about half as large as the one used in this paper. We considered a smaller subset of industries, only had limited information on firm ownership, had no information on political affiliation, and only looked at one

measure of consistency. Using PDC, we found consistency among the states in southeastern Australia. In this paper with a longer sample and larger data set, we find an increased consistency particularly in the fact that Queensland looks more similar to the southeastern states in the latter part of the period. This might be interpreted as an increase in the amount of regulatory consistency over time.

An alternative possibility is that the actual level of PDC is evolving over time. PDC might shrink over time as regulators and regulated industries come to know each other better. Regulators might better understand the cost claims of the regulated or the regulated might make more accurate claims if they learn over

FIGURE 1
Average PDC (All Observations)

FIGURE 2
Average PDC (Excluding Water Industry)

time that the regulator has a good knowledge of their true costs. Or, PDC might grow over time if tactics used between regulator and the regulated change. It turns out that neither of these hypotheses is true. Figure 1 shows the evolution of average PDC over time with standard errors. Although PDC appears to drop after 2004, this is actually an effect of the water industry. If we remove the water industry, Figure 2 shows the evolution of average PDC (with standard errors) for all other industries. It is remarkably flat. In fact, in the regression results of Table A4 (Tables 10 and 11), time dummies are insignificant once we control for industry. This is consistent with Figures 1 and 2. Although the “game” between regulators and the industry they regulate may evolve over time, our PDC measure provides no evidence for this hypothesis. Of course, we cannot rule out the possibility that the “game” is evolving over time but without affecting the average PDC.

V. CONCLUSION AND DISCUSSION

In this paper, we have proposed a simple approach to testing for regulatory consistency that makes no assumption about the underlying regulatory process. Estimating a simple regression model where regulatory parameters are described (statistically) as a function of industry, time, and regulator allows us to test consistency in various dimensions and permits

controlling for other variables such as private ownership or political effects in a simple way.

We argue against basing consistency tests solely on parameters such as the WACC, which is an input to the regulatory process rather than an outcome. Instead, we focus on the proportion of firms’ cost claims (PDC) which are disallowed by the regulator. We interpret our PDC variable as a summary statistic for a complex, unmodeled regulatory process. We uncovered a considerable degree of consistency for our variable across industries and regulators; this is despite the apparent regulatory chaos that is suggested by the substantial divergence that we obtain when we focus on the WACC.

Our results also uncovered two intriguing empirical regularities. First, electricity and gas transmission (which are by and large but not exclusively regulated by the ACCC) are associated with larger PDC values. Explaining such differences is an important item for further research. We speculate that the role that larger consumers have in the regulatory process in these industries might provide us with a clue to why they are associated with larger proportion of cost claims that are disallowed by the regulator.

Second, the average of the PDC variable (excluding water) is remarkably flat over time. Any behavioral model of the regulatory process in Australia will need to account for the stability of the PDC variable over time.

APPENDIX

TABLE A1

Number of Observations (Decisions) and Average Value of PDC (in Italics) by Regulator and Industry (Extended Sample of 115 Decisions)

Regulator										
Industry	ACCC	Vic	NSW	QLD	WA	SA	ACT	TAS	NT	Total
Electricity transmission	83 (13) <i>0.162</i>									83 (13) <i>0.162</i>
Electricity distribution		50 (10) <i>0.158</i>	30 (6) <i>0.110</i>	10 (2) <i>0.115</i>			10 (2) <i>0.093</i>	3 (1) <i>0.094</i>	4 (1) <i>-0.055</i>	107 (22) <i>0.125</i>
Gas distribution		30 (6) <i>0.115</i>	23 (5) <i>0.114</i>	22 (4) <i>0.060</i>	10 (2) <i>0.068</i>	9 (2) <i>0.122</i>	10 (2) <i>0.122</i>			104 (21) <i>0.100</i>
Gas transmission	35 (7) <i>0.135</i>				21 (4) <i>0.244</i>					56 (11) <i>0.176</i>
Water		65 (24) <i>0.011</i>	33 (12) <i>0.053</i>					27 (6) <i>0.256</i>		125 (42) <i>0.075</i>
Rail		3 (1) <i>0.377</i>		20 (5) <i>0.043</i>						23 (6) <i>0.087</i>
Total	118 (20) <i>0.154</i>	148 (41) <i>0.089</i>	86 (23) <i>0.089</i>	52 (11) <i>0.064</i>	31 (6) <i>0.187</i>	9 (2) <i>0.122</i>	20 (4) <i>0.107</i>	30 (7) <i>0.240</i>	4 (1) <i>-0.055</i>	498 (115) <i>0.117 (1)</i>

TABLE A2

Number of Observations (Decisions) by Industry Split by Publicly/Privatey Owned Firm (Extended Sample of 115 Decisions)

Industry							
Ownership	Electricity Transmission	Electricity Distribution	Gas Distribution	Gas Transmission	Water	Rail	Total
Public	46 (8)	52 (11)	35 (7)	10 (2)	125(42)	20 (5)	288 (75)
Private	37 (5)	55 (11)	69 (14)	46 (9)	0	3 (1)	210 (40)
Total	83 (13)	107 (22)	104 (21)	56 (11)	125 (42)	23 (6)	498 (115)

TABLE A3

Number of Observations (Decisions) and Average Value of PDC (in Italics) by Regulator Split by Publicly/Privatey Owned Firm (Extended Sample of 115 Decisions)

Regulator										
Ownership	ACCC	Vic	NSW	QLD	WA	SA	ACT	TAS	NT	Total
Public	56 (10) <i>0.089</i>	80 (27) <i>0.027</i>	72 (20) <i>0.089</i>	41 (9) <i>0.051</i>	0	0	5(1) <i>0.090</i>	30 (7) <i>0.240</i>	4 (1) <i>-0.055</i>	288 (75) <i>0.080</i>
Private	62 (10) <i>0.214</i>	68 (14) <i>0.162</i>	14 (3) <i>0.089</i>	11 (2) <i>0.113</i>	31 (6) <i>0.187</i>	9 (2) <i>0.122</i>	15 (3) <i>0.113</i>	0	0	210 (40) <i>0.168</i>
Total	118 (20) <i>0.154</i>	148 (41) <i>0.089</i>	86 (23) <i>0.089</i>	52 (11) <i>0.064</i>	31 (6) <i>0.187</i>	9 (2) <i>0.122</i>	20 (4) <i>0.107</i>	30 (7) <i>0.240</i>	4 (1) <i>-0.055</i>	498 (115) <i>0.117</i>

TABLE A4

Estimated Model Coefficients Dependent Variable: PDC
(Extended Sample of 115 Decisions)

	Coefficient Estimate (Standard Error)
Industry (Water is Reference Category)	
Electricity transmission	0.254** (0.088)
Electricity distribution	0.051* (0.027)
Gas transmission	0.221** (0.080)
Gas distribution	0.033 (0.031)
Rail	0.097** (0.049)
Regulator (ACCC is Reference Category)	
Victoria	0.172** (0.084)
New South Wales	0.203** (0.084)
Queensland	0.128 (0.087)
Western Australia	0.101* (0.053)
South Australia	0.158 (0.100)
Australian Capital Territory	0.157* (0.092)
Tasmania	0.364** (0.090)
Northern Territory	0.041 (0.121)
Ownership (Publicly Owned is Reference Category)	
Privately owned	0.080** (0.024)

Notes: Model originally estimated with time dummies and dummies for which political party was in power. Time dummies and political party dummies are individually and jointly insignificant so they are dropped from the regression results reported here.

**Significant at 5% level; *significant at 10% level.

REFERENCES

- Australian Energy Regulator. "Review of the Weighted Average Cost of Capital (WACC) Parameters for Electricity Transmission and Distribution." 2008. Accessed December 21, 2010. [http://www.aer.gov.au/content/item.phtml?itemId=722312&nodeId=d91f7605b58ef42b64dda8253f2d1b1c&fn=Issues%20paper%20\(6%20August%202008\).pdf](http://www.aer.gov.au/content/item.phtml?itemId=722312&nodeId=d91f7605b58ef42b64dda8253f2d1b1c&fn=Issues%20paper%20(6%20August%202008).pdf).
- Australian Logistics Council. "Infrastructure Action Agenda." 2006. Accessed December 21, 2010. http://www.austlogistics.com.au/dmdocuments/Infrastructure_Action_Agenda.pdf.
- Besley, T., and S. Coate. "Elected versus Appointed Regulators: Theory and Evidence." *Journal of the European Economic Association*, 1, 2003, 1176–206.
- Breunig, R., J. Hornby, F. M. Menezes, and S. Stacey. "Price Regulation in Australia: How Consistent Has It Been?" *Economic Record*, 82, 2006, 67–76.
- Edwards, G., and L. Waverman. "The Effects of Public Ownership and Regulatory Independence on Regulatory Outcomes." *Journal of Regulatory Economics*, 29, 2006, 23–67.
- Energy Retailers Association of Australia. "National Regulatory Consistency: Priority Code and Regulatory Consistency Issues." 2003. Accessed December 21, 2010. http://www.eraa.com.au/db_uploads/PriorityCodeandRegulatoryConsistencyIssuesFinal1.pdf?PHPSESSID=5dca8e8f6fc5d740e50baa461a8c4372.
- Figureiredo, R. P. J. Jr., and G. Edwards. "Does Private Money Buy Public Policy? Campaign Contributions and Regulatory Outcomes in Telecommunications." *Journal of Economics and Management Strategy*, 16, 2007, 547–76.
- Hagerman, R., and B. Ratchford. "Some Determinants of Allowed Rates of Return on Equity to Electric Utilities." *The Bell Journal of Economics* 9, 1978, 46–55.
- Lehman, D., and D. Weisman. "The Political Economy of Price Cap Regulation." *Review of Industrial Organization*, 16, 2000, 343–56.
- National Insurance Brokers Association of Australia. "Insurers Call on COAG for Regulatory Consistency." 2007. Accessed December 21, 2010. http://www.niba.com.au/tax/html/insurers_call_on_coag_for_regulatory_consistency_1.cfm.
- Primeaux, W., and P. Man. "Regulator Selection Methods and Electricity Prices." *Land Economics*, 95, 1986, 1631–38.
- Quast, T. "Do Elected Public Utility Commissioners Behave More Politically Than Appointed Ones?" *Journal of Regulatory Economics*, 33, 2008, 318–37.