

REFERENCES

- Aldred M. A., Trembath R. C. (2000) Activating and inactivating mutations in the human GNAS1 gene. *Hum Mutat*, **16**: 183-9.
- Allegrucci C., Thurston A., Lucas E., Young L. (2005) Epigenetics and the germline. *Reproduction*, **129**: 137-49.
- Allin E. F., Hopson J. A. (1992) Evolution of the auditory system in Synapsida ("mammal-like reptiles" and primitive mammals) as seen in the fossil record. IN Webster, D. B., Fay, R. R. & Popper, A. N. (Eds.) *The Evolutionary Biology of Hearing*. New York, Springer Verlag.
- Angiolini E., Fowden A., Coan P., Sandovici I., Smith P., Dean W., Burton G., Tycko B., Reik W., Sibley C., Constancia M. (2006) Regulation of placental efficiency for nutrient transport by imprinted genes. *Placenta*, **27 Suppl A**: S98-102.
- Augui S., Filion G. J., Huart S., Nora E., Guggiari M., Maresca M., Stewart A. F., Heard E. (2007) Sensing X chromosome pairs before X inactivation via a novel X-pairing region of the Xic. *Science*, **318**: 1632-6.
- Bacher C. P., Guggiari M., Brors B., Augui S., Clerc P., Avner P., Eils R., Heard E. (2006) Transient colocalization of X-inactivation centres accompanies the initiation of X inactivation. *Nat Cell Biol*, **8**: 293-9.
- Barlow D. P., Stoger R., Herrmann B. G., Saito K., Schweifer N. (1991) The mouse insulin-like growth factor type-2 receptor is imprinted and closely linked to the Tme locus. *Nature*, **349**: 84-7.
- Barski A., Cuddapah S., Cui K., Roh T. Y., Schones D. E., Wang Z., Wei G., Chepelev I., Zhao K. (2007) High-resolution profiling of histone methylations in the human genome. *Cell*, **129**: 823-37.
- Beatty R. A. (1957) *Parthenogenesis and polyploidy in mammalian development*, Cambridge, The University Press.
- Bell A. C., Felsenfeld G. (2000) Methylation of a CTCF-dependent boundary controls imprinted expression of the Igf2 gene. *Nature*, **405**: 482-5.
- Bird A. (2002) DNA methylation patterns and epigenetic memory. *Genes Dev*, **16**: 6-21.
- Bird A. (2007) Perceptions of epigenetics. *Nature*, **447**: 396-8.
- Black B. E., Bassett E. A. (2008) The histone variant CENP-A and centromere specification. *Curr Opin Cell Biol*, **20**: 91-100.
- Blik J., Terhal P., van den Bogaard M. J., Maas S., Hamel B., Salieb-Beugelaar G., Simon M., Letteboer T., van der Smagt J., Kroes H., Mannens M. (2006)

Hypomethylation of the H19 gene causes not only Silver-Russell syndrome (SRS) but also isolated asymmetry or an SRS-like phenotype. *Am J Hum Genet*, **78**: 604-14.

Bogart J. P., Bi K., Fu J., Noble D. W., Niedzwiecki J. (2007) Unisexual salamanders (genus *Ambystoma*) present a new reproductive mode for eukaryotes. *Genome*, **50**: 119-36.

Boumil R. M., Ogawa Y., Sun B. K., Huynh K. D., Lee J. T. (2006) Differential methylation of Xite and CTCF sites in Tsix mirrors the pattern of X-inactivation choice in mice. *Mol Cell Biol*, **26**: 2109-17.

Bourc'his D., Xu G. L., Lin C. S., Bollman B., Bestor T. H. (2001) Dnmt3L and the establishment of maternal genomic imprints. *Science*, **294**: 2536-9.

Boyes J., Bird A. (1991) DNA methylation inhibits transcription indirectly via a methyl-CpG binding protein. *Cell*, **64**: 1123-34.

Briggs E. A. (1936) The red blood corpuscles of primitive mammals. *Nature*, **138**: 762.

Brockdorff N., Ashworth A., Kay G. F., Cooper P., Smith S., McCabe V. M., Norris D. P., Penny G. D., Patel D., Rastan S. (1991) Conservation of position and exclusive expression of mouse Xist from the inactive X chromosome. *Nature*, **351**: 329-31.

Brown C. J., Hendrich B. D., Rupert J. L., Lafreniere R. G., Xing Y., Lawrence J., Willard H. F. (1992) The human XIST gene: analysis of a 17 kb inactive X-specific RNA that contains conserved repeats and is highly localized within the nucleus. *Cell*, **71**: 527-42.

Brown C. J., Lafreniere R. G., Powers V. E., Sebastio G., Ballabio A., Pettigrew A. L., Ledbetter D. H., Levy E., Craig I. W., Willard H. F. (1991) Localization of the X inactivation centre on the human X chromosome in Xq13. *Nature*, **349**: 82-4.

Cai Y. C., Yang G. Y., Nie Y., Wang L. D., Zhao X., Song Y. L., Seril D. N., Liao J., Xing E. P., Yang C. S. (2000) Molecular alterations of p73 in human esophageal squamous cell carcinomas: loss of heterozygosity occurs frequently; loss of imprinting and elevation of p73 expression may be related to defective p53. *Carcinogenesis*, **21**: 683-9.

Caldwell W. H. (1887) The Embryology of Monotremata and Marsupialia. Part I. *Philosophical Transactions of the Royal Society of London. B (1887-1895)*, **178**: 463-486.

Caparros M. L., Alexiou M., Webster Z., Brockdorff N. (2002) Functional analysis of the highly conserved exon IV of XIST RNA. *Cytogenet Genome Res*, **99**: 99-105.

Carrel L., Willard H. F. (2005) X-inactivation profile reveals extensive variability in X-linked gene expression in females. *Nature*, **434**: 400-4.

Cassar G., Mohammed M., John T. M., Gazdzinski P., Etches R. J. (1998) Differentiating between parthenogenetic and "positive development" embryos in turkeys by molecular sexing. *Poult Sci*, **77**: 1463-8.

- Cattanach B. M., Barr J. A., Beechey C. V., Martin J., Noebels J., Jones J. (1997) A candidate model for Angelman syndrome in the mouse. *Mamm Genome*, **8**: 472-8.
- Cattanach B. M., Kirk M. (1985) Differential activity of maternally and paternally derived chromosome regions in mice. *Nature*, **315**: 496-8.
- Chaillet J. R. (1994) Genomic imprinting : lessons from mouse transgenes. *Mutation research*, **307**: 441-9.
- Chapman D. D., Shivji M. S., Louis E., Sommer J., Fletcher H., Prodohl P. A. (2007) Virgin birth in a hammerhead shark. *Biol Lett*, **3**: 425-7.
- Charalambous M., da Rocha S. T., Ferguson-Smith A. C. (2007) Genomic imprinting, growth control and the allocation of nutritional resources: consequences for postnatal life. *Curr Opin Endocrinol Diabetes Obes*, **14**: 3-12.
- Chaumeil J., Le Baccon P., Wutz A., Heard E. (2006) A novel role for Xist RNA in the formation of a repressive nuclear compartment into which genes are recruited when silenced. *Genes Dev*, **20**: 2223-37.
- Chaumeil J., Okamoto I., Guggiari M., Heard E. (2002) Integrated kinetics of X chromosome inactivation in differentiating embryonic stem cells. *Cytogenet Genome Res*, **99**: 75-84.
- Chauvet J., Hurpet D., Michel G., Chauvet M. T., Carrick F. N., Acher R. (1985) The neurohypophysial hormones of the egg-laying mammals: identification of arginine vasopressin in the platypus (*Ornithorhynchus anatinus*). *Biochem Biophys Res Commun*, **127**: 277-82.
- Chureau C., Prissette M., Bourdet A., Barbe V., Cattolico L., Jones L., Eggen A., Avner P., Duret L. (2002) Comparative sequence analysis of the X-inactivation center region in mouse, human, and bovine. *Genome Res*, **12**: 894-908.
- Cohen D. E., Davidow L. S., Erwin J. A., Xu N., Warshawsky D., Lee J. T. (2007) The DXPas34 repeat regulates random and imprinted X inactivation. *Dev Cell*, **12**: 57-71.
- Constancia M., Angiolini E., Sandovici I., Smith P., Smith R., Kelsey G., Dean W., Ferguson-Smith A., Sibley C. P., Reik W., Fowden A. (2005) Adaptation of nutrient supply to fetal demand in the mouse involves interaction between the *Igf2* gene and placental transporter systems. *Proc Natl Acad Sci U S A*, **102**: 19219-24.
- Constancia M., Hemberger M., Hughes J., Dean W., Ferguson-Smith A., Fundele R., Stewart F., Kelsey G., Fowden A., Sibley C., Reik W. (2002) Placental-specific IGF-II is a major modulator of placental and fetal growth. *Nature*, **417**: 945-8.
- Cooper D. W. (1971) Directed genetic change model for X chromosome inactivation in eutherian mammals. *Nature*, **230**: 292-4.
- Cooper D. W., Johnston P. G., Watson J. M., Graves J. A. (1993) X-inactivation in marsupials and monotremes. *Semin Dev Biol*, **4**: 117-128.
- Costanzi C., Pehrson J. R. (1998) Histone macroH2A1 is concentrated in the inactive X chromosome of female mammals. *Nature*, **393**: 599-601.

Cremer T., Cremer C. (2001) Chromosome territories, nuclear architecture and gene regulation in mammalian cells. *Nat Rev Genet*, **2**: 292-301.

Csankovszki G., Panning B., Bates B., Pehrson J. R., Jaenisch R. (1999) Conditional deletion of Xist disrupts histone macroH2A localization but not maintenance of X inactivation. *Nat Genet*, **22**: 323-4.

Davidow L. S., Breen M., Duke S. E., Samollow P. B., McCarrey J. R., Lee J. T. (2007) The search for a marsupial XIC reveals a break with vertebrate synteny. *Chromosome Res*, **15**: 137-46.

Davis E., Caiment F., Tordoir X., Cavaille J., Ferguson-Smith A., Cockett N., Georges M., Charlier C. (2005) RNAi-mediated allelic trans-interaction at the imprinted Rtl1/Peg11 locus. *Curr Biol*, **15**: 743-9.

Dawley R. M., Bogart J. P. (1989) *Evolution and Ecology of Unisexual Vertebrates*, Albany, New York State Museum.

Day T., Bonduriansky R. (2004) Intralocus sexual conflict can drive the evolution of genomic imprinting. *Genetics*, **167**: 1537-46.

de Meeus T., Prugnolle F., Agnew P. (2007) Asexual reproduction: genetics and evolutionary aspects. *Cell Mol Life Sci*, **64**: 1355-72.

Deakin J. E., Hore T. A., Koina E., Marshall Graves J. A. (2008) The status of dosage compensation in the multiple X chromosomes of the platypus. *PLoS Genet*, **4**: e1000140.

DeChiara T. M., Robertson E. J., Efstratiadis A. (1991) Parental imprinting of the mouse insulin-like growth factor II gene. *Cell*, **64**: 849-59.

Devlin R. H., Nagahama Y. (2002) Sex determination and sex differentiation in fish: an overview of genetic, physiological, and environmental influences. *Aquaculture*, **208**: 191-364.

Dindot S. V., Farin P. W., Farin C. E., Romano J., Walker S., Long C., Piedrahita J. A. (2004) Epigenetic and genomic imprinting analysis in nuclear transfer derived Bos gaurus/Bos taurus hybrid fetuses. *Biol Reprod*, **71**: 470-8.

Dunzinger U., Nanda I., Schmid M., Haaf T., Zechner U. (2005) Chicken orthologues of mammalian imprinted genes are clustered on macrochromosomes and replicate asynchronously. *Trends Genet*, **21**: 488-92.

Duret L., Chureau C., Samain S., Weissenbach J., Avner P. (2006) The Xist RNA gene evolved in eutherians by pseudogenization of a protein-coding gene. *Science*, **312**: 1653-5.

Edwards C. A., Mungall A. J., Matthews L., Ryder E., Gray D. J., Pask A. J., Shaw G., Graves J. A., Rogers J., Dunham I., Renfree M. B., Ferguson-Smith A. C. (2008) The evolution of the DLK1-DIO3 imprinted domain in mammals. *PLoS Biol*, **6**: e135.

Edwards C. A., Rens W., Clarke O., Mungall A. J., Hore T., Graves J. A., Dunham I., Ferguson-Smith A. C., Ferguson-Smith M. A. (2007) The evolution of imprinting:

chromosomal mapping of orthologues of mammalian imprinted domains in monotreme and marsupial mammals. *BMC Evol Biol*, **7**: 157.

Eggermann T., Eggermann K., Schonherr N. (2008) Growth retardation versus overgrowth: Silver-Russell syndrome is genetically opposite to Beckwith-Wiedemann syndrome. *Trends Genet*.

Elisaphenko E. A., Kolesnikov N. N., Shevchenko A. I., Rogozin I. B., Nesterova T. B., Brockdorff N., Zakian S. M. (2008) A dual origin of the Xist gene from a protein-coding gene and a set of transposable elements. *PLoS ONE*, **3**: e2521.

Engel N., Thorvaldsen J. L., Bartolomei M. S. (2006) CTCF binding sites promote transcription initiation and prevent DNA methylation on the maternal allele at the imprinted H19/Igf2 locus. *Hum Mol Genet*, **15**: 2945-54.

Feil R., Berger F. (2007) Convergent evolution of genomic imprinting in plants and mammals. *Trends Genet*, **23**: 192-9.

Fire A., Xu S., Montgomery M. K., Kostas S. A., Driver S. E., Mello C. C. (1998) Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature*, **391**: 806-11.

Fisher D. O., Double M. C., Blomberg S. P., Jennions M. D., Cockburn A. (2006) Post-mating sexual selection increases lifetime fitness of polyandrous females in the wild. *Nature*, **444**: 89-92.

Fopp-Bayat D. (2007) Verification of meiotic gynogenesis in Siberian sturgeon (*Acipenser baeri* Brandt) using microsatellite DNA and cytogenetical markers. *Journal of Fish Biology*, **71**: 478-485.

Francks C., Maegawa S., Lauren J., Abrahams B. S., Velayos-Baeza A., Medland S. E., Colella S., Groszer M., McAuley E. Z., Caffrey T. M., Timmusk T., Pruunsild P., Koppel I., Lind P. A., Matsumoto-Itaba N., Nicod J., Xiong L., Joobor R., Enard W., Krinsky B., Nanba E., Richardson A. J., Riley B. P., Martin N. G., Strittmatter S. M., Moller H. J., Rujescu D., St Clair D., Muglia P., Roos J. L., Fisher S. E., Wade-Martins R., Rouleau G. A., Stein J. F., Karayiorgou M., Geschwind D. H., Ragoussis J., Kendler K. S., Airaksinen M. S., Oshimura M., DeLisi L. E., Monaco A. P. (2007) LRR11 on chromosome 2p12 is a maternally suppressed gene that is associated paternally with handedness and schizophrenia. *Mol Psychiatry*, **12**: 1129-39, 1057.

Fraser P., Bickmore W. (2007) Nuclear organization of the genome and the potential for gene regulation. *Nature*, **447**: 413-7.

Freson K., Hoylaerts M. F., Jaeken J., Eyssen M., Arnout J., Vermynen J., Van Geet C. (2001) Genetic variation of the extra-large stimulatory G protein alpha-subunit leads to Gs hyperfunction in platelets and is a risk factor for bleeding. *Thromb Haemost*, **86**: 733-8.

Gabory A., Ripoché M. A., Yoshimizu T., Dandolo L. (2006) The H19 gene: regulation and function of a non-coding RNA. *Cytogenet Genome Res*, **113**: 188-93.

Genevieve D., Sanlaville D., Faivre L., Kottler M. L., Jambou M., Gosset P., Boustani-Samara D., Pinto G., Ozilou C., Abeguile G., Munnich A., Romana S., Raoul O., Cormier-Daire V., Vekemans M. (2005) Paternal deletion of the GNAS imprinted locus (including Gnasxl) in two girls presenting with severe pre- and post-natal growth retardation and intractable feeding difficulties. *Eur J Hum Genet*, **13**: 1033-9.

Gicquel C., Rossignol S., Cabrol S., Houang M., Steunou V., Barbu V., Danton F., Thibaud N., Le Merrer M., Burglen L., Bertrand A. M., Netchine I., Le Bouc Y. (2005) Epimutation of the telomeric imprinting center region on chromosome 11p15 in Silver-Russell syndrome. *Nat Genet*, **37**: 1003-7.

Goldmit M., Bergman Y. (2004) Monoallelic gene expression: a repertoire of recurrent themes. *Immunol Rev*, **200**: 197-214.

Graves J. A. (1967) DNA synthesis in chromosomes of cultured leucocytes from two marsupial species. *Exp Cell Res*, **46**: 37-57.

Graves J. A. (1982) 5-azacytidine-induced re-expression of alleles on the inactive X chromosome in a hybrid mouse cell line. *Exp Cell Res*, **141**: 99-105.

Graves J. A. M. (1995) The origin and function of the mammalian Y chromosome and Y-borne - An evolving understanding. *Bioessays*, **17**: 311-320.

Graves J. A. M. (2006) Sex chromosome specialization and degeneration in mammals. *Cell*, **124**: 901-14.

Graves J. A. M., Gartler S. M. (1986) Mammalian X chromosome inactivation: testing the hypothesis of transcriptional control. *Somat Cell Mol Genet*, **12**: 275-80.

Griffiths M. (1978) *The biology of the monotremes*, New York, Academic Press.

Grutzner F., Graves J. A. (2004) A platypus' eye view of the mammalian genome. *Curr Opin Genet Dev*, **14**: 642-9.

Grutzner F., Rens W., Tsend-Ayush E., El-Mogharbel N., O'Brien P. C., Jones R. C., Ferguson-Smith M. A., Marshall Graves J. A. (2004) In the platypus a meiotic chain of ten sex chromosomes shares genes with the bird Z and mammal X chromosomes. *Nature*, **432**: 913-7.

Haig D. (1994) Refusing the ovarian time bomb. *Trends Genet*, **10**: 346-7; author reply 348-9.

Haig D. (1997) Parental antagonism, relatedness asymmetries, and genomic imprinting. *Proc. Biol. Sci*, **264**: 1657-1662.

Haig D. (2000) The kinship theory of genomic imprinting. *Annual Review of Ecology and Systematics*, **31**: 9-32.

Haig D. (2004) Genomic imprinting and kinship: how good is the evidence? *Annu Rev Genet*, **38**: 553-85.

- Haig D. (2006) Self-imposed silence: parental antagonism and the evolution of X-chromosome inactivation. *Evolution*, **60**: 440-7.
- Haig D., Westoby M. (1989) Parent-Specific Gene-Expression and the Triploid Endosperm. *American Naturalist*, **134**: 147-155.
- Haig D., Wharton R. (2003) Prader-Willi syndrome and the evolution of human childhood. *Am J Hum Biol*, **15**: 320-9.
- Hajkova P., Erhardt S., Lane N., Haaf T., El-Maarri O., Reik W., Walter J., Surani M. A. (2002) Epigenetic reprogramming in mouse primordial germ cells. *Mech Dev*, **117**: 15-23.
- Hall L. L., Byron M., Butler J., Becker K. A., Nelson A., Amit M., Itskovitz-Eldor J., Stein J., Stein G., Ware C., Lawrence J. B. (2008) X-inactivation reveals epigenetic anomalies in most hESC but identifies sublines that initiate as expected. *J Cell Physiol*, **216**: 445-52.
- Han J., Kim D., Morris K. V. (2007) Promoter-associated RNA is required for RNA-directed transcriptional gene silencing in human cells. *Proc Natl Acad Sci U S A*, **104**: 12422-7.
- Han L., Lee D. H., Szabo P. E. (2008) CTCF is the master organizer of domain-wide allele-specific chromatin at the H19/Igf2 imprinted region. *Mol Cell Biol*, **28**: 1124-1135.
- Hannula K., Lipsanen-Nyman M., Kontiokari T., Kere J. (2001) A narrow segment of maternal uniparental disomy of chromosome 7q31-qter in Silver-Russell syndrome delimits a candidate gene region. *Am J Hum Genet*, **68**: 247-53.
- Happle R. (1985) Lyonization and the lines of Blaschko. *Hum Genet*, **70**: 200-6.
- Hark A. T., Schoenherr C. J., Katz D. J., Ingram R. S., Levorse J. M., Tilghman S. M. (2000) CTCF mediates methylation-sensitive enhancer-blocking activity at the H19/Igf2 locus. *Nature*, **405**: 486-9.
- Hayssen V., Lacy R. C., Parker P. J. (1985) Metatherian Reproduction: Transitional or Transcending? *Am Nat*, **126**: 617-632.
- Heard E., Disteche C. M. (2006) Dosage compensation in mammals: fine-tuning the expression of the X chromosome. *Genes Dev*, **20**: 1848-67.
- Heard E., Rougeulle C., Arnaud D., Avner P., Allis C. D., Spector D. L. (2001) Methylation of histone H3 at Lys-9 is an early mark on the X chromosome during X inactivation. *Cell*, **107**: 727-38.
- Hertwig G. (1913) Parthenogenesis bei wirbeltieren, hervorgerufen durch artfremden radiumbestrahlten samen. *Arch Mikr Anat*, **81**: 81-127.
- Hertwig O. (1911) Die Radiumkrankheit tierischer Keimzellen. *Arch Mikr Anat*, **77**: 97-164.

- Hitchins M. P., Stanier P., Preece M. A., Moore G. E. (2001) Silver-Russell syndrome: a dissection of the genetic aetiology and candidate chromosomal regions. *J Med Genet*, **38**: 810-9.
- Hiura H., Obata Y., Komiyama J., Shirai M., Kono T. (2006) Oocyte growth-dependent progression of maternal imprinting in mice. *Genes Cells*, **11**: 353-61.
- Holleley C. E., Dickman C. R., Crowther M. S., Oldroyd B. P. (2006) Size breeds success: multiple paternity, multivariate selection and male semelparity in a small marsupial, *Antechinus stuartii*. *Mol Ecol*, **15**: 3439-48.
- Holliday R., Pugh J. E. (1975) DNA modification mechanisms and gene activity during development. *Science*, **187**: 226-32.
- Home E. (1802) A description of the anatomy of the *Ornithorhynchus paradoxus*. *Philosophical Transactions of the Royal Society of London*, **1802**: 67-84.
- Hong J. A., Kang Y., Abdullaev Z., Flanagan P. T., Pack S. D., Fischette M. R., Adnani M. T., Loukinov D. I., Vatolin S., Risinger J. I., Custer M., Chen G. A., Zhao M., Nguyen D. M., Barrett J. C., Lobanekov V. V., Schrupp D. S. (2005) Reciprocal binding of CTCF and BORIS to the NY-ESO-1 promoter coincides with derepression of this cancer-testis gene in lung cancer cells. *Cancer Res*, **65**: 7763-74.
- Hore T. A., Koina E., Wakefield M. J., Marshall Graves J. A. (2007a) The region homologous to the X-chromosome inactivation centre has been disrupted in marsupial and monotreme mammals. *Chromosome Res*, **15**: 147-61.
- Hore T. A., Rapkins R. W., Graves J. A. (2007b) Construction and evolution of imprinted loci in mammals. *Trends Genet*, **23**: 440-8.
- Hornecker J. L., Samollow P. B., Robinson E. S., Vandenberg J. L., McCarrey J. R. (2007) Meiotic sex chromosome inactivation in the marsupial *Monodelphis domestica*. *Genesis*, **45**: 696-708.
- Hubbs C. L., Hubbs L. C. (1932) Apparent Parthenogenesis in Nature, in a Form of Fish of Hybrid Origin. *Science*, **76**: 628-630.
- Huff V. (1998) Wilms tumor genetics. *Am J Med Genet*, **79**: 260-7.
- Hughes R. L., Hall L. S. (1998) Early development and embryology of the platypus. *Philos Trans R Soc Lond B Biol Sci*, **353**: 1101-14.
- Huxley T. H. (1880) On the application of the laws of evolution to the arrangement of the Vertebrata, and more particularly of the Mammalia. *Proceedings of the Zoological Society of London*, **1880**: 649-662.
- Huynh K. D., Lee J. T. (2003) Inheritance of a pre-inactivated paternal X chromosome in early mouse embryos. *Nature*, **426**: 857-62.

- Huynh K. D., Lee J. T. (2005) X-chromosome inactivation: a hypothesis linking ontogeny and phylogeny. *Nat Rev Genet*, **6**: 410-8.
- Itoh Y., Melamed E., Yang X., Kampf K., Wang S., Yehya N., Van Nas A., Replogle K., Band M. R., Clayton D. F., Schadt E. E., Lusic A. J., Arnold A. P. (2007) Dosage compensation is less effective in birds than in mammals. *J Biol*, **6**: 2.
- Jelinic P., Stehle J. C., Shaw P. (2006) The testis-specific factor CTCFL cooperates with the protein methyltransferase PRMT7 in H19 imprinting control region methylation. *PLoS Biol*, **4**: e355.
- Jenkins Jr F. A. (1970) Cynodont postcranial anatomy and the "prototherian" level of mammalian organization. *Evolution*, **24**: 230-252.
- Jeppesen P., Turner B. M. (1993) The inactive X chromosome in female mammals is distinguished by a lack of histone H4 acetylation, a cytogenetic marker for gene expression. *Cell*, **74**: 281-9.
- Jia D., Jurkowska R. Z., Zhang X., Jeltsch A., Cheng X. (2007) Structure of Dnmt3a bound to Dnmt3L suggests a model for de novo DNA methylation. *Nature*, **449**: 248-51.
- John R. M., Surani M. A. (2000) Genomic imprinting, mammalian evolution, and the mystery of egg-laying mammals. *Cell*, **101**: 585-8.
- Jones M. E., Cockburn A., Hamede R., Hawkins C., Hesterman H., Lachish S., Mann D., McCallum H., Pemberton D. (2008) Life-history change in disease-ravaged Tasmanian devil populations. *Proc Natl Acad Sci U S A*, **105**: 10023-7.
- Kaneda M., Okano M., Hata K., Sado T., Tsujimoto N., Li E., Sasaki H. (2004) Essential role for de novo DNA methyltransferase Dnmt3a in paternal and maternal imprinting. *Nature*, **429**: 900-3.
- Kaneko Y., Egues M. C., Rowley J. D. (1981) Interstitial deletion of short arm of chromosome 11 limited to Wilms' tumor cells in a patient without aniridia. *Cancer Res*, **41**: 4577-8.
- Kang Y., Hong J. A., Chen G. A., Nguyen D. M., Schrupp D. S. (2007) Dynamic transcriptional regulatory complexes including BORIS, CTCF and Sp1 modulate NY-ESO-1 expression in lung cancer cells. *Oncogene*, **26**: 4394-403.
- Kantor B., Shemer R., Razin A. (2006) The Prader-Willi/Angelman imprinted domain and its control center. *Cytogenet Genome Res*, **113**: 300-5.
- Kaslow D. C., Migeon B. R. (1987) DNA methylation stabilizes X chromosome inactivation in eutherians but not in marsupials: evidence for multistep maintenance of mammalian X dosage compensation. *Proc Natl Acad Sci U S A*, **84**: 6210-4.
- Kato Y., Kaneda M., Hata K., Kumaki K., Hisano M., Kohara Y., Okano M., Li E., Nozaki M., Sasaki H. (2007) Role of the Dnmt3 family in de novo methylation of imprinted and repetitive sequences during male germ cell development in the mouse. *Hum Mol Genet*, **16**: 2272-80.

- Kawahara M., Wu Q., Takahashi N., Morita S., Yamada K., Ito M., Ferguson-Smith A. C., Kono T. (2007) High-frequency generation of viable mice from engineered bi-maternal embryos. *Nat Biotechnol*, **25**: 1045-50.
- Kay G. F., Penny G. D., Patel D., Ashworth A., Brockdorff N., Rastan S. (1993) Expression of Xist during mouse development suggests a role in the initiation of X chromosome inactivation. *Cell*, **72**: 171-82.
- Kemp T. (2005) *The Origin and Evolution of Mammals*, Oxford University Press.
- Kholmanskikh O., Loriot A., Brasseur F., De Plaen E., De Smet C. (2008) Expression of BORIS in melanoma: lack of association with MAGE-A1 activation. *Int J Cancer*, **122**: 777-84.
- Killian J. K., Byrd J. C., Jirtle J. V., Munday B. L., Stoskopf M. K., MacDonald R. G., Jirtle R. L. (2000) M6P/IGF2R imprinting evolution in mammals. *Mol Cell*, **5**: 707-16.
- Killian J. K., Nolan C. M., Stewart N., Munday B. L., Andersen N. A., Nicol S., Jirtle R. L. (2001a) Monotreme IGF2 expression and ancestral origin of genomic imprinting. *J Exp Zool*, **291**: 205-12.
- Killian J. K., Nolan C. M., Wylie A. A., Li T., Vu T. H., Hoffman A. R., Jirtle R. L. (2001b) Divergent evolution in M6P/IGF2R imprinting from the Jurassic to the Quaternary. *Hum Mol Genet*, **10**: 1721-8.
- Kim T. H., Abdullaev Z. K., Smith A. D., Ching K. A., Loukinov D. I., Green R. D., Zhang M. Q., Lobanenko V. V., Ren B. (2007) Analysis of the vertebrate insulator protein CTCF-binding sites in the human genome. *Cell*, **128**: 1231-45.
- Kishore S., Stamm S. (2006a) Regulation of alternative splicing by snoRNAs. *Cold Spring Harb Symp Quant Biol*, **71**: 329-34.
- Kishore S., Stamm S. (2006b) The snoRNA HBII-52 regulates alternative splicing of the serotonin receptor 2C. *Science*, **311**: 230-2.
- Kiss T. (2002) Small nucleolar RNAs: an abundant group of noncoding RNAs with diverse cellular functions. *Cell*, **109**: 145-8.
- Klenova E. M., Morse H. C., 3rd, Ohlsson R., Lobanenko V. V. (2002) The novel BORIS + CTCF gene family is uniquely involved in the epigenetics of normal biology and cancer. *Semin Cancer Biol*, **12**: 399-414.
- Klose R. J., Bird A. P. (2006) Genomic DNA methylation: the mark and its mediators. *Trends Biochem Sci*, **31**: 89-97.
- Knoll J. H., Nicholls R. D., Magenis R. E., Graham J. M., Jr., Lalande M., Latt S. A. (1989) Angelman and Prader-Willi syndromes share a common chromosome 15 deletion but differ in parental origin of the deletion. *Am J Med Genet*, **32**: 285-90.

Kono T., Obata Y., Wu Q., Niwa K., Ono Y., Yamamoto Y., Park E. S., Seo J. S., Ogawa H. (2004) Birth of parthenogenetic mice that can develop to adulthood. *Nature*, **428**: 860-4.

Krotoski D. M., Reinschmidt D. C., Tompkins R. (1985) Developmental mutants isolated from wild-caught *Xenopus laevis* by gynogenesis and inbreeding. *J Exp Zool*, **233**: 443-9.

Lander E. S., Linton L. M., Birren B., Nusbaum C., Zody M. C., Baldwin J., Devon K., Dewar K., Doyle M., FitzHugh W., Funke R., Gage D., Harris K., Heaford A., Howland J., Kann L., Lehoczy J., LeVine R., McEwan P., McKernan K., Meldrim J., Mesirov J. P., Miranda C., Morris W., Naylor J., Raymond C., Rosetti M., Santos R., Sheridan A., Sougnez C., Stange-Thomann N., Stojanovic N., Subramanian A., Wyman D., Rogers J., Sulston J., Ainscough R., Beck S., Bentley D., Burton J., Clee C., Carter N., Coulson A., Deadman R., Deloukas P., Dunham A., Dunham I., Durbin R., French L., Grafham D., Gregory S., Hubbard T., Humphray S., Hunt A., Jones M., Lloyd C., McMurray A., Matthews L., Mercer S., Milne S., Mullikin J. C., Mungall A., Plumb R., Ross M., Shownkeen R., Sims S., Waterston R. H., Wilson R. K., Hillier L. W., McPherson J. D., Marra M. A., Mardis E. R., Fulton L. A., Chinwalla A. T., Pepin K. H., Gish W. R., Chisoe S. L., Wendl M. C., Delehaunty K. D., Miner T. L., Delehaunty A., Kramer J. B., Cook L. L., Fulton R. S., Johnson D. L., Minx P. J., Clifton S. W., Hawkins T., Branscomb E., Predki P., Richardson P., Wenning S., Slezak T., Doggett N., Cheng J. F., Olsen A., Lucas S., Elkin C., Uberbacher E., Frazier M., *et al.* (2001) Initial sequencing and analysis of the human genome. *Nature*, **409**: 860-921.

Landers M., Bancescu D. L., Le Meur E., Rougeulle C., Glatt-Deeley H., Brannan C., Muscatelli F., Lalande M. (2004) Regulation of the large (approximately 1000 kb) imprinted murine Ube3a antisense transcript by alternative exons upstream of Snurf/Snrpn. *Nucleic Acids Res*, **32**: 3480-92.

Lawton B. R., Carone B. R., Oberfell C. J., Ferreri G. C., Gondolphi C. M., Vandenberg J. L., Imumori I., O'Neill R. J., O'Neill M. J. (2008) Genomic imprinting of IGF2 in marsupials is methylation dependent. *BMC Genomics*, **9**: 205.

Lawton B. R., Sevigny L., Oberfell C., Reznick D., O'Neill R. J., O'Neill M. J. (2005) Allelic expression of IGF2 in live-bearing, matrotrophic fishes. *Dev Genes Evol*, **215**: 207-12.

Lee J., Inoue K., Ono R., Ogonuki N., Kohda T., Kaneko-Ishino T., Ogura A., Ishino F. (2002) Erasing genomic imprinting memory in mouse clone embryos produced from day 11.5 primordial germ cells. *Development*, **129**: 1807-17.

Lee J. T. (2003) Molecular links between X-inactivation and autosomal imprinting: X-inactivation as a driving force for the evolution of imprinting? *Curr Biol*, **13**: R242-54.

Lewis A., Reik W. (2006) How imprinting centres work. *Cytogenet Genome Res*, **113**: 81-9.

Li L., Keverne E. B., Aparicio S. A., Ishino F., Barton S. C., Surani M. A. (1999) Regulation of maternal behavior and offspring growth by paternally expressed Peg3. *Science*, **284**: 330-3.

Lifschytz E., Lindsley D. L. (1972) The role of X-chromosome inactivation during spermatogenesis (Drosophila-allocyclic-chromosome evolution-male sterility-dosage compensation). *Proc Natl Acad Sci U S A*, **69**: 182-6.

Lin S. P., Youngson N., Takada S., Seitz H., Reik W., Paulsen M., Cavaille J., Ferguson-Smith A. C. (2003) Asymmetric regulation of imprinting on the maternal and paternal chromosomes at the Dlk1-Gtl2 imprinted cluster on mouse chromosome 12. *Nat Genet*, **35**: 97-102.

Loebel D. A., Johnston P. G. (1996) Methylation analysis of a marsupial X-linked CpG island by bisulfite genomic sequencing. *Genome Res*, **6**: 114-23.

Loukinov D. I., Pugacheva E., Vatolin S., Pack S. D., Moon H., Chernukhin I., Mannan P., Larsson E., Kanduri C., Vostrov A. A., Cui H., Niemitz E. L., Rasko J. E., Docquier F. M., Kistler M., Breen J. J., Zhuang Z., Quitschke W. W., Renkawitz R., Klenova E. M., Feinberg A. P., Ohlsson R., Morse H. C., 3rd, Lobanenko V. V. (2002) BORIS, a novel male germ-line-specific protein associated with epigenetic reprogramming events, shares the same 11-zinc-finger domain with CTCF, the insulator protein involved in reading imprinting marks in the soma. *Proc Natl Acad Sci U S A*, **99**: 6806-11.

Luger K., Mader A. W., Richmond R. K., Sargent D. F., Richmond T. J. (1997) Crystal structure of the nucleosome core particle at 2.8 Å resolution. *Nature*, **389**: 251-60.

Lyon M. F. (1961) Gene action in the X-chromosome of the mouse (*Mus musculus* L.). *Nature*, **190**: 372-3.

Lyon M. F. (2006) Do LINES Have a Role in X-Chromosome Inactivation? *J Biomed Biotechnol*, **2006**: 59746.

Mackay D. J., Coupe A. M., Shield J. P., Storr J. N., Temple I. K., Robinson D. O. (2002) Relaxation of imprinted expression of ZAC and HYMAI in a patient with transient neonatal diabetes mellitus. *Hum Genet*, **110**: 139-44.

Mai M., Qian C., Yokomizo A., Tindall D. J., Bostwick D., Polychronakos C., Smith D. I., Liu W. (1998) Loss of imprinting and allele switching of p73 in renal cell carcinoma. *Oncogene*, **17**: 1739-41.

Mak W., Nesterova T. B., de Napoles M., Appanah R., Yamanaka S., Otte A. P., Brockdorff N. (2004) Reactivation of the paternal X chromosome in early mouse embryos. *Science*, **303**: 666-9.

Margulies E. H., Birney E. (2008) Approaches to comparative sequence analysis: towards a functional view of vertebrate genomes. *Nat Rev Genet*, **9**: 303-13.

McCarrey J. R., Watson C., Atencio J., Ostermeier G. C., Marahrens Y., Jaenisch R., Krawetz S. A. (2002) X-chromosome inactivation during spermatogenesis is regulated by an Xist/Tsix-independent mechanism in the mouse. *Genesis*, **34**: 257-66.

McGrath J., Solter D. (1984) Completion of mouse embryogenesis requires both the maternal and paternal genomes. *Cell*, **37**: 179-83.

Meckelio I. F. (1826) *Ornithorhynchi paradoxi descriptio anatomica*, Leipzig, Gerhardum Fleischerum.

Migeon B. R. (2003) Is Tsix repression of Xist specific to mouse? *Nat Genet*, **33**: 337; author reply 337-8.

Migeon B. R., Luo S., Stasiowski B. A., Jani M., Axelman J., Van Dyke D. L., Weiss L., Jacobs P. A., Yang-Feng T. L., Wiley J. E. (1993) Deficient transcription of XIST from tiny ring X chromosomes in females with severe phenotypes. *Proc Natl Acad Sci U S A*, **90**: 12025-9.

Mikkelsen T. S., Wakefield M. J., Aken B., Amemiya C. T., Chang J. L., Duke S., Garber M., Gentles A. J., Goodstadt L., Heger A., Jurka J., Kamal M., Mauceli E., Searle S. M., Sharpe T., Baker M. L., Batzer M. A., Benos P. V., Belov K., Clamp M., Cook A., Cuff J., Das R., Davidow L., Deakin J. E., Fazzari M. J., Glass J. L., Grabherr M., Grealis J. M., Gu W., Hore T. A., Huttley G. A., Kleber M., Jirtle R. L., Koina E., Lee J. T., Mahony S., Marra M. A., Miller R. D., Nicholls R. D., Oda M., Papenfuss A. T., Parra Z. E., Pollock D. D., Ray D. A., Schein J. E., Speed T. P., Thompson K., VandeBerg J. L., Wade C. M., Walker J. A., Waters P. D., Webber C., Weidman J. R., Xie X., Zody M. C., Graves J. A., Ponting C. P., Breen M., Samollow P. B., Lander E. S., Lindblad-Toh K. (2007) Genome of the marsupial *Monodelphis domestica* reveals innovation in non-coding sequences. *Nature*, **447**: 167-77.

Mims S. D., Shelton W. L., Linhart O., Wang C. (1997) Induced Meiotic Gynogenesis of Paddlefish *Polyodon spathula*. *Journal of the World Aquaculture Society*, **28**: 334-343.

Mitchell M. J., Wilcox S. A., Watson J. M., Lerner J. L., Woods D. R., Scheffler J., Hearn J. P., Bishop C. E., Graves J. A. (1998) The origin and loss of the ubiquitin activating enzyme gene on the mammalian Y chromosome. *Hum Mol Genet*, **7**: 429-34.

Mohandas T., Crandall B. F., Sparkes R. S., Passage M. B., Sparkes M. C. (1981) Late replication studies in a human X/13 translocation: correlation with autosomal gene expression. *Cytogenet Cell Genet*, **29**: 215-20.

Monk D., Arnaud P., Apostolidou S., Hills F. A., Kelsey G., Stanier P., Feil R., Moore G. E. (2006) Limited evolutionary conservation of imprinting in the human placenta. *Proc Natl Acad Sci U S A*, **103**: 6623-8.

Monk D., Bentley L., Hitchins M., Myler R. A., Clayton-Smith J., Ismail S., Price S. M., Preece M. A., Stanier P., Moore G. E. (2002) Chromosome 7p disruptions in Silver Russell syndrome: delineating an imprinted candidate gene region. *Hum Genet*, **111**: 376-87.

Monk D., Wakeling E. L., Proud V., Hitchins M., Abu-Amero S. N., Stanier P., Preece M. A., Moore G. E. (2000) Duplication of 7p11.2-p13, including GRB10, in Silver-Russell syndrome. *Am J Hum Genet*, **66**: 36-46.

- Monk M., Hitchens M., Hawes S. (2008) Differential expression of the embryo/cancer gene ECSA(DPPA2), the cancer/testis gene BORIS and the pluripotency structural gene OCT4, in human preimplantation development. *Mol Hum Reprod*, **14**: 347-55.
- Moore T., Haig D. (1991) Genomic imprinting in mammalian development: a parental tug-of-war. *Trends Genet*, **7**: 45-9.
- Morison I. M., Ramsay J. P., Spencer H. G. (2005) A census of mammalian imprinting. *Trends Genet*, **21**: 457-65.
- Morris K. V., Chan S. W., Jacobsen S. E., Looney D. J. (2004) Small interfering RNA-induced transcriptional gene silencing in human cells. *Science*, **305**: 1289-92.
- Muller B., Hedrich K., Kock N., Dragasevic N., Svetel M., Garrels J., Landt O., Nitschke M., Pramstaller P. P., Reik W., Schwinger E., Sperner J., Ozelius L., Kostic V., Klein C. (2002) Evidence that paternal expression of the epsilon-sarcoglycan gene accounts for reduced penetrance in myoclonus-dystonia. *Am J Hum Genet*, **71**: 1303-11.
- Murphy S. K., Jirtle R. L. (2003) Imprinting evolution and the price of silence. *Bioessays*, **25**: 577-88.
- Murrell A., Heeson S., Reik W. (2004) Interaction between differentially methylated regions partitions the imprinted genes Igf2 and H19 into parent-specific chromatin loops. *Nat Genet*, **36**: 889-93.
- Murtagh C. E. (1977) A unique cytogenetic system in monotremes. *Chromosoma*, **65**: 37-57.
- Nahkuri S., Taft R. J., Korbie D. J., Mattick J. S. (2008) Molecular Evolution of the HBII-52 snoRNA Cluster. *J Mol Biol*.
- Namekawa S. H., Park P. J., Zhang L. F., Shima J. E., McCarrey J. R., Griswold M. D., Lee J. T. (2006) Postmeiotic sex chromatin in the male germline of mice. *Curr Biol*, **16**: 660-7.
- Namekawa S. H., VandeBerg J. L., McCarrey J. R., Lee J. T. (2007) Sex chromosome silencing in the marsupial male germ line. *Proc Natl Acad Sci U S A*, **104**: 9730-5.
- Navarro P., Pichard S., Ciaudo C., Avner P., Rougeulle C. (2005) Tsix transcription across the Xist gene alters chromatin conformation without affecting Xist transcription: implications for X-chromosome inactivation. *Genes Dev*, **19**: 1474-84.
- Naylor R., Richardson S. J., McAllan B. M. (2008) Boom and bust: a review of the physiology of the marsupial genus Antechinus. *J Comp Physiol [B]*, **178**: 545-62.
- Netchine I., Rossignol S., Dufourg M. N., Azzi S., Rousseau A., Perin L., Houang M., Steunou V., Esteva B., Thibaud N., Demay M. C., Danton F., Petriczko E., Bertrand A. M., Heinrichs C., Carel J. C., Loeuille G. A., Pinto G., Jacquemont M. L., Gicquel C., Cabrol S., Le Bouc Y. (2007) 11p15 imprinting center region 1 loss of methylation is a common and specific cause of typical Russell-Silver syndrome: clinical scoring system and epigenetic-phenotypic correlations. *J Clin Endocrinol Metab*, **92**: 3148-54.

- Nicholls R. D., Knepper J. L. (2001) Genome organization, function, and imprinting in Prader-Willi and Angelman syndromes. *Annu Rev Genomics Hum Genet*, **2**: 153-75.
- Nolan C. M., Killian J. K., Petite J. N., Jirtle R. L. (2001) Imprint status of M6P/IGF2R and IGF2 in chickens. *Dev Genes Evol*, **211**: 179-83.
- Noramly S., Zimmerman L., Cox A., Aloise R., Fisher M., Grainger R. M. (2005) A gynogenetic screen to isolate naturally occurring recessive mutations in *Xenopus tropicalis*. *Mech Dev*, **122**: 273-87.
- O'Neill M. J., Ingram R. S., Vrana P. B., Tilghman S. M. (2000) Allelic expression of IGF2 in marsupials and birds. *Dev Genes Evol*, **210**: 18-20.
- O'Neill M. J., Lawton B. R., Mateos M., Carone D. M., Ferreri G. C., Hrbek T., Meredith R. W., Reznick D. N., O'Neill R. J. (2007) Ancient and continuing Darwinian selection on insulin-like growth factor II in placental fishes. *Proc Natl Acad Sci U S A*, **104**: 12404-9.
- Obata Y., Kono T. (2002) Maternal primary imprinting is established at a specific time for each gene throughout oocyte growth. *J Biol Chem*, **277**: 5285-9.
- Ogawa O., Eccles M. R., Szeto J., McNoe L. A., Yun K., Maw M. A., Smith P. J., Reeve A. E. (1993) Relaxation of insulin-like growth factor II gene imprinting implicated in Wilms' tumour. *Nature*, **362**: 749-51.
- Ogawa Y., Lee J. T. (2003) Xite, X-inactivation intergenic transcription elements that regulate the probability of choice. *Mol Cell*, **11**: 731-43.
- Ogawa Y., Sun B. K., Lee J. T. (2008) Intersection of the RNA interference and X-inactivation pathways. *Science*, **320**: 1336-41.
- Ohhata T., Hoki Y., Sasaki H., Sado T. (2008) Crucial role of antisense transcription across the Xist promoter in Tsix-mediated Xist chromatin modification. *Development*, **135**: 227-35.
- Ohlsson R., Paldi A., Graves J. A. M. (2001) Did genomic imprinting and X chromosome inactivation arise from stochastic expression? *Trends Genet*, **17**: 136-41.
- Ohno S. (1967) *Sex chromosomes and sex-linked genes*, Berlin, New York [etc.] Springer-Verlag.
- Ohno S., Hauschka T. S. (1960) Allocycly of the X-chromosome in tumors and normal tissues. *Cancer Res*, **20**: 541-5.
- Okamoto I., Arnaud D., Le Baccon P., Otte A. P., Disteche C. M., Avner P., Heard E. (2005) Evidence for de novo imprinted X-chromosome inactivation independent of meiotic inactivation in mice. *Nature*, **438**: 369-73.
- Okamoto I., Heard E. (2006) The dynamics of imprinted X inactivation during preimplantation development in mice. *Cytogenet Genome Res*, **113**: 318-24.

Okamoto I., Otte A. P., Allis C. D., Reinberg D., Heard E. (2004) Epigenetic dynamics of imprinted X inactivation during early mouse development. *Science*, **303**: 644-9.

Okamura K., Ito T. (2006) Lessons from comparative analysis of species-specific imprinted genes. *Cytogenet Genome Res*, **113**:, 159-64.

Ooi S. K., Qiu C., Bernstein E., Li K., Jia D., Yang Z., Erdjument-Bromage H., Tempst P., Lin S. P., Allis C. D., Cheng X., Bestor T. H. (2007) DNMT3L connects unmethylated lysine 4 of histone H3 to de novo methylation of DNA. *Nature*, **448**: 714-7.

Orr H. A. (1995) Somatic mutation favors the evolution of diploidy. *Genetics*, **139**: 1441-7.

Otto S. P., Goldstein D. B. (1992) Recombination and the evolution of diploidy. *Genetics*, **131**: 745-51.

Oudejans C. B., Mulders J., Lachmeijer A. M., van Dijk M., Konst A. A., Westerman B. A., van Wijk I. J., Leegwater P. A., Kato H. D., Matsuda T., Wake N., Dekker G. A., Pals G., ten Kate L. P., Blankenstein M. A. (2004) The parent-of-origin effect of 10q22 in pre-eclamptic females coincides with two regions clustered for genes with down-regulated expression in androgenetic placentas. *Mol Hum Reprod*, **10**: 589-98.

Owen R. (1849) *On Parthenogenesis, or the Successive Production of Procreating Individuals from a Single Ovum*, London, J. van Voorst.

Pant V., Mariano P., Kanduri C., Mattsson A., Lobanenkova V., Heuchel R., Ohlsson R. (2003) The nucleotides responsible for the direct physical contact between the chromatin insulator protein CTCF and the H19 imprinting control region manifest parent of origin-specific long-distance insulation and methylation-free domains. *Genes Dev*, **17**: 586-90.

Pardo-Manuel De Villena F., De La Casa-Esperón E., Sapienza C. (2000) Natural selection and the function of genome imprinting: beyond the silenced minority. *Trends in Genetics*, **16**: 573-579.

Plagge A., Gordon E., Dean W., Boiani R., Cinti S., Peters J., Kelsey G. (2004) The imprinted signaling protein XL alpha s is required for postnatal adaptation to feeding. *Nat Genet*, **36**: 818-26.

Potrzebowski L., Vinckenbosch N., Marques A. C., Chalmel F., Jegou B., Kaessmann H. (2008) Chromosomal gene movements reflect the recent origin and biology of therian sex chromosomes. *PLoS Biol*, **6**: e80.

Preis J. I., Downes M., Oates N. A., Rasko J. E. J., Whitelaw E. (2003) Sensitive Flow Cytometric Analysis Reveals a Novel Type of Parent-of-Origin Effect in the Mouse Genome. *Current Biology*, **13**: 955-9.

Quinn A. E., Georges A., Sarre S. D., Guarino F., Ezaz T., Graves J. A. (2007) Temperature sex reversal implies sex gene dosage in a reptile. *Science*, **316**: 411.

Rainier S., Johnson L. A., Dobry C. J., Ping A. J., Grundy P. E., Feinberg A. P. (1993) Relaxation of imprinted genes in human cancer. *Nature*, **362**: 747-9.

- Rapkins R. W., Hore T., Smithwick M., Ager E., Pask A. J., Renfree M. B., Kohn M., Hameister H., Nicholls R. D., Deakin J. E., Graves J. A. (2006) Recent assembly of an imprinted domain from non-imprinted components. *PLoS Genet*, **2**: e182.
- Rastan S. (1983) Non-random X-chromosome inactivation in mouse X-autosome translocation embryos--location of the inactivation centre. *J Embryol Exp Morphol*, **78**: 1-22.
- Reik W., Constancia M., Fowden A., Anderson N., Dean W., Ferguson-Smith A., Tycko B., Sibley C. (2003) Regulation of supply and demand for maternal nutrients in mammals by imprinted genes. *J Physiol*, **547**: 35-44.
- Reik W., Dean W., Walter J. (2001) Epigenetic reprogramming in mammalian development. *Science*, **293**: 1089-93.
- Reik W., Ferguson-Smith A. C. (2005) Developmental biology: the X-inactivation yo-yo. *Nature*, **438**: 297-8.
- Reik W., Lewis A. (2005) Co-evolution of X-chromosome inactivation and imprinting in mammals. *Nat Rev Genet*, **6**: 403-10.
- Rekubratskii A. V., Grunina A. S., Barmintsev V. A., Golovanova T. S., Chudinov O. S., Abramova A. B., Panchenko N. S., Kupchenko S. A. (2003) [Meiotic gynogenesis in the stellate, Russian sturgeon and sterlet]. *Ontogenez*, **34**: 121-31.
- Renaud S., Pugacheva E. M., Delgado M. D., Braunschweig R., Abdullaev Z., Loukinov D., Benhattar J., Lobanenkov V. (2007) Expression of the CTCF-paralogous cancer-testis gene, brother of the regulator of imprinted sites (BORIS), is regulated by three alternative promoters modulated by CpG methylation and by CTCF and p53 transcription factors. *Nucleic Acids Res*, **35**: 7372-88.
- Rens W., O'Brien P. C., Grutzner F., Clarke O., Graphodatskaya D., Tsend-Ayush E., Trifonov V. A., Skelton H., Wallis M. C., Johnston S., Veyrunes F., Graves J. A., Ferguson-Smith M. A. (2007) The multiple sex chromosomes of platypus and echidna are not completely identical and several share homology with the avian Z. *Genome Biol*, **8**: R243.
- Richardson B. J., Czuppon A. B., Sharman G. B. (1971) Inheritance of glucose-6-phosphate dehydrogenase variation in kangaroos. *Nat New Biol*, **230**: 154-5.
- Riggs A. D. (1975) X inactivation, differentiation, and DNA methylation. *Cytogenet Cell Genet*, **14**: 9-25.
- Rinchard J., Dabrowski K., Garcia-Abiado M. A. (2006) High efficiency of meiotic gynogenesis in sea lamprey *Petromyzon marinus*. *J Exp Zool B Mol Dev Evol*, **306**: 521-7.
- Rougeulle C., Glatt H., Lalande M. (1997) The Angelman syndrome candidate gene, UBE3A/E6-AP, is imprinted in brain. *Nat Genet*, **17**: 14-5.
- Royo H., Bortolin M. L., Seitz H., Cavaille J. (2006) Small non-coding RNAs and genomic imprinting. *Cytogenet Genome Res*, **113**: 99-108.
- Runte M., Kroisel P. M., Gillessen-Kaesbach G., Varon R., Horn D., Cohen M. Y., Wagstaff J., Horsthemke B., Buiting K. (2004) SNURF-SNRPN and UBE3A transcript levels in patients with Angelman syndrome. *Hum Genet*, **114**: 553-61.

- Russo V. E. A., Martienssen R. A., Riggs A. D. (1996) *Epigenetic mechanisms of gene regulation*, Plainview, N.Y., Cold Spring Harbor Laboratory Press.
- Sahoo T., del Gaudio D., German J. R., Shinawi M., Peters S. U., Person R. E., Garnica A., Cheung S. W., Beaudet A. L. (2008) Prader-Willi phenotype caused by paternal deficiency for the HBII-85 C/D box small nucleolar RNA cluster. *Nat Genet*, **40**: 719-21.
- Sarvella P. (1973) Adult parthenogenetic chickens. *Nature*, **243**: 171.
- Sasaki H., Ishino F. (Eds.) (2006) *Genomic Imprinting*, Basel, Karger.
- Schoenherr C. J., Levorse J. M., Tilghman S. M. (2003) CTCF maintains differential methylation at the Igf2/H19 locus. *Nat Genet*, **33**: 66-9.
- Schones D. E., Zhao K. (2008) Genome-wide approaches to studying chromatin modifications. *Nat Rev Genet*, **9**: 179-91.
- Scott R. J., Spielman M. (2006) Genomic imprinting in plants and mammals: how life history constrains convergence. *Cytogenet Genome Res*, **113**: 53-67.
- Selwood L. (1980) A timetable of embryonic development of the dasyurid marsupial *Antechinus stuartii* (Macleay). *Aust J Zool*, **28**: 649-668.
- Sharman G. B. (1971) Late DNA replication in the paternally derived X chromosome of female kangaroos. *Nature*, **230**: 231-2.
- Shen Y., Matsuno Y., Fouse S. D., Rao N., Root S., Xu R., Pellegrini M., Riggs A. D., Fan G. (2008) X-inactivation in female human embryonic stem cells is in a nonrandom pattern and prone to epigenetic alterations. *Proc Natl Acad Sci U S A*, **105**: 4709-14.
- Shevchenko A. I., Zakharova I. S., Elisaphenko E. A., Kolesnikov N. N., Whitehead S., Bird C., Ross M., Weidman J. R., Jirtle R. L., Karamysheva T. V., Rubtsov N. B., VandeBerg J. L., Mazurok N. A., Nesterova T. B., Brockdorff N., Zakian S. M. (2007) Genes flanking Xist in mouse and human are separated on the X chromosome in American marsupials. *Chromosome Res*, **15**: 127-36.
- Silva S. S., Rowntree R. K., Mekhoubad S., Lee J. T. (2008) X-chromosome inactivation and epigenetic fluidity in human embryonic stem cells. *Proc Natl Acad Sci U S A*, **105**: 4820-5.
- Sleutels F., Zwart R., Barlow D. P. (2002) The non-coding Air RNA is required for silencing autosomal imprinted genes. *Nature*, **415**: 810-3.
- Smith F. M., Garfield A. S., Ward A. (2006) Regulation of growth and metabolism by imprinted genes. *Cytogenet Genome Res*, **113**: 279-91.
- Smits G., Mungall A. J., Griffiths-Jones S., Smith P., Beury D., Matthews L., Rogers J., Pask A. J., Shaw G., Vandeberg J. L., McCarrey J. R., Renfree M. B., Reik W., Dunham I. (2008) Conservation of the H19 noncoding RNA and H19-IGF2 imprinting mechanism in therians. *Nat Genet*.

- Spence J. E., Perciaccante R. G., Greig G. M., Willard H. F., Ledbetter D. H., Hejtmancik J. F., Pollack M. S., O'Brien W. E., Beaudet A. L. (1988) Uniparental disomy as a mechanism for human genetic disease. *Am J Hum Genet*, **42**: 217-26.
- Sun B. K., Deaton A. M., Lee J. T. (2006) A transient heterochromatic state in Xist preempts X inactivation choice without RNA stabilization. *Mol Cell*, **21**: 617-28.
- Sun L., Huang L., Nguyen P., Bisht K. S., Bar-Sela G., Ho A. S., Bradbury C. M., Yu W., Cui H., Lee S., Trepel J. B., Feinberg A. P., Gius D. (2008) DNA methyltransferase 1 and 3B activate BAG-1 expression via recruitment of CTCFL/BORIS and modulation of promoter histone methylation. *Cancer Res*, **68**: 2726-35.
- Surani M. A., Barton S. C., Norris M. L. (1984) Development of reconstituted mouse eggs suggests imprinting of the genome during gametogenesis. *Nature*, **308**: 548-50.
- Suzuki S., Ono R., Narita T., Pask A. J., Shaw G., Wang C., Kohda T., Alsop A. E., Marshall Graves J. A., Kohara Y., Ishino F., Renfree M. B., Kaneko-Ishino T. (2007) Retrotransposon silencing by DNA methylation can drive mammalian genomic imprinting. *PLoS Genet*, **3**: e55.
- Suzuki S., Renfree M. B., Pask A. J., Shaw G., Kobayashi S., Kohda T., Kaneko-Ishino T., Ishino F. (2005) Genomic imprinting of IGF2, p57(KIP2) and PEG1/MEST in a marsupial, the tammar wallaby. *Mech Dev*, **122**: 213-22.
- Tada T., Obata Y., Tada M., Goto Y., Nakatsuji N., Tan S., Kono T., Takagi N. (2000) Imprint switching for non-random X-chromosome inactivation during mouse oocyte growth. *Development*, **127**: 3101-5.
- Takagi N., Sasaki M. (1975) Preferential inactivation of the paternally derived X chromosome in the extraembryonic membranes of the mouse. *Nature*, **256**: 640-2.
- Taylor J. H. (1960) Asynchronous duplication of chromosomes in cultured cells of Chinese hamster. *J Biophys Biochem Cytol*, **7**: 455-64.
- Temple C. M., Carney R. (1996) Reading skills in children with Turner's syndrome: an analysis of hyperplexia. *Cortex*, **32**: 335-45.
- Temple I. K., Shield J. P. (2002) Transient neonatal diabetes, a disorder of imprinting. *J Med Genet*, **39**: 872-5.
- Temple I. K., Shrubbs V., Lever M., Bullman H., Mackay D. J. (2007) Isolated imprinting mutation of the DLK1/GTL2 locus associated with a clinical presentation of maternal uniparental disomy of chromosome 14. *J Med Genet*, **44**: 637-40.
- Tremblay K. D., Duran K. L., Bartolomei M. S. (1997) A 5' 2-kilobase-pair region of the imprinted mouse H19 gene exhibits exclusive paternal methylation throughout development. *Mol Cell Biol*, **17**: 4322-9.

Turner J. M., Mahadevaiah S. K., Elliott D. J., Garchon H. J., Pehrson J. R., Jaenisch R., Burgoyne P. S. (2002) Meiotic sex chromosome inactivation in male mice with targeted disruptions of Xist. *J Cell Sci*, **115**: 4097-105.

Tyndale-Biscoe C. H. (2005) *Life of marsupials*, Collingwood, Vic., CSIRO Publishing.

Uvnas-Moberg K., Eriksson M. (1996) Breastfeeding: physiological, endocrine and behavioural adaptations caused by oxytocin and local neurogenic activity in the nipple and mammary gland. *Acta Paediatr*, **85**: 525-30.

Uzzell T. M. J. (1964) Relations of the Diploid and Triploid Species of the *Ambystoma jeffersonianum* Complex (Amphibia, Caudata) *Copeia*, **1964**: 257-300.

Varmuza S., Mann M. (1994) Genomic imprinting--defusing the ovarian time bomb. *Trends Genet*, **10**: 118-23.

Vatolin S., Abdullaev Z., Pack S. D., Flanagan P. T., Custer M., Loukinov D. I., Pugacheva E., Hong J. A., Morse H., 3rd, Schrupp D. S., Risinger J. I., Barrett J. C., Lobanenko V. V. (2005) Conditional expression of the CTCF-paralogous transcriptional factor BORIS in normal cells results in demethylation and derepression of MAGE-A1 and reactivation of other cancer-testis genes. *Cancer Res*, **65**: 7751-62.

Veyrunes F., Waters P. D., Miethke P., Rens W., McMillan D., Alsop A. E., Grutzner F., Deakin J. E., Whittington C. M., Schatzkammer K., Kremitzki C. L., Graves T., Ferguson-Smith M. A., Warren W., Marshall Graves J. A. (2008) Bird-like sex chromosomes of platypus imply recent origin of mammal sex chromosomes. *Genome Res*, **18**: 965-73.

Wake N., Takagi N., Sasaki M. (1976) Non-random inactivation of X chromosome in the rat yolk sac. *Nature*, **262**: 580-1.

Wakefield M. J., Keohane A. M., Turner B. M., Graves J. A. (1997) Histone underacetylation is an ancient component of mammalian X chromosome inactivation. *Proc Natl Acad Sci U S A*, **94**: 9665-8.

Walter J., Paulsen M. (2003) The potential role of gene duplications in the evolution of imprinting mechanisms. *Hum Mol Genet*, **12 Spec No 2**: R215-20.

Warren W. C., Hillier L. W., Marshall Graves J. A., Birney E., Ponting C. P., Grutzner F., Belov K., Miller W., Clarke L., Chinwalla A. T., Yang S. P., Heger A., Locke D. P., Miethke P., Waters P. D., Veyrunes F., Fulton L., Fulton B., Graves T., Wallis J., Puente X. S., Lopez-Otin C., Ordonez G. R., Eichler E. E., Chen L., Cheng Z., Deakin J. E., Alsop A., Thompson K., Kirby P., Papenfuss A. T., Wakefield M. J., Olender T., Lancet D., Huttley G. A., Smit A. F., Pask A., Temple-Smith P., Batzer M. A., Walker J. A., Konkel M. K., Harris R. S., Whittington C. M., Wong E. S., Gemmell N. J., Buschiazzo E., Vargas Jentsch I. M., Merkel A., Schmitz J., Zemmann A., Churakov G., Kriegs J. O., Brosius J., Murchison E. P., Sachidanandam R., Smith C., Hannon G. J., Tsend-Ayush E., McMillan D., Attenborough R., Rens W., Ferguson-Smith M., Lefevre C. M., Sharp J. A., Nicholas K. R., Ray D. A., Kube M., Reinhardt R., Pringle T. H., Taylor J., Jones R. C., Nixon B., Dacheux J. L., Niwa H., Sekita Y., Huang X., Stark A., Kheradpour P., Kellis M., Flicek P., Chen Y., Webber C., Hardison R., Nelson J.,

- Hallsworth-Pepin K., Delehaunty K., Markovic C., Minx P., Feng Y., Kremitzki C., Mitreva M., Glasscock J., Wylie T., Wohldmann P., Thiru P., Nhan M. N., Pohl C. S., Smith S. M., Hou S., Renfree M. B., *et al.* (2008) Genome analysis of the platypus reveals unique signatures of evolution. *Nature*, **453**: 175-83.
- Waters P. D., Delbridge M. L., Deakin J. E., El-Mogharbel N., Kirby P. J., Carvalho-Silva D. R., Graves J. A. M. (2005) Autosomal location of genes from the conserved mammalian X in the platypus (*Ornithorhynchus anatinus*): implications for mammalian sex chromosome evolution. *Chromosome Res*, **13**: 401-10.
- Watson J. D., Crick F. H. (1953) Molecular structure of nucleic acids; a structure for deoxyribose nucleic acid. *Nature*, **171**: 737-8.
- Watson J. M., Spencer J. A., Riggs A. D., Graves J. A. (1990) The X chromosome of monotremes shares a highly conserved region with the eutherian and marsupial X chromosomes despite the absence of X chromosome inactivation. *Proc Natl Acad Sci U S A*, **87**: 7125-9.
- Watt F., Molloy P. L. (1988) Cytosine methylation prevents binding to DNA of a HeLa cell transcription factor required for optimal expression of the adenovirus major late promoter. *Genes Dev*, **2**: 1136-43.
- Watts P. C., Buley K. R., Sanderson S., Boardman W., Ciofi C., Gibson R. (2006) Parthenogenesis in Komodo dragons. *Nature*, **444**: 1021-2.
- Weidman J. R., Dolinoy D. C., Maloney K. A., Cheng J. F., Jirtle R. L. (2006a) Imprinting of Opossum *Igf2r* in the Absence of Differential Methylation and Air. *Epigenetics*, **1**: 49-54.
- Weidman J. R., Maloney K. A., Jirtle R. L. (2006b) Comparative phylogenetic analysis reveals multiple non-imprinted isoforms of opossum *Dlk1*. *Mamm Genome*, **17**: 157-67.
- Weksberg R., Smith A. C., Squire J., Sadowski P. (2003) Beckwith-Wiedemann syndrome demonstrates a role for epigenetic control of normal development. *Hum Mol Genet*, **12 Spec No 1**: R61-8.
- West J. D., Frels W. I., Chapman V. M., Papaioannou V. E. (1977) Preferential expression of the maternally derived X chromosome in the mouse yolk sac. *Cell*, **12**: 873-82.
- Wilcox S. A., Watson J. M., Spencer J. A., Graves J. A. (1996) Comparative mapping identifies the fusion point of an ancient mammalian X-autosomal rearrangement. *Genomics*, **35**: 66-70.
- Wilkins J. F., Haig D. (2003) What good is genomic imprinting: the function of parent-specific gene expression. *Nat Rev Genet*, **4**: 359-68.
- Wilkins M. H., Stokes A. R., Wilson H. R. (1953) Molecular structure of deoxypentose nucleic acids. *Nature*, **171**: 738-40.

- Woodburne M. O., Rich T. H., Springer M. S. (2003) The evolution of tribospheny and the antiquity of mammalian clades. *Mol Phylogenet Evol*, **28**: 360-85.
- Wrigley J. M., Graves J. A. (1988) Sex chromosome homology and incomplete, tissue-specific X-inactivation suggest that monotremes represent an intermediate stage of mammalian sex chromosome evolution. *J Hered*, **79**: 115-8.
- Wutz A., Jaenisch R. (2000) A shift from reversible to irreversible X inactivation is triggered during ES cell differentiation. *Mol Cell*, **5**: 695-705.
- Wutz A., Rasmussen T. P., Jaenisch R. (2002) Chromosomal silencing and localization are mediated by different domains of Xist RNA. *Nat Genet*, **30**: 167-74.
- Xu N., Donohoe M. E., Silva S. S., Lee J. T. (2007) Evidence that homologous X-chromosome pairing requires transcription and Ctf protein. *Nat Genet*, **39**: 1390-6.
- Xu N., Tsai C. L., Lee J. T. (2006) Transient homologous chromosome pairing marks the onset of X inactivation. *Science*, **311**: 1149-52.
- Yang J. H., Zhang X. C., Huang Z. P., Zhou H., Huang M. B., Zhang S., Chen Y. Q., Qu L. H. (2006) snoSeeker: an advanced computational package for screening of guide and orphan snoRNA genes in the human genome. *Nucleic Acids Res*, **34**: 5112-23.
- Yokomine T., Hata K., Tsudzuki M., Sasaki H. (2006) Evolution of the vertebrate DNMT3 gene family: a possible link between existence of DNMT3L and genomic imprinting. *Cytogenet Genome Res*, **113**: 75-80.
- Yong P. J., Marion S. A., Barrett I. J., Kalousek D. K., Robinson W. P. (2002) Evidence for imprinting on chromosome 16: the effect of uniparental disomy on the outcome of mosaic trisomy 16 pregnancies. *Am J Med Genet*, **112**: 123-32.
- Young L. E., Fernandes K., McEvoy T. G., Butterwith S. C., Gutierrez C. G., Carolan C., Broadbent P. J., Robinson J. J., Wilmut I., Sinclair K. D. (2001) Epigenetic change in IGF2R is associated with fetal overgrowth after sheep embryo culture. *Nat Genet*, **27**: 153-4.
- Zeschning M., Albrecht B., Buiting K., Kanber D., Eggermann T., Binder G., Gromoll J., Prott E. C., Seland S., Horsthemke B. (2008) IGF2/H19 hypomethylation in Silver-Russell syndrome and isolated hemihypoplasia. *Eur J Hum Genet*, **16**: 328-34.
- Zhang H., Kolb F. A., Brondani V., Billy E., Filipowicz W. (2002) Human Dicer preferentially cleaves dsRNAs at their termini without a requirement for ATP. *Embo J*, **21**: 5875-85.
- Zimprich A., Grabowski M., Asmus F., Naumann M., Berg D., Bertram M., Scheidtmann K., Kern P., Winkelmann J., Muller-Myhsok B., Riedel L., Bauer M., Muller T., Castro M., Meitinger T., Strom T. M., Gasser T. (2001) Mutations in the gene encoding epsilon-sarcoglycan cause myoclonus-dystonia syndrome. *Nat Genet*, **29**: 66-9.

Zuccotti M., Boiani M., Ponce R., Guizzardi S., Scandroglio R., Garagna S., Redi C. A. (2002) Mouse Xist expression begins at zygotic genome activation and is timed by a zygotic clock. *Mol Reprod Dev*, **61**: 14-20.