
Index

- $\mathbf{2}$, 60
- 2 , 73
- $\Gamma_{(i_1, \dots, i_k)}$, 171, 178, 183
- $\prod$ for Boolean algebras, 74
- ρ_k , 195
- $\sum$ for Boolean algebras, 74
- χ , 80
- Ω_k , 31
- $[\alpha]_{\text{Thy}}$, 61
- $\emptyset$, 14
- $\equiv_{\text{Thy}}$, 61
- $\square$, 59
- $\models$, 61
- $\models_a$, 217
- $\models_{\text{Thy}}$, 61
- $\vdash$, 64
- $\mathfrak{A}$, 72
- A_j , 18
- A_j^e , 21
- ancestor, 174, 175
- arithmetic atoms, 216
- arithmetic deduction function, 219
- arithmetic edit, 209
- arithmetic edit generation function, 212
- arithmetic propositional atoms, 216
- arithmetic truth function, 216
- arithmetically implies, 216
- arithmetically refutation complete, 219
- arithmetically refutation sound, 219
- arithmetically satisfiable, 216
- arithmetically strongly complete, 219
- arithmetically strongly sound, 219
- ba, 95
- BH, 76
- BoolAtm, 77
- Boolean algebra, 72
- Boolean algebra of edits, 93
- Boolean atom, 77
- Boolean homomorphism, 75
- Boolean isomorphism, 75
- BoolHom, 75
- BranchS, 174
- BranchV, 42
- $\mathcal{C}$, 23, 211, 218
- categorical edit, 19
- characteristic homomorphism, 80
- clause, 63
- clause, positive, 63
- Clauses, 63
- complete, refutation, 68
- complete, strongly, 67
- correct record, for arithmetic edits, 209
- correct record, for categorical edits, 19
- correction: error correction problem, 19
- covering set, 23, 139, 211, 218
- covering set correctible, 26, 140, 212, 220
- covering set method, 25
- covering set of failed edits, 23
- $\mathcal{CX}$, 23, 140, 211, 219
- D , 18
- data domain, 18
- data domain, for arithmetic edits, 209
- data editing, 2
- deduction function, 58, 64
- directional resolution, 65
- domain, 18
- domain, for arithmetic edits, 209
- dominates, 19
- domination rules for FCF_ω , 43
- $\mathfrak{E}$, 93
- ec, 96

-
- edit, 4
 - edit generation function, arithmetic, 212
 - edit generation function, categorical, 26
 - editing, 2
 - $\mathcal{EL}$, 20, 139, 211, 218
 - empty clause, 63
 - end result of an FH-deduction, 111
 - end result of an $\mathcal{R}_{\text{Thy}}$ -deduction, 65
 - ENFH, 34
 - entering, 23
 - error correction guarantee, 27, 140, 212, 220
 - error correction problem, 19
 - error correction totality, 27, 140, 212, 219
 - error localisation problem, 6, 20, 139, 210, 218
 - essential, 23
 - essentially new edit, 34
 - essentially new FH edit generation function, 34
 - essentially new FH-generated edit, 33
 - explicit edits, 25

 - F, 40
 - $\mathcal{F}$, 107
 - f_v , 97
 - failed edit, 23
 - failed record, for arithmetic edits, 209
 - failed record, for categorical edits, 19
 - fails, of a truth function, 60
 - Farkas' Lemma, 230
 - FCF_ω , 40, 42
 - $\mathcal{FCF}_\omega$, 107, 202
 - FCF Algorithm, 40, 42
 - $\mathcal{FCF}$ Algorithm, 202
 - FCFS_ω , 162, 171, 173
 - FCFS Algorithm, 171, 173
 - FH, 30
 - FH edit generation function, 30
 - FH-deduction, 111
 - FH-generated edit, 29
 - FHD, 108
 - FHD1, 109

 - FHG, 29
 - field, 18
 - field, for arithmetic edits, 209
 - field code forest, 40
 - Field Code Forest Algorithm, 40, 42
 - field domain, 18
 - field domain, for arithmetic edits, 209
 - final clause, 65, 111
 - FM, 213
 - $\mathcal{FM}$, 220
 - formulae, propositional, 58
 - Fourier-Motzkin elimination, 213

 - g_v , 216
 - G1 to G7, 43
 - GenF, 41, 42
 - GenI, 41–43
 - GenI, properties, 43
 - GenS, 173, 174
 - GenS, properties, 174
 - GenV, 41, 42
 - GKL, 167
 - GS1 to GS7, 174

 - imputation, 6
 - incorrect record, for arithmetic edits, 209
 - incorrect record, for categorical edits, 19
 - inferior, 15
 - input set of clauses, 65, 111
 - involved, for arithmetic atoms, 218
 - involved, for arithmetic edits, 211
 - involved, for categorical edits, 23, 139

 - $\bar{\ell}$, 63
 - LE_{Thy} , 62
 - $\mathcal{LE}_{\text{Thy}}$, 73
 - lifting property, 31
 - Lindenbaum algebra, 73
 - literal, 63
 - logically equivalent, 61
 - logically implies, 61

 - Max, 15
 - maximal essentially new FH edit generation function, 35

-
- maximal FH edit generation function, 35
 - MENFH, 35
 - $\mathcal{MF}$, 107
 - MFH, 35
 - MGKL, 167
 - Min, 15
 - model, 60
 - $\mathcal{MR}_{\text{Th}}$, 115
 - N , 18
 - $\mathcal{N}$, 21
 - NC, 103
 - nc, 99, 103
 - non-entering, 23
 - norm, 103
 - normal edit, 21
 - normal edit generation function, 26
 - normal form of an edit, 21
 - $\mathcal{NR}_{\text{Th}}$, 115
 - ordered resolution, 65
 - ordered Thy-resolution, 65
 - output clause, 65, 111
 - $\mathcal{P}$, 14
 - p_j^v , 89
 - $\mathfrak{P}_X$, 73
 - $\mathfrak{P}'_X$, 73
 - partial order, 14
 - PAtm, 89
 - PC, 103
 - positive clause, 63
 - predecessor, 175
 - Prop, 58
 - PropAtom, 58
 - PropForm, 58
 - propositional atom, 58
 - propositional formulae, 58
 - propositional satisfiability problem, 70
 - propositional theory, 59
 - pure deduction method to solve SAT, 71
 - q_e , 216
 - QAtm, 216
 - record, 18
 - record, for arithmetic edits, 209
 - reduced arithmetic edit, 221
 - reduced clause, 143, 144
 - reduction of a normal clause by a record and a set of fields, 144
 - reduction of a set of arithmetic atoms by a record and a set of fields, 222
 - reduction of a set of arithmetic edits by a record and a set of fields, 222
 - reduction of a set of normal clauses by a record and a set of fields, 144
 - reduction of an arithmetic atom by a record and a set of fields, 222
 - reduction of an arithmetic edit by a record and a set of fields, 222
 - refutation complete, 68
 - refutation sound, 67
 - refutation Thy-complete, 68
 - refutation Thy-sound, 67
 - resolution deduction function, 64
 - resolvent, 64
 - resultant clause, 65, 111
 - $\mathcal{R}_{\text{Thy}}$, 64
 - $\mathcal{R}_{\text{Thy-deduction}}$, 65
 - $\mathcal{R}_{\text{Thy}}^<$, 65
 - SAT, 70
 - satisfiable, 60
 - satisfies, of a record, for arithmetic edits, 209
 - satisfies, of a record, for categorical edits, 19
 - satisfies, of a truth function, 60
 - SC , 27
 - $SC\mathcal{X}$, 27
 - SEL , 20
 - semantics, 57
 - sequentially generated, 16
 - smallest weighted covering set, 27
 - smallest weighted covering set correctible, 27

smallest weighted error localisation problem, 20
sound, refutation, 67
sound, strongly, 67
starting set of clauses, 65, 111
strongly complete, 67
strongly sound, 67
strongly Thy-complete, 67
strongly Thy-sound, 67
subfunction, 15
subsume, 63
sufficient, 162
superfunction, 15
superior, 15
syntax, 57

$\top$, 59
TF, 76
Th, 90
Th1, 90
Th2, 90
Tha, 217, 234
theory, propositional, 59
Thy, 60
Thy-equivalent, 61
Thy-logically equivalent, 61
Thy-logically implies, 61
Thy-resolution, 64, 65
Thy-satisfiable, 61
Thy-truth function, 60
Thy-valid, 61
ThyTF, 76
total order, 14
truth function, 60
 $\top\top$, 102

uninvolved, for arithmetic edits, 211
uninvolved, for categorical edits, 23

valid, 61

$\mathcal{X}$, 23, 140, 211, 219

yields a correction, 20, 139, 210, 218