

Bibliography

- Abdalati, W., Krabill, W., Frederick, E., Manizade, S., Martin, C., Sonntag, J., Swift, R., Thomas, R., Wright, W., and Yungel, J. (2001). Outlet glacier and margin elevation changes: near-coastal thinning of the Greenland ice sheet. *Journal of Geophysical Research*, **106**(D24), 33,729–33,741.
- Ahlmann, H. W. (1935). Contribution to the physics of glaciers. *Geographical Journal*, **86**(2), 97–107.
- Altamimi, Z., Sillard, P., and Boucher, C. (2002). ITRF2000: A new release of the International Terrestrial Reference Frame for earth science applications. *Journal of Geophysical Research*, **107**(B10).
- Anderson, J. B., Shipp, S. S., Lowe, A. L., Wellner, J. S., and Mosola, A. B. (2002). The Antarctic Ice Sheet during the Last Glacial Maximum and its subsequent retreat history: a review. *Quaternary Science Reviews*, **21**(1-3), 49–70.
- Antonov, J. I., Levitus, S., and Boyer, T. P. (2005). Thermosteric sea level rise, 1955-2003. *Geophysical Research Letters*, **32**(L12602).
- Arendt, A., Echelmeyer, K., Harrison, W., Lingle, C., Zirnheld, S., Valentine, V., Ritchie, B., and Druckenmiller, M. (2006). Updated estimates of glacier volume changes in the western Chugach Mountains, Alaska, and a comparison of regional extrapolation methods. *Journal of Geophysical Research*, **111**(F03019).
- Arendt, A. A., Echelmeyer, K. A., Harrison, W. D., Lingle, C. S., and Valentine, V. B. (2002). Rapid wastage of Alaska glaciers and their contribution to rising sea level. *Science*, **297**, 382–386.
- Bahr, D. B., Meier, M. F., and Peckham, S. D. (1997). The physical basis of glacier volume-area scaling. *Journal of Geophysical Research*, **102**(B9), 20,355–20,362.
- Baltsavias, E. P. (1999). A comparison between photogrammetry and laser scanning. *ISPRS Journal of Photogrammetry and Remote Sensing*, **54**(2), 82–94.

- Bamber, J. L., Ekholm, S., and Krabill, W. B. (2001). A new, high-resolution digital elevation model of Greenland fully validated with airborne laser altimeter data. *Journal of Geophysical Research*, **106**(B4), 6733–6745.
- Berger, A. (1978). Long-term variations of daily insolation and quaternary climatic changes. *Journal of the Atmospheric Sciences*, **35**(12), 2362–2367.
- Berner, R. A. (1991). A model for atmospheric CO₂ over Phanerozoic time. *American Journal of Science*, **291**, 339–376.
- Bindoff, N. L., Willebrand, J., Artale, V., Cazenave, A., Gregory, J., Gulev, S., Hanawa, K., Quéré, C. L., Levitus, S., Nojiri, Y., Shum, C. K., Talley, L. D., and Unnikrishnan, A. (2007). Observations: Oceanic climate change and sea level. In Solomon, S., Qin, D., Manning, M., Chen, Z., Marquis, M., Averyt, K. B., Tignor, M., and Miller, H. L., editors, *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, chapter 5. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Bloom, A. L. (1967). Pleistocene shorelines: a new test of isostasy. *Geological Society of America Bulletin*, **78**(12), 1477–1494.
- Bölling, K., Hagedoorn, J. M., Wolf, D., and Grafarend, E. W. (2001). Berechnung eislastinduzierter Vertikalbewegungen und Geoidänderungen in Südostalaska mit Hilfe viskoelastischer Erdmodelle.
- Bowen, D. Q., Phillips, F. M., McCabe, A. M., Knutz, P. C., and Sykes, G. A. (2002). New data for the Last Glacial Maximum in Great Britain and Ireland. *Quaternary Science Reviews*, **21**(1-3), 89–101.
- Bradley, R. S. (1988). The explosive volcanic eruption signal in northern hemisphere continental temperature records. *Climatic change*, **12**, 221–243.
- Braithwaite, R. J. (2006). Measuring and modelling the mass balance of glaciers for global change. In Knight, P. G., editor, *Glacier Science and Environmental Change*, chapter 83, pages 418–423. Blackwell publishing.
- Braithwaite, R. J. and Raper, S. C. B. (2002). Glaciers and their contribution to sea level change. *Physics and Chemistry of the Earth*, **27**, 1445–1454.
- Braithwaite, R. J. and Zhang, Y. (1999a). Modelling changes in glacier mass balance that may occur as a result of climate changes. *Geografiska Annaler*, **81A**(4), 489–496.

- Braithwaite, R. J. and Zhang, Y. (1999b). Relationship between interannual variability of glacier mass balance and climate. *Journal of Glaciology*, **45**(151), 456–462.
- Braithwaite, R. J., Zhang, Y., and Raper, S. C. B. (2002). Temperature sensitivity of the mass balance of mountain glaciers and ice caps as a climatological characteristic. *Zeitschrift für Gletscherkunde und Glazialgeologie*, **38**(1), 35–61.
- Cabanes, C., Cazenave, A., and LeProvost, C. (2001). Sea level rise during past 40 years determined from satellite and in situ observations. *Science*, **294**, 840–842.
- Calkin, P. E., Wiles, G. C., and Barclay, D. J. (2001). Holocene coastal glaciation of Alaska. *Quaternary Science Reviews*, **20**, 449–461.
- Cathles, L. M. (1975). *The viscosity of the Earth's mantle*. Princeton University Press.
- Cazenave, A. and Nerem, R. S. (2004). Present-day sea level change: observations and causes. *Reviews of Geophysics*, **42**(RG3001).
- Chao, B. F., Wu, Y. H., and Li, Y. S. (2008). Impact of artificial reservoir water impoundment on global sea level. *Science*, **320**(5873), 212–214.
- Chappell, J., Omura, A., Esat, T., McCulloch, M., Pandolfi, J., Ota, Y., and Pillans, B. (1996). Reconciliation of late Quaternary sea levels derived from coral terraces at Huon Peninsula with deep sea oxygen isotope records. *Earth and Planetary Science Letters*, **141**, 227–236.
- Chen, J. and Ohmura, A. (1990). Estimation of alpine glaciers water resources and their change since the 1870s. In Lang, H. and Musy, A., editors, *Hydrology in Mountainous Regions. I - Hydrological Measurements: The Water Cycle*, number 193, pages 127–135. IAHS Publications.
- Chen, J. L., Tabley, B. D., and Wilson, C. R. (2006a). Alaskan mountain glacial melting observed by satellite gravimetry. *Earth and Planetary Science Letters*, **248**, 353–363.
- Chen, J. L., Wilson, C. R., and Tabley, B. D. (2006b). Satellite gravity measurements confirm accelerated melting of Greenland ice sheet. *Science*, **313**, 1958–1960.
- Chen, J. L., Wilson, C. R., Tabley, B. D., Blankenship, D. D., and Ivins, E. R. (2007). Patagonia Icefield melting observed by Gravity Recovery and Climate Experiment (GRACE). *Geophysical Research Letters*, **34**(L22501).

- Church, J. A., Gregory, J. M., Huybrechts, P., Kuhn, M., Lambeck, K., Nhuan, M. T., Qin, D., and Woodworth, P. L. (2001). Changes in Sea Level. In Houghton, J. T., Ding, Y., Griggs, D. J., Noguer, M., van der Linden, P. J., Dai, X., and Johnson, C. A., editors, *Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change*, chapter 11. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Church, J. A., White, N. J., Coleman, R., Lambeck, K., and Mitrovica, J. X. (2004). Estimates of the Regional Distribution of Sea Level Rise over the 1950–2000 Period. *Journal of Climate*, **17**(13), 2609–2625.
- Clague, J. J. and Evans, S. G. (1993). Historic retreat of Grand Pacific and Melbern Glaciers, St. Elias Mountains, Canada: an analogue for decay of the Cordilleran ice sheet at the end of the Pleistocene? *Journal of Glaciology*, **39**, 619–624.
- Clague, J. J. and James, T. S. (2002). History and isostatic effects of the last ice sheet in southern British Columbia. *Quaternary Science Reviews*, **21**(1-3), 71–87.
- Clark, J. A., Farrell, W. E., and Peltier, W. R. (1978). Global changes in postglacial sea level: a numerical calculation. *Quaternary Research*, **9**, 265–287.
- Clark, P. U. and Mix, A. C. (2002). Ice sheets and sea level of the Last Glacial Maximum. *Quaternary Science Reviews*, **21**(1-3), 1–7.
- Climatic Atlases (1970). Climatic Atlases of Europe, North America, Asia. WMO UNESCO, Cartographia, 1970.
- Cogley, J. G. (2005). Mass and energy balances of glaciers and ice sheets. In Anderson, M. G., editor, *Encyclopedia of Hydrological Sciences*, volume 4, pages 2555–2573. John Wiley & Sons.
- Cogley, J. G. and Adams, W. P. (1998). Mass balance of glaciers other than ice sheets. *Journal of Glaciology*, pages 315–325.
- Cohen, S. C. and Freymueller, J. T. (2001). Crustal uplift in the south central Alaska subduction zone: New analysis and interpretation of tide gauge observations. *Journal of Geophysical Research*, **106**(6), 11259–11270.
- Collins, W. D., Friedlingstein, P., Gaye, A. T., Gregory, J. M., Kitoh, A., Knutti, R., Murphy, J. M., Noda, A., Raper, S. C., Watterson, I. G., Weaver, A. J., and Zhao, Z.-C. (2007). Global Climate Projections. In Solomon, S., Qin, D.,

- Manning, M., Chen, Z., Marquis, M., Averyt, K. B., Tignor, M., and Miller, H. L., editors, *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, chapter 10. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Conrad, C. P. and Hager, B. H. (1997). Spatial variations in the rate of sea level rise caused by the present-day melting of glaciers and ice sheets. *Geophysical Research Letters*, **24**(12), 1503–1506.
- Dasgupta, S., Laplante, B., Meisner, C., Wheeler, D., and Yan, J. (2007). The impact of sea level rise on developing countries: a comparative analysis. *World Bank Policy Research Working Paper 4136*.
- Davis, C. H., Li, Y., McConnell, J. R., Frey, M. M., and Hanna, E. (2005). Snowfall-driven growth in east Antarctic ice sheet mitigates recent sea-level rise. *Science*, **308**, 1898–1901.
- De Angelis, H. and Skvarca, P. (2003). Glacier surge after ice shelf collapse. *Science*, **299**.
- de Woul, M. and Hock, R. (2005). Static mass-balance sensitivity of Arctic glaciers and ice caps using a degree-day approach. *Annals of Glaciology*, **42**, 217–224.
- Douglas, B. C. (1991). Global sea level rise. *Journal of Geophysical Research*, **96**(C4), 6981–6992.
- Douglas, B. C. (1997). Global sea rise: A redetermination. *Surveys of Geophysics*, **18**(2-3), 279–292.
- Douglas, B. C. (2001). Sea level change in the era of the recording tide gauge. In Douglas, B. C., Kearney, M. S., and Leatherman, S. P., editors, *Sea Level Rise: History and Consequences*, pages 37–64. Academic Press, San Diego, California.
- Dowdeswell, J. A., Hagen, J. O., Björnsson, H., Glazovsky, A. F., Harrison, W. D., Holmlund, P., Jania, J., Koerner, R. M., Lefauconnier, B., Ommanney, C. S. L., and Thomas, R. H. (1997). The mass balance of circum-arctic glaciers and recent climate change. *Quaternary Research*, **48**, 1–14.
- Dowdeswell, J. A., Hodgkins, R., Nuttall, A.-M., Hagen, J. O., and Hamilton, G. S. (1995). Mass balance change as a control on the frequency and occurrence of glacier surges in Svalbard, Norwegian High Arctic. *Geophysical Research Letters*, **22**(21), 2909–2912.

- Dyke, A. S., Andrews, J. T., Clark, P. U., England, J. H., Miller, G. H., Shaw, J., and Veillette, J. J. (2002). The Laurentide and Innuitian ice sheets during the Last Glacial Maximum. *Quaternary Science Reviews*, **21**(1-3), 9–31.
- Dyurgerov, M. (2002). Glacier mass balance and regime: data of measurements and analysis, Occasional Paper No. 55. Technical report, Institute of Arctic and Alpine Research, University of Colorado.
- Dyurgerov, M. B. and Meier, M. F. (1997a). Mass balance of mountain and subpolar glaciers: A new global assessment for 1961-1990. *Arctic and Alpine Research*, **29**(4), 379–391.
- Dyurgerov, M. B. and Meier, M. F. (1997b). Year-to-year fluctuations of global mass balance of small glaciers and their contribution to sea-level changes. *Arctic and Alpine Research*, **29**(4), 392–402.
- Dyurgerov, M. B. and Meier, M. F. (2000). Twentieth century climate change: Evidence from small glaciers. *PNAS*, **97**(4), 1406–1411.
- Dyurgerov, M. B. and Meier, M. F. (2005). Glaciers and the changing Earth system: A 2004 snapshot, Occasional Paper No. 58. Technical report, Institute of Arctic and Alpine Research, University of Colorado.
- Dziewonski, A. M. and Anderson, D. L. (1981). Preliminary Reference Earth Model (PREM). *Physics of the Earth and Planetary Interiors*, **25**(4), 297–356.
- Eckel, E. B. (1970). The Alaska Earthquake, March 27, 1964: lessons and conclusions. *Geological survey professional paper 546*.
- Emery, W. J. and Thomson, R. E. (1997). *Data analysis methods in physical oceanography*. Pergamon Press.
- Fairbanks, R. G. (1989). A 17,000-year glacio-eustatic sea level record: influence of glacial melting rates on the Younger Dryas event and deep-ocean circulation. *Nature*, **342**(6250), 637–642.
- Fan, Y. and den Dool, H. V. (2004). Climate Prediction Centre global monthly soil moisture data set at 0.5° resolution for 1948 to present. *Journal of Geophysical Research*, **109**.
- Farrell, W. E. (1972). Deformation of the Earth by surface loads. *Reviews of Geophysics and Space Physics*, **10**(3), 761–797.

- Farrell, W. E. and Clark, J. A. (1976). On postglacial sea level. *Geophysical Journal of the Royal Astronomical Society*, **46**, 647–667.
- Finsterwalder, S. (1897). Der Vernagtferner, seine Geschichte und seine Vermessung in den Jahren 1888 and 1889. *Wissenschaftliche Ergänzungshefte zur Zeitschrift des Deutschen und Österreichischen Alpenvereins*, **1**(1), 112.
- Finsterwalder, S. and Schnuck, H. (1887). Der Suldenferner. *Zeitschrift des Deutschen und Oesterreichischen Alpenvereins*, **18**.
- Flügge, W. (1975). *Viscoelasticity*. Springer-Verlag.
- Forel, F.-A. (1895). Les variations périodiques des glaciers. *Archives des Sciences Physiques et Naturelles, Geneva*, **XXXIV**, 209–229.
- Freymueller, J. T., Cohen, S. C., and Fletscher, H. J. (2000). Spatial variations in present-day deformation, Kenai Peninsula, Alaska, and their implications. *Journal of Geophysical Research*, **105**(B4), 8079–8101.
- Geist, T. and Stötter, J. (2002). First results on airborne laser scanning technology as a tool for the quantification of glacier mass balance. In *Proceedings of EARSeL-LISSIG-Workshop Observing our Cryosphere from Space*, Bern.
- Glossary of Geology (2005). *Glossary of Geology*. American Geological Institute, fifth edition.
- Goodwin, R. G. (1988). Holocene glaciolacustrine sedimentation in Muir Inlet and ice advance in Glacier Bay, Alaska, U.S.A. *Arctic and Alpine Research*, **20**(1), 55–69.
- Gordon, H. B., Rotstayn, L. D., McGregor, J. L., Dix, M. R., Kowalczyk, E. A., O'Farrell, S. P., Waterman, L. J., Hirst, A. C., Wilson, S. G., Collier, M. A., Watterson, I. G., and Elliott, T. I. (2002). The CSIRO Mk3 Climate System Model. Technical report, CSIRO Atmospheric Research Technical Paper No. 60.
- Gornitz, V. (2001). Impoundment, groundwater mining, and other hydrologic transformations: Impacts on global sea level rise. In Douglas, B. C., Kearney, M. S., and Leatherman, S. P., editors, *Sea Level Rise: History and Consequences*, pages 97–119. Academic Press, San Diego, California.
- Gregory, J. M. and Oerlemans, J. (1998). Simulated future sea-level rise due to glacier melt based on regionally and seasonally resolved temperature changes. *Letters to Nature*, **391**(6666), 474–476.

- Greuell, W. (1992). Hintereisferner, Austria: mass-balance reconstruction and numerical modelling of the historical length variations. *Journal of Glaciology*, **38**(129), 233–244.
- Grosswald, M. G. and Hughes, T. J. (2002). The Russian component of an Arctic Ice Sheet during the Last Glacial Maximum. *Quaternary Science Reviews*, **21**(1–3), 121–146.
- Grove, J. M. (2004). *Little Ice Ages, Ancient and Modern*, volume I, page 402. Reutledge Taylor & Francis Group, second edition.
- Haeberli, W. (2006). Integrated perception of glacier changes: a challenge of historical dimensions. In Knight, P. G., editor, *Glacier Science and Environmental Change*. Blackwell publishing.
- Haeberli, W., Müller, P., and G. Østrem, K. S., and Wallén, C. C. (1989). *World Glacier Inventory: Status 1988, compiled by the World Glacier Monitoring Service*. IAHS Publications.
- Hagedoorn, J. M. and Wolf, D. (2003). Pleistocene and recent deglaciation in Svalbard: implications for tide-gauge, GPS and VLBI measurements. *Journal of Geodynamics*, **35**(4–5), 415–423.
- Hagen, J. O. (1996). Recent trends in mass balance of glaciers in Scandinavia and Svalbard. *Memoirs of National Institute of Polar Research, Special Issue*, **51**, 343–354.
- Hagen, J. O. and Listøl, O. (1990). Long-term glacier mass-balance investigations in Svalbard. *Annals of Glaciology*, **14**, 102–106.
- Hager, B. H. (1984). Subducted slabs and the geoid: Constraints on mantle rheology and flow. *Journal of Geophysical Research*, **89**(B7), 6003–6015.
- Harrison, W. D., Elsberg, D. H., Echelmeyer, K. A., and Krimmel, R. M. (2001). On the characterization of glacier response by a single time-scale. *Journal of Glaciology*, **47**(159), 659–664.
- Haskell, N. A. (1935). The motion of viscous fluid under a surface load. *Physics*, **6**, 265–269.
- Hays, J. D., Imbrie, J., and Shackleton, N. J. (1976). Variations in the Earth's orbit: Pacemaker of the ice ages. *Science*, **194**(4270), 1121–1132.

- Hicks, S. D. and Shofons, W. (1965). The determination of land emergence from sea level observations in Southeast Alaska. *Journal of Geophysical Research*, **70**(14), 3315–3320.
- Hock, R. (2003). Temperature index melt modelling in mountain areas. *Journal of Hydrology*, **282**(1-4), 104–115.
- Hock, R. (2005). Glacier melt: a review of processes and their modelling. *Progress in Physical Geography*, **29**(3), 362–391.
- Hodge, S. M., Trabant, D. C., Krimmel, R. M., Heinrichs, T. A., March, R. S., and Josberger, E. G. (1998). Climate variations and changes in mass of three glaciers in western North America. *Journal of Climate*, **11**, 2161–2179.
- Holgate, S. J. and Woodworth, P. L. (2004). Evidence for enhanced coastal sea level rise during the 1990s. *Geophysical Research Letters*, **31**(L07305).
- Hulme, M., Osborn, T. J., and Johns, T. C. (1998). Precipitation sensitivity to global warming: Comparison of observations with HadCM2 simulations. *Geophysical Research Letters*, **25**, 3379–3382.
- Hulton, N. R. J., Purves, R. S., McCulloch, R. D., Sugden, D. E., and Bentley, M. J. (2002). The Last Glacial Maximum and deglaciation in southern South America. *Quaternary Science Reviews*, **21**(1-3), 233–241.
- Humphreys, W. J. (1913). Volcanic dust and other factors in the production of climate changes, and their possible relation to ice ages. *Journal of The Franklin Institute*, **176**(2), 131–172.
- Huybrechts, P. (2002). Sea-level changes at the LGM from ice-dynamic reconstructions of the Greenland and Antarctic ice sheets during the glacial cycles. *Quaternary Science Reviews*, **21**(1-3), 203–231.
- Huybrechts, P., de Nooze, P., and Declair, H. (1989). Numerical modelling of glacier d'Argentiere and its historic front variations. In Oerlemans, J., editor, *Glacier Fluctuations and Climatic Change*, pages 373–389. Kluwer Academic Publishers, Dordrecht, Boston, London.
- Hwang, C., Shum, C. K., and Li, J., editors (2002). *Satellite altimetry for geodesy, geophysics and oceanography: Proceedings of the International Workshop on Satellite Altimetry, September 8-13, Wuhan, China, 2002*. Berlin, Springer.
- IPCC (2001). *Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on*

- Climate Change*. J. T. Houghton and Y. Ding and D. J. Griggs and M. Noguer and P. J. van der Linden and X. Dai and K. Maskell and C. A. Johnson (eds.). Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- IPCC (2007a). *Climate Change 2007: Impacts, Adaptation and Vulnerability Contribution of Working Group II to the Fourth Assessment Report of the IPCC*. M. L. Parry and O. F. Canziani and J. P. Palutikof and P. J. van der Linden and C. E. Hanson (eds.). Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- IPCC (2007b). *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. S. Solomon and D. Qin and M. Manning and Z. Chen and M. Marquis and K. B. Averyt and M. Tignor and H. L. Miller (eds.). Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Ishii, M., Kimoto, M., Sakamoto, K., and Iwasaki, S.-I. (2006). Steric sea level changes estimated from historical ocean subsurface temperature and salinity analyses. *Journal of Oceanography*, **62**(155-170).
- Ivins, E. R. and James, T. S. (1999). Simple models for late Holocene and present-day Patagonian glacier fluctuations and predictions of a geodetically detectable isostatic response. *Geophysical Journal International*, **138**, 601–624.
- James, T. S. (1992). The Hudson Bay free-air gravity anomaly and glacial rebound. *Geophysical Research Letters*, **19**(9), 861–864.
- Johannessen, J. A. (1995). Overview of ERS-1 scientific results obtained from ocean and sea ice observations. In *Quantitative Remote Sensing for Science and Applications*, volume 2, pages 1035–1037. Geoscience and Remote Sensing Symposium, 1995.
- Johannessen, O. M., Khorostovsky, K., Miles, M. W., and Bobylev, L. P. (2005). Recent ice-sheet growth in the interior of Greenland. *Science*, **320**, 1013–1016.
- Jóhannesson, T., Raymond, C. F., and Waddington, E. D. (1989). A simple model for determining the response time of glaciers. In Oerlemans, J., editor, *Glacier Fluctuations and Climatic Change*, pages 343–352. Kluwer Academic Publishers, Dordrecht, Boston, London.

- Johns, T. C., Carnell, R. E., Crossley, J. F., Gregory, J. M., Mitchell, J. F. B., Senior, C. A., Tett, S. F. B., and Wood, R. A. (1997). The second Hadley Centre coupled ocean-atmosphere GCM: Model description, spinup and validation. *Climate Dynamics*, **13**, 103–134.
- Johnston, P. (1993a). *Deformation of the earth by surface loads*. PhD thesis, The Australian National University, Canberra.
- Johnston, P. (1993b). The effect of spatially non-uniform water loads on prediction of sea-level change. *Geophysical Journal International*, **114**, 615–634.
- Jones, H. G. (2008). From Commission to Association: the transition of the International Commission on Snow and Ice (ICSI) to the International Association of Cryospheric Sciences (IACS). *Annals of Glaciology*, **48**(1), 1–5.
- Jones, P. D., New, M., Parker, D. E., Martin, S., and Rigor, I. (1999). Surface air temperature and its change over the past 150 years. *Reviews of Geophysics*, **37**(2), 173–199.
- Kanimori, H. (1977). The energy release in great earthquakes. *Journal of Geophysical Research*, **82**, 2981–2988.
- Kaser, G., Cogley, J. G., Dyurgerov, M. B., Meier, M. F., and Ohmura, A. (2006). Mass balance of glaciers and ice caps: Consensus estimate for 1961–2004. *Geophysical Research Letters*, **33**(L19501).
- Kaufmann, G. and Wolf, D. (1996). Deglacial land emergence and lateral upper-mantle heterogeneity in the Svalbard Archipelago - II. Extended results for high-resolution load models. *Geophysical Journal International*, **127**, 125–140.
- Kaufmann, G. and Wu, P. (1998). Lateral asthenospheric viscosity variations and postglacial rebound: a case study for the Barents Sea. *Geophysical Research Letters*, **25**(11), 1963–1966.
- Kendall, R. A., Mitrovica, J. X., and Milne, G. A. (2005). On post-glacial sea level: II. Numerical formulation and comparative results on spherically symmetric models. *Geophysical Journal International*, **161**, 679–706.
- Kennett, M. and Eiken, T. (1997). Airborne measurement of glacier surface elevation by scanning laser altimeter. *Annals of Glaciology*, **24**, 293–296.
- Keutterling, A. and Thomas, A. (2006). Monitoring glacier elevation and volume changes with digital photogrammetry and GIS at Gepatschferner glacier, Austria. *International Journal of Remote Sensing*, **27**(19), 4371–4380.

- Krabill, W., Hanna, E., Hybrechts, P., Abdalati, W., Cappelen, J., Csatho, B., Frederick, E., Manizade, S., Martin, C., Sonntag, J., Swift, R., and Thomas, R. (2004). Greenland Ice Sheet: Increased coastal thinning. *Geophysical Research Letters*, **31**.
- Kruss, P. D. (1983). Climate change in East Africa: numerical modelling from the 100 years of terminus record of Lewis Glacier, Mount Kenya. *Zeitschrift für Gletscherkunde und Glazialgeologie*, **19**, 43–60.
- Kuhn, M., Dreiseitl, E., Hofinger, S., Markl, G., Span, N., and Kaser, G. (1999). Measurements and models of the mass balance of Hintereisferner. *Geografiska Annaler*, **81A**(4), 659–670.
- Kundzewicz, Z. W., Mata, L. J., Arnell, N., Döll, P., Kabat, P., Jiménez, B., Miller, K., Oki, T., Sen, Z., and Shiklomanov, I. (2007). Freshwater resources and their management. In Parry, M. L., Canziani, O. F., Palutikof, J. P., van der Linden, P. J., and Hanson, C. E., editors, *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, chapter 3. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Laborel, J. and Laborel-Deguen, F. (1999). Biological indicators of Holocene sea-level and climatic variations on rocky coasts of tropical and subtropical regions. *Quaternary International*, **31**, 53–60.
- Lambeck, K. (1977). Tidal Dissipation in the Oceans: Astronomical, Geophysical and Oceanographic Consequences. *Philosophical Transactions of the Royal Society of London. Series A, Mathematical and Physical Sciences*, **287**(1347), 545–594.
- Lambeck, K. (1980). *The Earth's Variable Rotation: Geophysical Causes and Consequences*. Cambridge University Press, Cambridge.
- Lambeck, K. (1988). *Geophysical Geodesy: The Slow Deformations of the Earth*. Clarendon Press, Oxford.
- Lambeck, K. (1990). Glacial rebound, sea-level change and mantle viscosity. *Quarterly Journal of the Royal Astronomical Society*, **31**, 1–30.
- Lambeck, K. (1993). Glacial rebound and sea-level change: an example of a relationship between mantle and surface processes. *Tectonophysics*, **223**, 15–37.

- Lambeck, K. (1995a). Constraints on the late Weichselian ice sheet over the Barents Sea from observations of raised shorelines. *Quaternary Science Reviews*, **14**, 1–16.
- Lambeck, K. (1995b). Late Pleistocene and Holocene sea-level change in Greece and south-western Turkey: a separation of eustatic, isostatic and tectonic contributions. *Geophysical Journal International*, **122**, 1022–1044.
- Lambeck, K. (1996). Limits on the areal extent of the Barents Sea ice sheet in Late Weichselian time. *Global and Planetary Changes*, **12**, 41–51.
- Lambeck, K. (2002). Sea Level Change from Mid Holocene to Recent Time: An Australian Example with Global Implications. In Mitrovica, J. X. and Vermeersen, B., editors, *Glacial Isostatic Adjustment and the Earth System*, pages 33–50. American Geophysical Union, Washington DC.
- Lambeck, K. (2005a). Isostasy. In Schwartz, M. L., editor, *Encyclopedia of Coastal Science*, pages 565–571. Springer, The Netherlands.
- Lambeck, K. (2005b). Shoreline and sea level during the Last Glacial Cycle: an atlas of palaeoshoreline reconstructions. unpublished.
- Lambeck, K. and Bard, E. (2000). Sea-level change along the French Mediterranean coast for the past 30 000 years. *Earth and Planetary Science Letters*, **175**, 203–222.
- Lambeck, K. and Cazenave, A. (1976). Long term variations in the length of day and climatic change. *Geophysical Journal of the Royal Astronomical Society*, **46**, 555–573.
- Lambeck, K. and Chappell, J. (2001). Sea level change through the last glacial cycle. *Science*, **292**, 679–686.
- Lambeck, K. and Johnston, P. (1998). The viscosity of the mantle: Evidence from analyses of glacial-rebound phenomena. In Jackson, I., editor, *The Earth's Mantle: Composition, Structure, and Evolution*, chapter 10, pages 461–502. Cambridge University Press.
- Lambeck, K., Johnston, P., and Nakada, M. (1990). Holocene glacial rebound and sea-level change in NW Europe. *Geophysical Journal International*, **103**, 451–468.

- Lambeck, K. and Nakada, M. (1990). Late Pleistocene and Holocene sea-level change along the Australian coast. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **89**, 143–176.
- Lambeck, K. and Purcell, A. (2005). Sea-level change in the Mediterranean Sea since the LGM: model predictions for tectonically stable areas. *Quaternary Science Reviews*, **24**, 1969–1988.
- Lambeck, K., Purcell, A., Johnston, P., Nakada, M., and Yokoyama, Y. (2003). Water-load definition in the glacio-hydro-isostatic sea-level equation. *Quaternary Science Reviews*, **22**, 309–318.
- Lambeck, K., Smither, C., and Johnston, P. (1998). Sea-level change, glacial rebound and mantle viscosity for northern Europe. *Geophysical Journal International*, **134**, 102–144.
- Lambeck, K., Yokoyama, Y., Johnston, P., and Purcell, A. (2000). Global ice volumes at the Last Glacial Maximum and early Lateglacial. *Earth and Planetary Science Letters*, **181**, 513–527.
- Landerer, F. W., Jungclaus, J. H., and Marotzke, J. (2007a). Ocean bottom pressure changes lead to a decreasing length-of-day in a warming climate. *Geophysical Research Letters*, **34**(L06307).
- Landerer, F. W., Jungclaus, J. H., and Marotzke, J. (2007b). Regional dynamic and steric sea level change in response to the IPCC-A1B scenario. *Journal of Physical Oceanography*, **37**(2), 296–312.
- Larsen, C. F., Echelmeyer, K. A., Freymueller, J. T., and Motyka, R. J. (2003). Tide gauge records of uplift along the northern Pacific-North American plate boundary, 1937-2001. *Journal of Geophysical Research*, **108**(B4), 2216.
- Larsen, C. F., Motyka, R. J., Arendt, A. A., Echelmeyer, K. A., and Geissler, P. E. (2007). Glacier changes in southeast Alaska and northwest British Columbia and contribution to sea level rise. *Journal of Geophysical Research*, **112**(F01007).
- Larsen, C. F., Motyka, R. J., Freymueller, J. T., Echelmeyer, K. A., and Ivins, E. R. (2004). Rapid uplift of southern Alaska caused by recent ice loss. *Geophysical Journal International*, **158**(3), 1118–1133.
- Larsen, C. F., Motyka, R. J., Freymueller, J. T., Echelmeyer, K. A., and Ivins, E. R. (2005). Rapid viscoelastic uplift in southeast Alaska caused by post-Little Ice Age glacial retreat. *Earth and Planetary Science Letters*, **237**, 548–560.

- Lawver, L. A. and Gahagan, L. M. (2003). Evolution of Cenozoic seaways in the circum-Antarctic region. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **198**, 11–37.
- Lemke, P., Ren, J., Alley, R. B., Allison, I., Carrasco, J., Flato, G., Fuji, Y., Kaser, G., Mote, P., Thomas, R. H., and Zhang, T. (2007). Observations: Changes in Snow, Ice and Frozen Ground. In Solomon, S., Qin, D., Manning, M., Chen, Z., Marquis, M., Averyt, K. B., Tignor, M., and Miller, H. L., editors, *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, chapter 4. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Levitus, S., Antonov, J. I., Boyer, T. P., Garcia, H. E., and Locarini, R. A. (2005). Linear trends of zonally averaged thermosteric, halosteric, and total steric sea level for individual ocean basins and the world ocean, (1955-1959)-(1995-1998). *Geophysical Research Letters*, **32**(L16601).
- Levitus, S., Antonov, J. I., Boyer, T. P., and Stephens, C. (2000). Warming of the world ocean. *Science*, **287**, 2225–2229.
- Luthcke, S. B., Zwally, H. J., Abdalati, W., Rowlands, D. D., Ray, R. D., Nerem, R. S., Lemoine, F. G., McCarthy, J. J., and Chinn, D. S. (2006). Recent Greenland ice mass loss by drainage system from satellite gravity observations. *Science*, **314**, November 24.
- Lyman, J. M., Willis, J. K., and Johnson, G. C. (2006). Recent cooling of the upper ocean. *Geophysical Research Letters*, **33**(L18604).
- Lythe, M. B., Vaughan, D. G., and the BEDMAO Consortium (2001). BEDMAP: A new ice thickness and subglacial topographic model of Antarctica. *Journal of Geophysical Research*, **106**(B6), 11,335–11,351.
- Macheret, Y. Y., Glazovsky, A. F., Dowdeswell, J. A., and Gorman, M. R. (1999). Ice volume change on Franz Josef Land Archipelago in last 40 years. *Data of Geological Studies. Khronikle and Discussion*, **86**, 107–115 (in Russian).
- Mann, M. E. (2002). Little Ice Age. In MacCracken, M. C. and Perry, J. S., editors, *Encyclopedia of Global Environmental Change*, volume 1, The Earth system: physical and chemical dimensions of global environmental change, pages 504–509. John Wiley & Sons.

- Marshall, S. J. (2006). Modelling glacier response to climate change. In Knight, P. G., editor, *Glacier Science and Environmental Change*, chapter 32, pages 163–173. Blackwell publishing.
- Martinec, Z. and Hagedoorn, J. (2005). Time-domain approach to linearized rotational response of a three-dimensional viscoelastic earth model induced by glacial-isostatic adjustment: I. Inertia-tensor perturbations. *Geophysical Journal International*, **163**, 443–462.
- McConnell, R. K. (1968). Viscosity of the mantle from relaxation time spectra of isostatic adjustment. *Journal of Geophysical Research*, **73**(22), 7089–7105.
- Meier, M. F. (1984). Contribution of small glaciers to global sea level. *Science*, **226**, 1418–1421.
- Meier, M. F. (1993). Ice, Climate, and Sea Level; Do we know what is happening? In Peltier, W. R., editor, *Ice in the Climate System, NATO ASI Series I, Global Environment Change*, volume 12, pages 141–160. Springer-Verlag, Heidelberg.
- Meier, M. F. and Dyurgerov, M. B. (2002). How Alaska affects the world. *Science*, **297**, 350–351.
- Meier, M. F., Dyurgerov, M. B., Rick, U. K., O’Neel, S., Pfeffer, W. T., Anderson, R. S., Anderson, S. P., and Glazovsky, A. F. (2007). Glaciers dominate eustatic sea-level rise in the 21st century. *Science*, **317**, 1064–1067.
- Meier, M. F. and Post, A. (1987). Fast tidewater glaciers. *Journal of Geophysical Research*, **92**(B9), 9051–9058.
- Melchior, P. (1983). *The Tides of the Planet Earth*. Pergamon Press.
- Milly, P. C. D., Cazenave, A., and Gennero, M. C. (2003). Contribution of climate-driven change in continental water storage to recent sea-level rise. *PNAS*, **100**(23), 13158–13161.
- Milly, P. C. D. and Shamkin, A. B. (2002). Global modeling of land water and energy balances. Part I: The Land Dynamics (LaD) Model. *Journal of Hydrometeorology*, **3**(3), 283–299.
- Milne, G. A., Davis, J. L., Mitrovica, J. X., Scherneck, H.-G., Johansson, J. M., Vermeer, M., and Koivula, H. (2001). Space-geodetic constraints on glacial isostatic adjustment in Fennoscandia. *Science*, **291**, 2381–2385.

- Milne, G. A., Mitrovica, J. X., and Davis, J. L. (1999). Near-field hydroisostasy: the implementation of a revised sea-level equation. *Geophysical Journal International*, **139**, 464–482.
- Milne, G. A., Mitrovica, J. X., Scherneck, H.-G., Davis, J. L., Johansson, J. M., Koivula, H., and Vermeer, M. (2004). Continuous GPS measurements of postglacial adjustment in Fennoscandia: 2. Modeling results. *Journal of Geophysical Research*, **109**(B02412).
- Milne, G. A., Mitrovica, J. X., and Schrag, D. P. (2002). Estimating past continental ice volume from sea-level data. *Quaternary Science Reviews*, **21**, 361–376.
- Mitchell, B. J., Bungum, H., Chan, W. W., and Mitchell, P. B. (1990). Seismicity and present-day tectonics of the Svalbard region. *Geophysical Journal International*, **102**, 139–149.
- Mitrovica, J. X. (1996). Haskell [1935] revisited. *Journal of Geophysical Research*, **101**(B1), 555–569.
- Mitrovica, J. X. and Forte, A. M. (1997). Radial profile of mantle viscosity: Results from the joint inversion of convection and postglacial rebound observables. *Journal of Geophysical Research*, **102**(B2), 2751–2769.
- Mitrovica, J. X. and Milne, G. A. (2003). On post-glacial sea level: I. General Theory. *Geophysical Journal International*, **154**, 253–267.
- Mitrovica, J. X. and Peltier, W. R. (1991). On postglacial Geoid subsidence over the equatorial oceans. *Journal of Geophysical Research*, **96**(B12), 20,053–20,071.
- Mitrovica, J. X., Tamisiea, M. E., Davis, J. L., and Milne, G. A. (2001). Recent mass balance of polar ice sheets inferred from patterns of global sea-level change. *Letters to Nature*.
- Mitrovica, J. X., Wahr, J., Matsuyama, I., and Paulson, A. (2005). The rotational stability of an ice-age earth. *Geophysical Journal International*, **161**, 491–506.
- Molnia, B. F. (2007). Late nineteenth to early twenty-first century behavior of Alaskan glaciers as indicators of changing regional climate. *Global and Planetary Changes*, **56**, 23–56.
- Motyka, R. J. (2003). Little Ice Age subsidence and post Little Ice Age uplift at Juneau, Alaska, inferred from dendrochronology and geomorphology. *Quaternary Research*, **59**, 300–309.

- Munk, W. (2002). Twentieth century sea level: An enigma. *PNAS*, **99**(10), 6550–6555.
- Munk, W. H. and MacDonald, G. J. F. (1960). *The rotation of the Earth*. Cambridge University Press.
- Nakada, M. and Lambeck, K. (1987). Glacial rebound and relative sea-level variations: a new appraisal. *Geophysical Journal of the Royal Astronomical Society*, **90**, 171–224.
- Nakiboglu, S. M. and Lambeck, K. (1980). Deglaciation effects on the rotation of the Earth. *Geophysical Journal of the Royal Astronomical Society*, **62**, 49–58.
- Nakiboglu, S. M. and Lambeck, K. (1991). Secular sea-level change. In Sabadini, R., Lambeck, K., and Boschi, E., editors, *Glacial Isostasy, Sea-Level and Mantle Rheology*, volume NATO ASI Series C, Mathematical and Physical Science, Vol 334, pages 237–258. Kluwer Academic Publishers, Dordrecht, Boston, London.
- Nakicenovic, N., Alcamo, J., Davis, G., de Vries, B., Fenhanna, J., Gaffin, S., Gregory, K., Grübler, A., Jung, T. Y., Kram, T., Lebre La Rovere, E., Michaelis, L., Mori, S., Morita, T., Pepper, W., Pitcher, H., Price, L., Riahi, K., Roehrl, A., Rogner, H.-H., Sankovski, A., Schlesinger, M., Shukla, P., Smith, S., Swart, R., van Rooijen, S., Victor, N., and Dadi, Z. (2000). *Special report on emissions scenarios*. Cambridge University Press, Cambridge, United Kingdom, 612 pages.
- Nerem, R. S., Chambers, D. P., Leuliette, E. W., Mitchum, G. T., and Giese, B. S. (1999). Variations in global mean sea level associated with the 1997-1998 ENSO event: Implications for measuring long term sea level change. *Geophysical Research Letters*, **26**(19), 3005–3008.
- Nerem, R. S. and Mitchum, G. T. (2001a). Observation of sea level change from satellite altimetry. In Douglas, B. C., Kearney, M. S., and Leatherman, S. P., editors, *Sea Level Rise: History and Consequences*, pages 121–163. Academic Press, San Diego, California.
- Nerem, R. S. and Mitchum, G. T. (2001b). Sea level change. In Fu, L. and Cazenave, A., editors, *Satellite Altimetry and Earth Sciences: A Handbook of Techniques and Applications*, pages 329–349. Academic Press, San Diego, California.
- Newell, R. E. (1970). Stratospheric temperature change from the Mt. Agung volcanic eruption of 1963. *Journal of Atmospheric Sciences*, **27**(6), 977–978.

- Nicholls, R. J., Wong, P. P., Burkett, V., Codignotto, J., Hay, J., McLean, R., Ragoonaden, S., and Woodroffe, C. D. (2007). Coastal systems and low-lying areas. In Parry, M. L., Canziani, O. F., Palutikof, J. P., van der Linden, P. J., and Hanson, C. E., editors, *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, chapter 6. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Oerlemans, J. (1992). Climate sensitivity of glaciers in southern Norway: application of an energy-balance model to Nigardsbreen, Hellstugubreen and Alftobreen. *Journal of Glaciology*, **38**(129), 223–232.
- Oerlemans, J. (1993). Modelling of glaciers mass balance. In Peltier, W. R., editor, *Ice in the Climate System*, volume 12. NATO ASI Series, Series I: Global Environmental Change.
- Oerlemans, J. (1997). A flowline model for Nigardsbreen, Norway: projection of future glacier length based on dynamic calibration with the historic record. *Annals of Glaciology*, **24**, 382–389.
- Oerlemans, J. (2001). *Glaciers and Climate Change*. A.A. Balkema publishers.
- Oerlemans, J. (2005). Extracting a climate signal from 169 glacier records. *Science*, **308**, 675–677.
- Oerlemans, J., Anderson, B., Hubbard, A., Huybrechts, P., Johannesson, T., Knap, W. H., Schmeits, M., Stroeven, A. P., Wal, R. S. W. v. d., Wallinga, J., and Zuo, Z. (1998). Modelling the response of glaciers to climate warming. *Climate Dynamics*, **14**, 267–274.
- Oerlemans, J., Bassford, R. P., Chapman, W., Dowdeswell, J. A., Glazovsky, A. F., Hagen, J. O., Melvold, K., de Ruyter de Wildt, M., and van de Wal, R. S. W. (2005). Estimating the contribution of Arctic glaciers to sea-level change in the next 100 years. *Annals of Glaciology*, **42**, 230–236.
- Oerlemans, J., Dyurgerov, M., and van de Wal, R. S. W. (2007). Reconstructing the glacier contribution to sea-level rise back to 1850. *The Cryosphere*, **1**, 59–65.
- Oerlemans, J. and Fortuin, J. P. F. (1992). Sensitivity of glaciers and small ice caps to Greenhouse warming. *Science*, **258**, 115–117.

- Ohmura, A. (2004). Cryosphere during the twentieth century. In Sparks, R. S. J. and Hawkesworth, C. J., editors, *The state of the Planet: Frontiers and Challenges in Geophysics, Geophysical Monograph 150*, volume 19. IUGG.
- Owen, L. A., Finkel, R. C., and Caffee, M. W. (2002). A note on the extent of glaciation throughout the Himalaya during the global Last Glacial Maximum. *Quaternary Science Reviews*, **21**(1-3), 147–157.
- Patel, S. S. (2006). A sinking feeling. *Nature*, **440**, 734–736.
- Peltier, W. R. (1974). The impulse response of a Maxwell Earth. *Reviews of Geophysics and Space Physics*, **12**(4), 649–669.
- Peltier, W. R. (1976). Glacial-isostatic adjustment - I. The forward problem. *Geophysical Journal of the Royal Astronomical Society*, **46**, 605–646.
- Peltier, W. R. (1988). Global sea level and Earth rotation. *Science*, **240**(4854), 895–901.
- Peltier, W. R. (1998). Postglacial variations in the level of the sea: implications for climate dynamics and solid-earth geophysics. *Reviews of Geophysics*, **36**(4), 603–689.
- Peltier, W. R. (2001). Global glacial isostatic adjustment and modern instrumental records of relative sea level history. In Douglas, B. C., Kearney, M. S., and Leatherman, S. P., editors, *Sea Level Rise: History and Consequences*, pages 65–95. Academic Press, San Diego, California.
- Peltier, W. R. (2002). On eustatic sea level history: Last Glacial Maximum to Holocene. *Quaternary Science Reviews*, **21**, 377–396.
- Peltier, W. R., Farrell, W. E., and Clark, J. A. (1978). Glacial isostasy and relative sea level: a global finite element model. *Tectonophysics*, **50**, 81–110.
- Peltier, W. R. and Tushingham, A. M. (1989). Global sea level rise and the Greenhouse effect: Might they be connected? *Science*, **244**(4906), 806–810.
- Pelto, M. S. (1996). Annual net balance of North Cascade glaciers, 1984-94. *Journal of Glaciology*, **42**(140).
- Pelto, M. S., Miller, M. M., Adema, G., Beedle, M. J., McGee, S. R., Sprenke, K. F., and Lang, M. (2008). The equilibrium flow and mass balance of the Taku Glacier, Alaska 1950–2006. *The Cryosphere*, **2**, 147–157.

- Plafker, G. (1969). Tectonics of the March 27, 1964, Alaska Earthquake. *U.S. Geological Survey Professional Paper*, **543-I**.
- Pollack, J. B., Toon, O. B., Sagan, C., Summers, A., Baldwin, B., and Van Camp, W. (1976). Volcanic explosions and climatic change: A theoretical assessment. *Journal of Geophysical Research*, **81**, 1071–1083.
- Purcell, A. P. (1997). *High resolution modelling of post-glacial rebound and sea-level change*. PhD thesis, The Australian National University, Canberra.
- Radić, V., Hock, R., and Oerlemans, J. (2007). Volume-area scaling vs flowline modelling in glacier volume projections. *Annals of Glaciology*, **46**, 234–240.
- Radok, U. (1997). The International Commission on Snow and Ice (ICSI) and its precursors, 1894-1994. *Hydrological Sciences-Journal-des Sciences Hydrologiques*, **42**(2), 131–140.
- Ramillien, G., Bouhours, S., Lombard, A., Cazenave, A., Flechtner, F., and Schmidt, R. (2008). Land water storage contribution to sea level from GRACE geoid data over 2003-2006. *Global and Planetary Changes*, **60**(3-4), 381–392.
- Ramillien, G., Lombard, A., Cazenave, A., Ivins, E. R., Llubes, M., Remy, F., and Biancale, R. (2006). Interannual variations of the mass balance of the Antarctica and Greenland ice sheets from GRACE. *Global and Planetary Changes*, **53**, 198–208.
- Rango, A. and Martinec, J. (1995). Revisiting the degree-day method for snowmelt computations. *Journal of the American Water Resources Association*, **31**(4), 657–669.
- Raper, S. C. B. and Braithwaite, R. J. (2005). The potential for sea level rise: New estimates from glaciers and ice cap area and volume distribution. *Geophysical Research Letters*, **32**(L05502).
- Raper, S. C. B. and Braithwaite, R. J. (2006). Low sea level rise projections from mountain glaciers and icecaps under global warming. *Nature*, **439**, 311–313.
- Raper, S. C. B., Brown, O., and Braithwaite, R. J. (2000). A geometric glacier model for sea-level change calculations. *Journal of Glaciology*, **46**(154), 357–368.
- Raymo, M. E. (1991). Geochemical evidence supporting T. C. Chamberlin's theory of glaciation. *Geology*, **19**(4), 344–347.

- Raymo, M. E. and Ruddiman, W. F. (1992). Tectonic forcing of late Cenozoic climate. *Nature*, **359**(6391), 117–122.
- Richards, M. A. and Hager, B. H. (1984). Geoid anomalies in a dynamic Earth. *Journal of Geophysical Research*, **89**(B7), 5987–6002.
- Richardson, S. D. and Reynolds, J. M. (2000). An overview of glacial hazards in the Himalayas. *Quaternary International*, **65/66**, 31–47.
- Rignot, E., Riveera, A., and Casassa, G. (2003). Contribution of the Patagonia Icefields of South America to Sea Level Rise. *Science*, **302**.
- Rignot, E. and Thomas, R. H. (2002). Mass balance of polar ice sheets. *Science*, **297**.
- Rotstayn, L. D. (1997). A physically based scheme for the treatment of stratiform clouds and precipitation in large-scale models. I: Description and evaluation of the microphysical processes. *Quarterly Journal of the Royal Meteorological Society*, **123**, 1227–1282.
- Saltzman, M. R. (2003). Late Paleozoic ice age: Oceanic gateway or $p\text{CO}_2$. *Geology*, **31**(2), 151–154.
- Savage, J. C. and Plafker, G. (1991). Tide gage measurements of uplift along the south coast of Alaska. *Journal of Geophysical Research*, **96**(B3), 4325–4335.
- Schaeffli, B., Hingray, B., and Musy, A. (2007). Climate change and hydropower production in the Swiss Alps: quantification of potential impacts and related modelling uncertainties. *Hydrology and Earth System Sciences*, **11**(3), 1191–1205.
- Sigmundsson, F. (1991). Post-glacial rebound and asthenosphere viscosity in Iceland. *Geophysical Research Letters*, **18**(6), 1131–1134.
- Sivan, D., Wdowinski, S., Lambeck, K., Galili, E., and Raban, A. (2001). Holocene sea-level changes along the Mediterranean coast of Israel, based on archaeological observations and numerical model. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **167**, 101–117.
- Stocchi, P., Spada, G., and Cianetti, S. (2005). Isostatic rebound following the Alpine deglaciation: impact on the sea level variations and vertical movements in the Mediterranean region. *Geophysical Journal International*, **162**, 137–147.

- Stott, P. A., B. Tett, S. F., Jones, G. S., Allen, M. R., Mitchell, J. F. B., and Jenkins, G. J. (2000). External control of 20th century temperature by natural and anthropogenic forcings. *Science*, **290**, 2133–2137.
- Stroeven, A., van de Wal, R., and Oerlemans, J. (1989). Historic front variations of the Rhone glaciers: simulations with an ice flow model. In Oerlemans, J., editor, *Glacier Fluctuations and Climatic Change*, pages 391–405. Kluwer Academic Publishers, Dordrecht, Boston, London.
- Stull, R. B. (1997). *An Introduction to Boundary Layer Meteorology*. Kluwer Academic Publishers, Dordrecht, Boston, London.
- Tamisiea, M. E. and Mitrovica, J. X. (2001). Global geoid and sea level changes due to present-day ice mass fluctuations. *Journal of Geophysical Research*, **106**(B12), 30849–30863.
- Tamisiea, M. E., Mitrovica, J. X., and Davis, J. L. (2003). A method for detecting rapid mass flux of small glaciers using local sea level variations. *Earth and Planetary Science Letters*, **213**, 477–485.
- Tanimoto, T. and Lay, T. (2000). Mantle Dynamics and Seismic Tomography. In *Proceedings of the National Academy of Science of the United States of America*, volume 97, pages 12409–12410.
- Tapley, B. D., Bettadpur, S., Ries, J. C., Thompson, P. F., and Watkins, M. M. (2004a). GRACE Measurements of Mass Variability in the Earth System. *Science*, **305**, 503–505.
- Tapley, B. D., Bettadpur, S., Watkins, M., and Reigber, C. (2004b). The gravity recovery and climate experiment: Mission overview and early results. *Geophysical Research Letters*, **31**(L09607).
- Thomas, R., Frederick, E., Krabill, W., Manizade, S., and Martin, C. (2006). Progressive increase in ice loss from Greenland. *Geophysical Research Letters*, **33**.
- Thomas, R., Rignot, E., Casassa, G., Kanagaratnam, P., Acuña, C., Akins, T., Brecher, H., Frederick, E., Gogineni, P., Krabill, W., Manizade, S., Ramamoorthy, H., Rivera, A., Russell, R., Sonntag, J., Swift, R., Yungel, J., and Zwally, J. (2004). Accelerated sea-level rise from west Antarctica. *Science*, **306**, 255–258.

- Thorarinsson, S. (1940). Present glacier shrinkage and eustatic changes of sea-level. *Geografiska Annaler*, pages 131–159.
- Times Atlas (1988). The Times Atlas of the World. Times Books Limited, 16 Golden Square, London W1R 4BN.
- Trabant, D. C. and March, R. S. (1999). Mass-balance measurements in Alaska and suggestions for simplified observation programs. *Geografiska Annaler*, **81A**(4), 777–789.
- Trupin, A. S., Meier, M. F., and Wahr, J. M. (1992). Effect of Melting Glaciers on the Earth's Rotation and Gravitational Field: 1965-1984. *Geophysical Journal International*, **108**, 1–15.
- Turcotte, D. L. and Schubert, G. (2002). *Geodynamics*. Cambridge University Press.
- Tushingham, A. M. and Peltier, W. R. (1991). Ice-3G: A new global model of late Pleistocene deglaciation based upon geophysical predictions of post-glacial relative sea level change. *Journal of Geophysical Research*, **96**(B3), 4497–4523.
- Van de Wal, R. S. W. and Wild, M. (2001). Modelling the response of glaciers to climate change by applying volume-area scaling in combination with a high resolution GCM. *Climate Dynamics*, **18**, 359–366.
- van der Veen, C. J. (1993). Interpretation of short-term ice-sheet elevation changes inferred from satellite altimetry. *Climatic changes*, **23**, 384–405.
- Velicogna, I. and Wahr, J. (2005). Greenland mass balance from GRACE. *Geophysical Research Letters*, **32**.
- Velicogna, I. and Wahr, J. (2006). Measurements of time-variable gravity show mass loss in Antarctica. *Science*, **311**, 1754–1756.
- Wahr, J. M. (1988). The Earth's rotation. *Annual Review of Earth and Planetary Sciences*, **16**, 231–249.
- Walcott, R. I. (1970). Flexural rigidity, thickness, and viscosity of the lithosphere. *Journal of Geophysical Research*, **75**(20), 3941–3954.

- Walcott, R. I. (1980). Rheological models and observational data of glacio-isostatic rebound. In Mörner, N.-A., editor, *Earth Rheology, Isostasy and Eustasy*. John Wiley & Sons.
- Weidick, A. and Morris, E. (1998). Local glaciers surrounding the continental ice sheets. In Haeberli, W., Hoelzle, M., and Sutter, S., editors, *Into the second century of worldwide glacier monitoring - prospects and strategies*, volume 56 of *Studies and reports in hydrology*. UNESCO Publishing.
- Wieczerkowski, K., Mitrovica, J. X., and Wolf, D. (1999). A revised relaxation-time spectrum for Fennoscandia. *Geophysical Journal International*, **139**, 69–86.
- Wiles, G. C., Barclay, D. J., and Calkin, P. E. (1999). Tree-ring-dated "Little Ice Age" histories of maritime glaciers from western Prince William Sound, Alaska. *The Holocene*, **9**(2), 163–173.
- Willis, J. K. (2004). Interannual variability in upper ocean heat content, temperature, and thermosteric expansion of global scales. *Journal of Geophysical Research*, **109**(C12036).
- Willis, J. K., Lyman, J. M., Johnson, G. C., and Gilson, J. (2007). Correction to "Recent cooling of the upper ocean". *Geophysical Research Letters*, **34**(L16601).
- Yokoyama, Y., Lambeck, K., DeDeckker, P., Johnston, P., and Fifield, L. K. (2000). Timing of the Last Glacial Maximum from observed sea-level minima. *Nature*, **406**, 713–716.
- Ziaja, W. (2004). Spitsbergen Landscape under 20th century climate change: Sorkapp Land. *AMBIO: A Journal of the Human Environment*, **33**(6), 295–299.
- Zuo, Z. and Oerlemans, J. (1997a). Contribution of Glacier Melt to Sea-Level Rise since AD 1865: A Regionally Differentiated Calculation. *Climate Dynamics*, **13**, 835–845.
- Zuo, Z. and Oerlemans, J. (1997b). Numerical modelling of the historic front variations and the future behaviour of the Pasterze glacier, Austria. *Annals of Glaciology*, **24**.

- Zwally, H. J., Giovinetto, M. B., Li, J., Cornejo, H. G., Beckley, M. A., Brenner, A. C., Saba, J. L., and Yi, D. (2005). Mass changes of the Greenland and Antarctic ice sheets and shelves and contributions to sea-level rise: 1992-2002. *Journal of Glaciology*, **51**(175), 509–527.
- Zwally, H. J., Schutz, B., Abdalati, W., Abshire, J., Bentley, C., Brenner, A., Bufton, J., Dezio, J., Hancock, D., Harding, D., Herring, T., Minster, B., Quinn, K., Palm, S., Spinhirne, J., and Thomas, R. (2002). ICESat's laser measurements of polar ice, atmosphere, ocean, and land. *Journal of Geodynamics*, **34**(3-4), 405–445.