



CATALOGUE NUMBER 3306.2

DEATHS, VICTORIA 1983

8 MARCH 1985

INQUIRIES


Inquiries concerning these statistics may be made by telephoning Information Services on Melbourne (03) 63 0181; for advice on the interpretation of these statistics, ask for Mr Peter Lang.

MAIN FEATURES

The 29,365 total deaths registered during 1983 represents a decrease of 4.1 per cent on 1982 (30,611). This same percentage decrease applied to both male and female deaths, resulting in the masculinity ratio (male deaths per 100 female deaths) remaining unchanged at 116.8.


Victoria's crude death rate (deaths per 1,000 estimated resident population) declined from 7.7 in 1982 to a record low figure of 7.3 in 1983.

NUMBER OF DEATHS - VICTORIA



Although in previous years, deaths had generally been occurring at a progressively later age, the median age at death declined for the year 1983. From the record high 1982 figures of 70.7 years for males and 78.0 years for females, the 1983 median age at death declined for males to 70.4 years and for females to 77.3 years.


MEDIAN AGE AT DEATH - VICTORIA



The number of infant deaths (deaths under one year of age) declined from 641 in 1982 to a record low of 543 in 1983; the previous low being 562 in 1981. The infant death rate (infant deaths per 1,000 live births) also reached a record low in 1983 of 9.1; the previous low being 9.4 in 1981 and 1982 being 10.7.

In 1983, the life expectancy at birth for males was 72.3 years and for females 78.8 years.

EXPECTATION OF LIFE AT SELECTED AGES - VICTORIA, 1983



The main cause of death remains heart disease (32.5 per cent of all deaths during 1983). This is followed by deaths from malignant neoplasms (cancer) (24.3 per cent) and cerebrovascular disease (10.9 per cent).

Table		Page
	Main features	1
	Explanatory notes	3
1	Summary of deaths, 1978 to 1983	4
2	Age at death by sex, 1983	6
3	Infant deaths, age at death by number and rate by sex, 1983	7
4	Age and marital status at death by sex, 1983	8
5	Month and year of occurrence, 1978 to 1983	8
6	State of usual residence and of registration	8
7	Country of birth by sex, 1981 to 1983	9
8	Deaths registered in Australia by local government area of usual residence of deceased in Victoria, 1983	10
Appendices		
A	Life tables, 1983	13
B	List of tables produced annually by ABS	16

EXPLANATORY NOTES

Introduction

This publication contains annual statistics on deaths for Victoria, supplementing those published in the national publication Deaths, Australia (3302.0). Similar publications are to be produced by most States commencing with the 1983 calendar year.

2. Except for Table 5, death statistics for 1983 are presented on the basis of the State or Territory of usual residence of the deceased, regardless of where in Australia the deaths occurred and were registered.

3. In publications produced for years prior to 1983 and for pre-1983 data in this bulletin, death statistics are presented on the basis of the State or Territory where the death was registered. Pre-1983 death statistics revised on a usual residence basis were not available at the time of publication.

4. Deaths of Australian residents which occurred overseas are excluded. Deaths of persons usually resident overseas are included in the State or Territory where the death occurred.

5. With the exception of Table 5, the statistics in this publication refer to deaths registered during the calendar year shown. There is usually an interval between the occurrence and registration of a death, and as a result of delay in registration, some deaths occurring in one year are not registered until the following year or even later. However, 99 per cent of all deaths are usually registered

within 6 months of occurrence.

6. Figures in this publication do not include fetal deaths. Statistics on fetal deaths are given in Births, Victoria (3305.2). Statistics on fetal deaths are also given in Births, Australia (3301.0) and Perinatal Deaths, Australia (3304.0).

Definitions

7. The crude death rate is the number of deaths registered per 1,000 of the mean estimated resident population.

The age specific death rate is the number of deaths at a specified age per 1,000 of the estimated resident population of that age as at 30 June. This rate is not used for deaths of children under one year of age. Instead, the infant death rate (deaths of children under one year of age per 1,000 live births) is used as a more appropriate measure.

The masculinity ratio is the number of male deaths per 100 female deaths.

Causes of death

8. Data concerning causes of death are classified according to the Ninth Revision of the World Health Organisation's International Classification of Diseases.

Additional statistics available

9. In some cases, the ABS can also make available information which is not published. This information may be made available in one or more of the following forms: microfiche, photocopy, data tape, computer printout, clerically-extracted tabulation. Generally a

charge is made for providing unpublished information. A list of tables that are produced annually is attached in Appendix B.

Related publications

10. Other ABS publications which may be of interest to users include:

Australian Demographic Statistics (quarterly) (3101.0)

Births, Australia (annual) (3301.0)

Deaths, Australia (annual) (3302.0)

Causes of Death, Victoria (annual) (3302.2)

Causes of Death, Australia (annual) (3303.0)

Perinatal Deaths, Australia (annual) (3304.0)

Births, Victoria (annual) (3305.2)

11. Publications produced by the ABS are listed in the Catalogue of Publications, Australia (1101.0). The ABS also issues, on Tuesdays and Fridays, a Publications Advice (1105.0) which lists publications to be released in the next few days. These are available from any ABS office.

Symbols and other usages

na not available

np not available for publication but included in totals where applicable, unless otherwise indicated

p preliminary - figure or series subject to revision

r figure or series revised since previous issue

.. not applicable

- nil or rounded to zero

— break in continuity of series (where a line is drawn between two consecutive figures in the same column, or alongside two or more figures in consecutive columns)

M males

F females

P persons

ERLE BOURKE

Deputy Commonwealth Statistician

TABLE 1. SUMMARY OF DEATHS, VICTORIA

Particulars	1978	1979	1980	1981	1982	1983
Deaths - Males	15,911	15,970	16,047	15,691	16,493	15,823
- Females	13,185	13,108	13,327	13,343	14,118	13,542
- Persons	29,096	29,078	29,374	29,034	30,611	29,365
Masculinity ratio	120.7	121.8	120.4	117.6	116.8	116.8
Crude death rate - Males	8.3	8.3	8.3	8.0	8.3	7.9
- Females	6.8	6.7	6.8	6.7	7.0	6.7
- Persons	7.5	7.5	7.5	7.4	7.7	7.3
Infant deaths	616	652	592	562	641	543
Infant death rate	10.5	11.3	10.2	9.4	10.7	9.1
Age specific death rates -						
Males -						
Under 5	2.7	3.0	2.7	2.6	2.9	2.3
5 - 9	0.4	0.3	0.3	0.2	0.4	0.3
10 - 14	0.3	0.4	0.3	0.3	0.4	0.3
15 - 19	1.2	1.2	1.0	1.0	1.0	1.0
20 - 24	1.7	1.5	1.4	1.2	1.3	1.6
25 - 29	1.2	1.2	1.2	1.1	1.3	1.3
30 - 34	1.0	1.3	1.1	1.2	1.0	1.1
35 - 39	1.5	1.7	1.4	1.3	1.4	1.4
40 - 44	2.8	2.6	2.5	2.5	2.1	2.3
45 - 49	4.6	4.8	4.7	4.1	4.5	3.6
50 - 54	8.0	8.4	8.1	7.4	7.4	7.2
55 - 59	13.8	13.5	12.6	12.5	12.8	12.1
60 - 64	22.2	21.8	20.9	19.4	19.7	19.2
65 - 69	34.1	34.2	33.6	31.6	31.6	31.3
70 - 74	53.9	52.7	52.4	51.2	50.0	46.7
75 and over	116.5	111.3	115.1	111.2	117.2	105.6

TABLE 1. SUMMARY OF DEATHS, VICTORIA - continued

Particulars	1978	1979	1980	1981	1982	1983
Age specific death rates (continued) -						
Females -						
Under 5	2.1	2.2	2.2	2.1	2.2	2.1
5 - 9	0.2	0.2	0.3	0.2	0.2	0.2
10 - 14	0.3	0.1	0.2	0.2	0.1	0.2
15 - 19	0.5	0.5	0.4	0.4	0.4	0.3
20 - 24	0.4	0.5	0.5	0.5	0.5	0.5
25 - 29	0.5	0.5	0.5	0.6	0.5	0.4
30 - 34	0.7	0.6	0.6	0.6	0.6	0.5
35 - 39	0.9	0.8	0.9	0.9	0.8	0.9
40 - 44	1.4	1.7	1.3	1.4	1.2	1.1
45 - 49	2.6	2.5	2.3	2.6	2.4	2.0
50 - 54	4.1	4.0	4.3	3.7	4.4	4.1
55 - 59	6.6	6.9	6.6	6.1	6.3	6.0
60 - 64	10.9	10.2	9.2	10.0	10.1	9.5
65 - 69	16.8	15.9	16.0	15.8	15.4	15.0
70 - 74	27.6	25.8	26.7	26.1	25.5	27.0
75 and over	83.9	82.7	83.1	80.7	85.5	77.0
Median age at death - Males						
	69.4	69.1	69.9	70.4	70.7	70.4
- Females						
	76.7	77.1	77.2	77.1	78.0	77.3
Causes of death -						
Infectious and parasitic diseases	141	126	149	150	159	136
Malignant neoplasms	6,254	6,368	6,652	6,765	6,939	7,123
Diabetes mellitus	644	545	523	600	522	573
Diseases of the circulatory system -						
Ischaemic heart disease	8,503	8,142	7,936	7,962	8,284	8,078
Other forms of heart disease	1,164	1,556	1,742	1,564	1,638	1,467
Cerebrovascular disease	3,582	3,461	3,682	3,613	3,594	3,202
Other diseases of the circulatory system	1,841	1,683	1,710	1,704	1,619	1,430
Diseases of the respiratory system						
Chronic liver disease and cirrhosis	288	311	336	300	342	294
Congenital anomalies	287	267	254	249	296	238
Certain conditions originating in the perinatal period	241	248	231	223	248	204
Accidents and other adverse effects	1,637	1,733	1,542	1,245	1,442	1,421
All other causes	2,397	2,584	2,646	2,665	2,979	2,935
Total	29,096	29,078	29,374	29,034	30,611	29,365

TABLE 2. DEATHS, AGE AT DEATH BY SEX, VICTORIA, 1983

Age at death (years)	M	F	P	Age at death (years)	M	F	P	Age at death (years)	M	F	P
Under 1	277	266	543	35	42	28	70	70	429	324	753
1	20	13	33	36	38	26	64	71	493	308	801
2	18	15	33	37	51	18	69	72	499	411	910
3	17	7	24	38	40	26	66	73	483	356	839
4	19	7	26	39	45	28	73	74	456	357	813
1 - 4	351	308	659	35 - 39	216	126	342	70 - 74	2,360	1,756	4,116
5	9	2	11	40	42	15	57	75	513	382	895
6	11	7	18	41	54	18	72	76	511	359	870
7	3	8	11	42	51	31	82	77	464	380	844
8	7	2	9	43	63	25	88	78	461	412	873
9	12	4	16	44	60	35	95	79	455	435	890
5 - 9	42	23	65	40 - 44	270	124	394	75 - 79	2,404	1,968	4,372
10	8	5	13	45	62	40	102	80	394	433	827
11	5	5	10	46	62	44	106	81	381	421	802
12	4	3	7	47	65	47	112	82	407	511	918
13	12	10	22	48	83	34	117	83	345	496	841
14	23	6	29	49	96	37	133	84	311	359	670
10 - 14	52	29	81	45 - 49	368	202	570	80 - 84	1,838	2,220	4,058
15	18	6	24	50	119	63	182	85	241	440	681
16	21	11	32	51	113	84	197	86	222	435	657
17	25	13	38	52	160	77	237	87	186	398	584
18	52	9	61	53	153	90	243	88	165	348	513
19	55	18	73	54	199	96	295	89	152	338	490
15 - 19	171	57	228	50 - 54	744	410	1,154	85 - 89	966	1,959	2,925
20	58	20	78	55	219	91	310	90	128	288	416
21	67	21	88	56	210	135	345	91	95	259	354
22	60	18	78	57	245	99	344	92	97	220	317
23	47	12	59	58	262	124	386	93	53	197	250
24	49	21	70	59	291	160	451	94	48	154	202
20 - 24	281	92	373	55 - 59	1,227	609	1,836	90 - 94	421	1,118	1,539
25	59	16	75	60	289	146	435	95 and over	91	368	459
26	32	21	53	61	292	150	442				
27	37	14	51	62	377	179	556	Not stated	3	2	5
28	40	10	50	63	307	204	511				
29	42	11	53	64	327	188	515				
25 - 29	210	72	282	60 - 64	1,592	867	2,459				
30	41	8	49	65	341	173	514				
31	31	21	52	66	379	213	592				
32	40	24	64	67	407	222	629				
33	32	14	46	68	415	270	685				
34	39	17	56	69	491	270	761				
30 - 34	183	84	267	65 - 69	2,033	1,148	3,181	Total	15,823	13,542	29,365

TABLE 3. INFANT DEATHS, AGE AT DEATH BY NUMBER AND RATE BY SEX, VICTORIA, 1983

Age at death	Number			Infant death rate (a)		
	Males	Females	Persons	Males	Females	Persons
Under 1 day	107	104	211	3.5	3.6	3.5
1 and under 2 days	13	13	26	0.4	0.4	0.4
2 and under 3 days	14	5	19	0.5	0.2	0.3
3 and under 4 days	7	6	13	0.2	0.2	0.2
4 and under 5 days	4	3	7	0.1	0.1	0.1
5 and under 6 days	6	4	10	0.2	0.1	0.2
6 and under 7 days	1	6	7	0.0	0.2	0.1
Total under 1 week	152	141	293	5.0	4.8	4.9
1 and under 2 weeks	9	23	32	0.3	0.8	0.5
2 and under 3 weeks	4	8	12	0.1	0.2	0.2
3 and under 4 weeks	7	6	13	0.2	0.2	0.2
Total neonatal deaths (b)	172	178	350	5.6	6.0	5.8
1 and under 3 months	42	36	78	1.4	1.2	1.3
3 and under 6 months	34	25	59	1.1	0.9	1.0
6 and under 12 months	29	27	56	0.9	0.9	0.9
Total post - neonatal deaths	105	88	193	3.4	3.0	3.2
Total Infant deaths	277	266	543	9.0	9.1	9.1

(a) Per 1,000 live births registered. (b) A neonatal death is the death of any liveborn child within 1 month of birth.

TABLE 4. DEATHS, AGE AND MARITAL STATUS AT DEATH BY SEX, VICTORIA, 1983

Age at death (years)	Males				Total	Females				Total
	Never married	Married	Widowed	Divorced		Never married	Married	Widowed	Divorced	
Under 15	445	-	-	-	445	360	-	-	-	360
15 - 19	171	-	-	-	171	56	1	-	-	57
20 - 24	244	35	-	1	281	72	17	-	-	92
25 - 29	125	68	-	16	210	33	32	1	6	72
30 - 34	60	111	2	9	183	20	53	2	9	84
35 - 39	49	141	2	22	216	19	91	6	10	126
40 - 44	46	181	3	36	270	5	100	4	15	124
45 - 49	60	262	3	35	368	16	154	13	19	202
50 - 54	97	545	33	56	744	21	301	51	36	410
55 - 59	179	877	57	95	1,227	39	413	118	38	609
60 - 64	196	1,177	109	99	1,592	61	552	213	41	867
65 - 69	212	1,523	194	87	2,033	82	578	447	38	1,148
70 - 74	232	1,660	371	77	2,360	154	670	876	51	1,756
75 - 79	197	1,570	574	48	2,404	196	509	1,212	46	1,968
80 - 84	187	961	647	25	1,838	263	391	1,542	17	2,220
85 - 89	69	424	455	12	966	231	146	1,563	13	1,959
90 - 94	31	112	271	6	421	168	36	907	4	1,118
95 and over	7	14	69	1	91	80	5	281	2	368
Not stated	1	-	-	-	3	-	-	-	-	2
Total	2,608	9,661	2,790	625	15,823	1,876	4,049	7,236	348	13,542

(a) Includes 'Not stated' marital status.

TABLE 5. DEATHS, MONTH AND YEAR OF OCCURRENCE (a), VICTORIA

Month of occurrence	Year of occurrence					
	1978	1979	1980	1981	1982r	1983
January	2,209	2,338	2,156	r2,326	2,317	2,248
February	1,975	1,958	r2,144	r2,057	2,011	2,035
March	2,264	r2,282	2,251	2,306	2,242	2,285
April	2,322	2,365	2,326	r2,280	2,368	2,385
May	2,472	2,558	2,383	2,569	2,595	2,448
June	2,456	2,462	r2,451	r2,607	2,619	2,578
July	2,813	2,653	r2,649	r2,755	3,144	2,652
August	2,647	2,545	r2,710	2,686	3,343	2,632
September	2,761	2,481	2,567	r2,470	2,608	2,365
October	2,565	2,439	2,517	r2,474	2,499	2,322
November	2,397	2,345	2,417	r2,294	2,311	2,125
December	2,343	2,449	2,382	r2,371	2,349	1,252
Total	29,224	r28,875	r28,953	r29,195	30,406	27,327

(a) Figures are subject to the addition of late registrations - see the explanatory notes.

TABLE 6. DEATHS, STATE OF USUAL RESIDENCE AND OF REGISTRATION, VICTORIA, 1983

State of usual residence	State of registration							Australia
	NSW	Vic	Qld	SA	WA	Tas	NT ACT	
New South Wales	39,896	179	219	45	18	9	8 173	40,547
Victoria	183	29,022	76	40	13	17	10 4	29,365
Queensland	143	25	16,862	5	2	5	9 5	17,056
South Australia	26	45	19	9,754	9	2	13 1	9,869
Western Australia	8	13	8	12	8,314	1	9 4	8,369
Tasmania	6	28	5	2	-	3,277	1 -	3,319
Northern Territory	4	2	7	24	2	-	688 -	727
Aust. Capital Territory	57	6	4	-	1	-	- 764	832
Australia	40,323	29,320	17,200	9,882	8,359	3,311	738 951	110,084

TABLE 7. DEATHS, COUNTRY OF BIRTH BY SEX, VICTORIA

9

Country of birth	1981			1982			1983		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Australia	11,293	10,157	21,450	11,873	10,870	22,743	11,353	10,401	21,754
New Zealand	108	85	193	94	91	185	95	81	176
Other Oceania	11	11	22	4	4	8	7	6	13
Africa -									
Egypt	56	43	99	49	46	95	50	32	82
South Africa	20	25	45	28	22	50	34	18	52
Other Africa	22	20	42	26	16	42	20	16	36
Total Africa	98	88	186	103	84	187	104	66	170
America -									
Canada	7	5	12	17	7	24	13	11	24
United States	21	19	40	24	16	40	28	13	41
Other America	9	9	18	9	10	19	14	7	21
Total America	37	33	70	50	33	83	55	31	86
Asia -									
Cyprus	17	11	28	30	15	45	29	9	38
India	53	40	93	55	40	95	56	40	96
Indonesia	6	4	10	3	3	6	8	1	9
Lebanon	14	12	26	17	8	25	14	11	25
Malaysia	9	3	12	7	9	16	10	7	17
Philippines	2	2	4	6	6	12	1	5	6
Turkey	32	18	50	33	22	55	36	22	58
Vietnam	6	3	9	10	6	16	14	2	16
Other Asia	107	67	174	86	97	183	100	80	180
Total Asia	246	160	406	247	206	453	268	177	445
Europe -									
Germany	121	108	229	136	94	230	147	108	255
Greece	163	115	278	160	111	271	135	112	247
Italy	425	281	706	486	252	738	479	294	773
Malta	76	42	118	105	63	168	98	51	149
Netherlands	143	68	211	135	71	206	148	71	219
Poland	255	124	379	262	140	402	267	143	410
UK and Ireland	1,881	1,527	3,408	1,959	1,559	3,518	1,882	1,511	3,393
Yugoslavia	147	99	246	154	102	256	173	85	258
Other Europe	253	134	387	266	125	391	221	147	368
Total Europe	3,464	2,498	5,962	3,663	2,517	6,180	3,550	2,522	6,072
USSR (a)	174	131	305	202	120	322	160	132	292
Other and not stated	260	180	440	257	193	450	231	126	357
Total	15,691	13,343	29,034	16,493	14,118	30,611	15,823	13,542	29,365

(a) Includes Estonia, Latvia, Lithuania, and Ukraine.

TABLE 8. DEATHS REGISTERED IN AUSTRALIA BY LOCAL GOVERNMENT AREA OF USUAL RESIDENCE OF DECEASED IN VICTORIA, 1983

Local government area	Total deaths	Local government area	Total deaths	Local government area	Total deaths
MELBOURNE STATISTICAL DIVISION					
Altona (C)	188	Fitzroy (C)	186	Nunawading (C)	643
Berwick (C)	143	Flinders (S)	397	Oakleigh (C)	343
Box Hill (C)	478	Footscray (C)	478	Pakenham (S) (part)	57
Brighton (C)	515	Frankston (C)	593	Port Melbourne (C)	101
Broadmeadows (C)	515	Hastings (S)	111	Prahran (C)	569
Brunswick (C)	389	Hawthorn (C)	322	Preston (C)	743
Bulla (S)	116	Healesville (S) (part)	68	Richmond (C)	212
Camberwell (C)	917	Heidelberg (C)	521	Ringwood (C)	225
Caulfield (C)	819	Kellor (C)	306	St Kilda (C)	646
Chelsea (C)	233	Kew (C)	382	Sandringham (C)	324
Coburg (C)	538	Knox (C)	403	Sherbrooke (S)	157
Collingwood (C)	129	Lillydale (S)	365	South Melbourne (C)	258
Cranbourne (S) (part)	143	Malvern (C)	511	Springvale (C)	438
Croydon (C)	242	Melbourne (C)	470	Sunshine (C)	464
Dandenong (C)	297	Melton (S)	56	Waverley (C)	542
Diamond Valley (S)	199	Moorabbin (C)	851	Werribee (S)	171
Doncaster and Templestowe (C)	345	Mordialloc (C)	291	Whittlesea (S)	215
Eltham (S)	187	Mornington (S)	207	Williamstown (C)	241
Essendon (C)	554	Northcote (C)	470	Total division	20,284
BARWON STATISTICAL DIVISION					
Bannockburn (S)	22	Corio (S)	331	Otway (S)	24
Barrabool (S)	34	Geelong (C)	162	Queenscliff (B)	38
Bellarine (S)	211	Geelong West (C)	184	South Barwon (C)	232
Colac (C)	107	Leigh (S)	9	Winchelsea (S)	33
Colac (S)	45	Newtown (C)	110	Total division	1,542
SOUTH WESTERN STATISTICAL DIVISION					
Belfast (S)	5	Kororua (B)	17	Wannon (S)	26
Camperdown (T)	34	Minhamite (S)	14	Warrnambool (C)	232
Dundas (S)	30	Mortlake (S)	26	Warrnambool (S)	52
Glenelg (S)	46	Mount Rouse (S)	16	Not Incorporated (Lady Julia Percy Island and Tower Hill Lake Reserve)	-
Hamilton (C)	93	Port Fairy (B)	36		
Hampden (S)	72	Portland (T)	74		
Heytesbury (S)	42	Portland (S)	31	Total Division	846

TABLE 8. DEATHS REGISTERED IN AUSTRALIA BY LOCAL GOVERNMENT AREA OF USUAL RESIDENCE OF DECEASED IN VICTORIA, 1983 - continued

Local government area	Total deaths	Local government area	Total deaths	Local government area	Total deaths
CENTRAL HIGHLANDS STATISTICAL DIVISION					
Ararat (C)	83	Bellarat (S)	93	Lexton (S)	7
Ararat (S)	28	Bungaree (S)	17	Ripon (S)	27
Avoca (S)	18	Buninyong (S)	39	Sebastopol (B)	39
Bacchus Marsh (S)	59	Creswick (S)	32	Talbot and Clunes (S)	25
Ballaarat (C)	487	Daylesford and Glenlyon (S)	58		
Ballen (S)	17	Grenville (S)	18	Total division	1,047
WIMMERA STATISTICAL DIVISION					
Arapiles (S)	33	Horsham (C)	95	Stawell (T)	60
Birchip (S)	5	Kaniva (S)	13	Stawell (S)	13
Dimboola (S)	44	Karkaroc (S)	29	Warracknabeal (S)	47
Donald (S)	30	Kowree (S)	40	Wimmera (S)	6
Dunmunkie (S)	31	Lowan (S)	42	Total division	488
NORTHERN MALLEE STATISTICAL DIVISION					
Kerang (B)	53	Mildura (S)	106	Walpeup (S)	20
Kerang (S)	21	Swan Hill (C)	88	Wycheproof (S)	23
Mildura (C)	152	Swan Hill (S)	70	Total division	533
LODDON - CAMPASPE STATISTICAL DIVISION					
Bendigo (C)	406	Huntly (S)	19	Newstead (S)	16
Bet Bet (S)	21	Kara Kara (S)	6	Pyslong (S)	4
Castlemaine (C)	99	Korong (S)	33	Rochester (S)	58
Charlton (S)	19	Kyneton (S)	78	Ramsey (S)	29
Cohuna (S)	32	McIvor (S)	17	St Arnaud (T)	34
Eaglehawk (B)	62	Maldon (S)	15	Strathfieldsaye (S)	19
East Loddon (S)	4	Marong (S)	74	Tullaroop (S)	10
Echuca (C)	71	Maryborough (C)	85		
Gisborne (S)	35	Metcalfe (S)	28		
Gordon (S)	28	Newham and Woodend (S)	29	Total division	1,331

TABLE 8. DEATHS REGISTERED IN AUSTRALIA BY LOCAL GOVERNMENT AREA OF USUAL RESIDENCE OF DECEASED IN VICTORIA, 1983 - continued

Local government area	Total deaths	Local government area	Total deaths	Local government area	Total deaths
GOULBURN STATISTICAL DIVISION					
Alexandra (S)	45	Kilmore (S)	25	Shepparton (S)	28
Benalla (C)	82	Kyabram (T)	62	Tungamah (S)	21
Benalla (S)	14	Mansfield (S)	25	Violet Town (S)	15
Broadford (S)	17	Nathalia (S)	35	Waranga (S)	24
Cobram (S)	43	Numurkah (S)	30	Yea (S)	31
Deakin (S)	19	Rodney (S)	90		
Euroa (S)	33	Seymour (S)	68		
Goulburn (S)	23	Shepparton (C)	146	Total division	876
NORTH EASTERN STATISTICAL DIVISION					
Beechworth (S)	75	Rutherglen (S)	34	Wodonga (Rural City)	111
Bright (S)	28	Tallangatta (S)	39	Yackandandah (S)	19
Chiltern (S)	11	Upper Murray (S)	20	Yarrowonga (S)	48
Myrtleford (S)	16	Wangaratta (C)	137		
Oxley (S)	34	Wangaratta (S)	20	Total division	592
EAST GIPPSLAND STATISTICAL DIVISION					
Avon (S)	39	Omeo (S)	8	Not incorporated (Bass Strait Islands and part of Gippsland Lakes)	-
Bairnsdale (T)	125	Orbost (S)	38		
Bairnsdale (S)	54	Sale (C)	90		
Maffra (S)	84	Tembo (S)	62	Total division	500
CENTRAL GIPPSLAND STATISTICAL DIVISION					
Alberton (S)	49	Morwell (S)	142	Traralgon (S)	30
Buln Buln (S)	69	Narracan (S)	49	Warragul (S)	98
Korumburra (S)	54	Rosedale (S)	47	Woorayl (S)	79
Mirboo (S)	17	South Gippsland (S)	38	Yellourn Works Area	3
Moe (C)	144	Traralgon (C)	119	Total division	938
EAST CENTRAL STATISTICAL DIVISION					
Bass (S)	27	Pakenham (S) (part)	88	Wonthaggi (B)	67
Cranbourne (S) (part)	38	Phillip Island (S)	35	Not incorporated (French Island)	1
Healesville (S) (part)	13	Upper Yarra (S)	62	Total division	331
Offshore areas and not stated	57			Total Victoria	29,365

APPENDIX A

LIFE TABLES, VICTORIA, 1983

NOTE. These tables are prepared by the Australian Bureau of Statistics. Their purpose is to summarise the mortality relating to the number of deaths registered in 1983 by providing a set of summary indicators in terms of life table values. These tables are not constructed according to strict actuarial principles and consequently it is recommended that they not be used for actuarial purposes. Those wishing to use life tables for actuarial purposes are recommended to use the Official Life Tables prepared by the Australian Government Actuary, the latest of which were published in October 1981.

MALES											
Age	l_x	q_x	L_x	Q_x	e^o_x	Age	l_x	q_x	L_x	Q_x	e^o_x
0	100,000	.00905	99,204	.00150	72.32	35	96,164	.00125	96,104	.00129	39.53
1	99,095	.00067	99,054	.00057	71.98	36	96,044	.00133	95,980	.00139	38.58
2	99,029	.00061	98,998	.00060	71.02	37	95,916	.00144	95,847	.00150	37.63
3	98,968	.00058	98,939	.00061	70.07	38	95,778	.00157	95,703	.00164	36.69
4	98,911	.00065	98,879	.00048	69.11	39	95,628	.00171	95,546	.00179	35.74
5	98,847	.00030	98,832	.00033	68.15	40	95,464	.00186	95,375	.00194	34.80
6	98,817	.00036	98,799	.00023	67.17	41	95,287	.00202	95,190	.00210	33.87
7	98,781	.00010	98,777	.00016	66.20	42	95,094	.00219	94,990	.00228	32.94
8	98,772	.00022	98,761	.00028	65.20	43	94,886	.00237	94,774	.00248	32.01
9	98,751	.00035	98,733	.00026	64.22	44	94,661	.00258	94,539	.00272	31.08
10	98,716	.00016	98,708	.00018	63.24	45	94,417	.00285	94,282	.00302	30.16
11	98,700	.00020	98,690	.00023	62.25	46	94,148	.00319	93,998	.00340	29.25
12	98,680	.00025	98,668	.00029	61.26	47	93,848	.00361	93,678	.00387	28.34
13	98,656	.00033	98,639	.00039	60.28	48	93,508	.00413	93,315	.00444	27.44
14	98,623	.00045	98,601	.00053	59.30	49	93,122	.00475	92,901	.00510	26.55
15	98,579	.00061	98,549	.00070	58.32	50	92,680	.00545	92,427	.00584	25.68
16	98,519	.00080	98,479	.00090	57.36	51	92,174	.00623	91,877	.00664	24.81
17	98,440	.00100	98,390	.00111	56.40	52	91,600	.00705	92,277	.00749	23.97
18	98,341	.00121	98,282	.00129	55.46	53	90,954	.00792	90,594	.00837	23.13
19	98,222	.00138	98,154	.00145	54.53	54	90,234	.00883	89,835	.00930	22.31
20	98,087	.00151	98,012	.00155	53.60	55	89,437	.00978	89,000	.01028	21.51
21	97,938	.00158	97,861	.00159	52.68	56	88,562	.01079	88,085	.01133	20.71
22	97,783	.00160	97,705	.00158	51.76	57	87,607	.01187	87,087	.01246	19.94
23	97,627	.00156	97,551	.00152	50.85	58	86,567	.01306	86,002	.01372	19.17
24	97,475	.00149	97,402	.00145	49.93	59	85,436	.01439	84,822	.01513	18.42
25	97,330	.00140	97,261	.00136	49.00	60	84,207	.01587	83,539	.01669	17.68
26	97,193	.00132	97,129	.00128	48.07	61	82,870	.01752	82,144	.01841	16.95
27	97,065	.00125	97,004	.00122	47.13	62	81,418	.01932	80,632	.02028	16.25
28	96,944	.00119	96,886	.00117	46.19	63	79,845	.02125	78,997	.02228	15.56
29	96,828	.00115	96,772	.00114	45.24	64	78,148	.02332	77,237	.02439	14.89
30	96,716	.00113	96,662	.00113	44.29	65	76,326	.02549	75,353	.02662	14.23
31	96,607	.00112	96,553	.00113	43.34	66	74,380	.02778	73,347	.02898	13.59
32	96,499	.00113	96,444	.00114	42.39	67	72,314	.03020	71,222	.03151	12.96
33	96,390	.00115	96,334	.00117	41.44	68	70,130	.03286	68,977	.03430	12.35
34	96,279	.00119	96,222	.00122	40.49	69	67,825	.03578	66,612	.03741	11.75

LIFE TABLES, VICTORIA, 1983 - continued

MALES - continued

Age	l_x	q_x	L_x	Q_x	e^o_x	Age	l_x	q_x	L_x	Q_x	e^o_x
70	65,398	.03910	64,120	.04095	11.17	85	18,925	.14344	17,568	.14970	4.69
71	62,841	.04286	61,494	.04494	10.60	86	16,211	.15702	14,938	.16382	4.39
72	60,147	.04711	58,730	.04940	10.06	87	13,665	.17189	12,491	.17926	4.12
73	57,314	.05180	55,829	.05426	9.53	88	11,316	.18816	10,252	.19614	3.87
74	54,345	.05685	52,800	.05944	9.02	89	9,187	.20598	8,241	.21461	3.65
75	51,295	.06218	49,662	.06492	8.54	90	7,295	.22548	6,472	.23087	3.47
76	48,068	.06785	46,438	.07081	8.07	91	5,650	.23784	4,978	.24279	3.33
77	44,807	.07398	43,150	.07719	7.62	92	4,306	.24928	3,769	.25369	3.22
78	41,492	.08067	39,819	.08421	7.19	93	3,233	.25957	2,813	.26334	3.12
79	38,145	.08806	36,466	.09192	6.78	94	2,394	.26844	2,072	.27154	3.04
80	34,786	.09615	33,114	.10033	6.38	95	1,751	.27578	1,510	.27835	2.97
81	31,441	.10496	29,791	.10934	6.01	96	1,268	.28191	1,089	.28413	2.91
82	28,141	.11422	26,534	.11872	5.65	97	911	.28721	780	.28923	2.85
83	24,927	.12380	23,384	.12833	5.32	98	649	.29206	554	.29403	2.80
84	21,841	.13350	20,383	.13811	5.00	99	460	.29682	391	.29881	2.75

FEMALES

Age	l_x	q_x	L_x	Q_x	e^o_x	Age	l_x	q_x	L_x	Q_x	e^o_x
0	100,000	.00911	99,198	.00138	78.78	25	98,364	.00048	98,341	.00047	54.98
1	99,089	.00045	99,062	.00044	78.50	26	98,317	.00046	98,294	.00045	54.00
2	99,044	.00053	99,018	.00039	77.53	27	98,272	.00044	98,250	.00043	53.03
3	98,992	.00025	98,980	.00025	76.57	28	98,229	.00042	98,208	.00043	52.05
4	98,967	.00025	98,955	.00016	75.59	29	98,187	.00043	98,166	.00044	51.07
5	98,942	.00007	98,939	.00015	74.61	30	98,145	.00045	98,123	.00047	50.09
6	98,936	.00024	98,924	.00025	73.62	31	98,101	.00048	98,078	.00051	49.11
7	98,912	.00027	98,899	.00017	72.63	32	98,054	.00053	98,028	.00056	48.14
8	98,885	.00006	98,882	.00009	71.65	33	98,002	.00059	97,973	.00062	47.16
9	98,879	.00012	98,873	.00011	70.66	34	97,944	.00065	97,912	.00067	46.19
10	98,867	.00011	98,862	.00012	69.67	35	97,880	.00070	97,846	.00071	45.22
11	98,856	.00014	98,850	.00015	68.67	36	97,812	.00073	97,776	.00075	44.25
12	98,843	.00015	98,835	.00016	67.68	37	97,740	.00077	97,703	.00078	43.28
13	98,828	.00018	98,819	.00019	66.69	38	97,666	.00080	97,627	.00083	42.32
14	98,810	.00021	98,800	.00023	65.71	39	97,588	.00085	97,546	.00089	41.35
15	98,790	.00025	98,777	.00028	64.72	40	97,505	.00093	97,459	.00099	40.38
16	98,765	.00030	98,750	.00033	63.74	41	97,414	.00104	97,363	.00110	39.42
17	98,735	.00035	98,718	.00038	62.75	42	97,313	.00117	97,256	.00124	38.46
18	98,700	.00040	98,680	.00043	61.78	43	97,199	.00132	97,135	.00140	37.51
19	98,661	.00045	98,638	.00047	60.80	44	97,071	.00149	96,999	.00158	36.56
20	98,616	.00049	98,592	.00050	59.83	45	96,927	.00167	96,846	.00178	35.61
21	98,568	.00051	98,543	.00052	58.86	46	96,765	.00188	96,674	.00200	34.67
22	98,518	.00053	98,492	.00052	57.89	47	96,583	.00213	96,480	.00227	33.73
23	98,466	.00052	98,440	.00052	56.92	48	96,377	.00242	96,261	.00258	32.80
24	98,414	.00051	98,389	.00050	55.95	49	96,144	.00275	96,012	.00293	31.88

LIFE TABLES, VICTORIA, 1983 - continued

FEMALES - continued

Age	l_x	q_x	L_x	Q_x	e^o_x	Age	l_x	q_x	L_x	Q_x	e^o_x
50	95,880	.00311	95,731	.00330	30.97	75	70,542	.03408	69,341	.03586	11.13
51	95,582	.00350	95,415	.00370	30.06	76	68,139	.03770	66,854	.03977	10.51
52	95,248	.00390	95,062	.00410	29.17	77	65,569	.04192	64,195	.04430	9.90
53	94,876	.00430	94,672	.00449	28.28	78	62,821	.04679	61,351	.04948	9.31
54	94,468	.00468	94,247	.00487	27.40	79	59,881	.05229	58,316	.05527	8.74
55	94,027	.00506	93,789	.00526	26.53	80	56,750	.05842	55,092	.06166	8.20
56	93,551	.00546	93,296	.00568	25.66	81	53,435	.06510	51,695	.06864	7.68
57	93,041	.00591	92,765	.00618	24.80	82	49,956	.07243	48,147	.07626	7.18
58	92,490	.00644	92,192	.00675	23.94	83	46,338	.08039	44,475	.08453	6.70
59	91,895	.00706	91,570	.00741	23.09	84	42,613	.08903	40,716	.09347	6.24
60	91,246	.00777	90,891	.00816	22.25	85	38,819	.09835	36,910	.10436	5.80
61	90,537	.00856	90,150	.00897	21.42	86	35,001	.11102	33,058	.11775	5.38
62	89,762	.00939	89,341	.00983	20.60	87	31,116	.12532	29,166	.13286	4.99
63	88,920	.01028	88,462	.01077	19.79	88	27,216	.14147	25,291	.14989	4.63
64	88,005	.01126	87,510	.01182	18.99	89	23,366	.15969	21,500	.16909	4.31
65	87,014	.01239	86,475	.01304	18.21	90	19,634	.18027	17,865	.18668	4.03
66	85,936	.01370	85,347	.01448	17.43	91	16,095	.19451	14,530	.20090	3.81
67	84,759	.01527	84,112	.01617	16.66	92	12,964	.20883	11,611	.21513	3.61
68	83,465	.01709	82,751	.01810	15.91	93	10,257	.22309	9,113	.22922	3.43
69	82,038	.01912	81,254	.02019	15.18	94	7,969	.23710	7,024	.24299	3.27
70	80,470	.02129	79,613	.02240	14.47	95	6,079	.25072	5,317	.25634	3.14
71	78,757	.02354	77,830	.02468	13.77	96	4,555	.26383	3,954	.26910	3.02
72	76,903	.02585	75,909	.02705	13.09	97	3,353	.27627	2,890	.28117	2.92
73	74,916	.02828	73,856	.02961	12.43	98	2,427	.28795	2,078	.28977	2.85
74	72,797	.03097	71,670	.03250	11.77	99	1,728	.29232	1,476	.29430	2.80

l_x = number of persons surviving at exact age x

q_x = proportion dying between exact age x and exact age $x + 1$

L_x = number of persons surviving at age x last birthday

Q_x = proportion dying between age x last birthday and age $x + 1$ last birthday

e^o_x = complete expectation of life at exact age x

APPENDIX B

LIST OF TABLES PRODUCED ANNUALLY BY ABS

Table	Description
1	Deaths - Sex by year and month of occurrence by age by month of registration.
2	Deaths - Sex by month of registration by age at death by State of usual residence.
3	Deaths - Sex by quarter of registration by age at death by sex by marital status.
4	Infant deaths by sex by age at death by year and month of occurrence by month of registration.
5	Infant deaths by sex by age at death by State of usual residence.
6	Deaths of males aged 15 to 64 - Occupation by State of usual residence.
7	Deaths of males aged 15 to 64 by occupation.
8	Deaths - Previous Issue by age by sex by marital status.
9	Deaths - Sex by birthplace by State of registration.
10	Deaths - Birthplace by age at death by sex.
11	Deaths - Birthplace by age at death by period of residence in Australia by sex.
12	Deaths - Sex by State of usual residence by State of registration.
13	Deaths - Cause of death by sex by State of usual residence.
14	Deaths - Sex by age at death by State of registration.
15	Deaths - Sex by month of registration by age at death by State of registration.
16	Deaths of males aged 15 to 64 - Occupation by State of registration.
17	Deaths - Sex by birthplace by State of usual residence.
18	Infant deaths by sex by age at death by State of registration.

For tables relating to causes of death see Causes of Death, Australia (3303.0). For tables available in respect of perinatal deaths (stillbirths and deaths under four weeks of age) see Perinatal Deaths, Australia (3304.0).