



AUSTRALIAN BUREAU OF STATISTICS

SYDNEY



PERINATAL DEATHS

NEW SOUTH WALES

1983

Catalogue No. 3303.1

PERINATAL DEATHS

NEW SOUTH WALES

1983

T.J. SKINNER

DEPUTY COMMONWEALTH STATISTICIAN

AUSTRALIAN BUREAU OF STATISTICS

N.S.W. OFFICE

P

Catalogue No. 3303.1

III

INQUIRIES If you would like to obtain further information about these statistics, please ring the Demography Section of this Office on Sydney (02)268-4442 or contact ABS Information Services on (02) 268 4611 at level 3, St. Andrew's House, Sydney Square (George Street, next to Sydney Town Hall), Sydney; or write to the Deputy Commonwealth Statistician, Box 796 GPO Sydney, N.S.W. 2001.

CONTENTS

Table	Page
Explanatory notes	iv
Diagram	
A. Fetal deaths and neonatal deaths : cause of death classified according to underlying cause	vi
B. Perinatal deaths : cause of death classified according to main condition in fetus or infant by period of gestation	vii
C. Perinatal deaths : cause of death classified according to underlying cause by weight at birth	viii
1. Fetal deaths, neonatal deaths, and perinatal deaths : number and rate, 1978 to 1983	1
2. Perinatal deaths : period of gestation by weight at birth, 1983	1
3. Perinatal deaths : age group of mother by statistical areas, 1983	2
4. Perinatal deaths : age group of mother by number of previous pregnancies, 1983	2
5. Perinatal deaths : plurality, number and rate, 1983	2
6. Perinatal deaths of Aborigines and non-Aborigines, Sydney Statistical Division and Remainder of State, 1983	3
7. Perinatal deaths : attendant at birth, 1983	3
8. Maternal deaths resulting in a perinatal death : outcome of current maternity by outcome of previous pregnancies, N.S.W., 1983	3
9. Fetal deaths, neonatal deaths, and perinatal deaths in municipalities and shires : grouped in statistical areas, 1983	4
Deaths classified according to main disease or condition in fetus or infant -	
10. Fetal deaths, neonatal deaths, and perinatal deaths : cause of death, 1983	7
11. Neonatal deaths : cause of death by age at death, 1983	9
12. Perinatal deaths : cause of death by age group of mother and sex of child, 1983	10
13. Perinatal deaths : cause of death by period of gestation and sex, 1983	11
14. Perinatal deaths : cause of death by main maternal disease or condition affecting fetus or infant, 1983	12
Deaths classified according to main maternal disease or condition affecting fetus or infant -	
15. Perinatal deaths : main maternal disease or condition by age group of mother and sex of child, 1983	13
Deaths classified according to underlying cause of death -	
16. Perinatal deaths : cause of death by time of cessation of heart-beat, 1983	14
17. Perinatal deaths : cause of death (abbreviated) by weight at birth, number and rate, 1983	16
18. Perinatal deaths : cause of death (abbreviated) by sex, 1973 to 1983	17
19. Statistical summary : births and perinatal deaths, 1936 to 1983	18
Appendix A : M List of 18 main maternal diseases or conditions affecting fetus or infant	19
B List of 50 causes of perinatal mortality (conditions of fetus or infant)	19
Appendix B : Copy of Medical Certificate of Cause of Perinatal Death	21
Map (Inside back cover) : Showing local government areas and statistical divisions at 30 June 1983	

EXPLANATORY NOTES

1. (a) Statistics of perinatal deaths shown in this publication refer to the registrations in New South Wales of:

I. Fetal deaths (still-births) (see Note 2 below); and

II. Neonatal deaths - children born alive (i.e., those whose heart beat after complete expulsion or extraction from the mother) who died within 28 days of birth.

(b) While numbers and rates of neonatal deaths shown in Deaths 1983 (3307.1) relate to the State or Territory of usual residence of the mother, all figures shown in this publication relate to those events which were registered in N.S.W. irrespective of the State or Territory in which the mother usually resides. This has been necessary due to the unavailability of certain data items relating to occurrences in other States and Territories. However, the numbers involved are small - see Explanatory Note 8.

(c) The statistics of fetal deaths (and hence perinatal deaths) for 1969 and subsequent years are not comparable with statistics for 1968 and earlier years owing to the change in the definition of a fetal death. The number of neonatal deaths registered may also have been affected to some extent by this change.

2. Statistics of fetal deaths for 1969 and subsequent years relate to births of fetuses, registered in N.S.W. during the year, which were of at least 20 weeks gestation, or at least 400 grams weight at delivery, and whose heart did not beat after the complete expulsion or extraction of the child from the mother. In previous years they related to children of seven months gestation or over, not born alive, including any child not born alive which measured at least fourteen inches, but excluding any child which had actually breathed (in 1968, excluding any child whose heart beat after delivery).

3. The current definition of a perinatal death, in use in N.S.W. since 1969, differs from that used in compiling Australian perinatal death statistics. The definition used for Australia, as a whole, is based on the recommendation of the Ninth Revision Conference (1975) of the World Health Organisation (WHO) that national perinatal statistics should

include all fetuses and infants weighing at least 500 grams or (when birthweight is unavailable) the corresponding gestational age (22 weeks) or body length (25cm crown-heel), whether alive or dead. In addition, any child born alive who dies within 28 days of birth is included, provided they fall within the criteria of the WHO definition. Figures for N.S.W. on the above definition can be found in the publication Perinatal Deaths (3304.0) issued by the Canberra Office of the ABS.

Classification of causes of death

4. Causes of perinatal death shown for the years 1973 to 1978 in Table 18 were classified in accordance with the International Statistical Classification of Diseases, Injuries and Causes of Death (I.C.D.), Eighth Revision (1965). In this classification the cause of death was assigned to the underlying cause, i.e., the disease or condition (affecting mother or child) which initiated the train of events leading to death.

5. From 1 January 1979 causes of perinatal death have been classified in accordance with the International Statistical Classification of Diseases, Injuries and Causes of Death (I.C.D.), Ninth Revision (1975). In this classification the cause of death is assigned to the main disease or condition in the fetus or infant (i.e., the pathological condition which in the opinion of the certifier made the greatest contribution to the death of the infant or fetus). Where applicable, perinatal deaths are also assigned to the main maternal disease or condition affecting fetus or infant (i.e., the disease or condition in the mother which in the certifier's opinion had some adverse effect on the infant or fetus). A change to the Perinatal Cause of Death Certificate was recommended by the World Health Organisation to elicit this information. However, the revised certificate (see Appendix B on page 21) was not introduced in New South Wales until 1 January 1980. Consequently, for 1979 an interpretation based on information provided on the old certificate was necessary to enable the I.C.D., Ninth Revision, rules to be applied.

6. In an attempt to maintain comparability with previous years' statistics, New South Wales has continued compilation of the series based on the underlying cause of death (according to the certifier's opinion). However, statistics of cause of death according to underlying cause between 1979 and earlier

years are not strictly comparable because the Ninth Revision of the I.C.D. incorporates substantial changes to Chapter XV (Certain Conditions Originating in the Perinatal Period) which includes the bulk of perinatal causes of death. Additionally, information obtained from certifiers as a result of a more intensive query programme introduced in 1979 made more precise classification possible and led to significant changes in the number of deaths assigned to certain disease categories.

7. Statistics of cause of death are presented in this publication as follows:

(a) for deaths classified according to the main condition in fetus or infant, the nationally approved B List of 50 causes of perinatal death (see Appendix A) is used for Table 10 and an abridged version, showing the major diseases and conditions, is used for the other tables.

(b) for deaths classified according to the main maternal condition affecting fetus or infant, the nationally approved M List of 18 main maternal diseases or conditions affecting the child or fetus (see Appendix A) is used.

(c) for deaths classified according to underlying cause, a concatenation of the M List and the B List (abridged) is used. Note that, although this is a composite list, the inclusions in each category are derived independently of the causes of death reported as the main condition in the infant or fetus or the main maternal condition affecting fetus or infant.

Usual residence

8. Perinatal deaths registered in New South Wales are allocated to a local government area according to the place of usual residence of the mother, but where the usual residence is outside New South Wales, the death is assigned to the area in which it occurred. For local government areas contiguous to the State's borders, the figures may be affected to some extent by interstate movements for hospitalisation. In 1983, there were 5 neonatal deaths registered in New South Wales where the usual residence of the mother was outside New South Wales but within Australia, and 26 neonatal deaths registered outside New South Wales but within Australia, where the usual residence of the mother was in New South Wales.

Statistical areas of New South Wales

9. (a) For the purpose of presenting the principal series of official statistics for the

State, New South Wales is divided into a number of geographical areas. These areas consist, for the most part, of aggregations of local government areas.

(b) The primary division of the State is into 12 statistical divisions. These are intended to represent 'regions' of the State which are characterised by discernible social and/or economic links between the inhabitants and economic units within them, under the unifying influence of one or more major cities or towns. The boundaries of the divisions have accordingly been delineated on the basic criterion that the degree of economic and/or social contact and interaction within each division should be maximised. It should be emphasised that the boundaries of the divisions cannot be regarded as sharp lines of demarcation - they may, of necessity, be positioned within peripheral zones in which the influence of two or more 'focal' cities or towns overlap in varying degrees.

(c) In the case of Sydney and its periphery, some additional factors were taken into account in drawing the divisional boundary. The Sydney Statistical Division is predominantly urban in character - and its boundary was re-delineated in 1976 to embrace the area expected to contain the urban development of Sydney (and associated smaller urban centres) for a period of at least twenty years. This area covers the same area as the 'Sydney Region', as delineated by the State Planning Authority (now the N.S.W. Department of Environment and Planning) in its publication Sydney Region, 1970-2000 A.D., Outline Plan.

(d) The statistical divisions are subdivided to provide a second tier of statistical areas comprising statistical districts and statistical subdivisions.

(e) Statistical districts are areas which encompass an urban centre with a population of 25,000 or more and which are predominantly urban in character. They have been delineated using concepts and criteria similar to those for the Sydney Statistical Division.

(f) Statistical subdivisions within the Sydney Statistical Division were delineated in 1976, in order to provide statistical areas of optimum assistance to users (particularly physical and social planners). The boundaries of the seven subdivisions created within Sydney Statistical Division have been drawn to coincide with the regions formed by the former Department of Urban and Regional Development.

(g) Statistical subdivisions outside Sydney Statistical Division are component areas within statistical divisions which have been delineated broadly on the basis of topographical and/or climatic features and reflect, inter alia, some degree of homogeneity of agricultural activity.

(h) The statistical areas, and their constituent local government areas, are listed in Table 9 on pages 4-6 and are shown on the map at the back of this publication.

Related publications

10. Other ABS publications which may be of interest to users of this bulletin include:

Causes of Death (3302.1)
Births (3306.1)
Deaths (3307.1)
Hospital and Nursing Home In-Patients (4306.1)

11. All publications produced by the ABS are listed in the Catalogue of Publications

(1101.0) which is available free of charge from any ABS office.

12. In some cases, the ABS can also make available information which is not published. This information may be made available in one or more of the following forms: photocopy, data tape, computer printout, clerically-extracted tabulation. Generally, a charge is made for providing unpublished information. Inquiries should be made as shown at the top of page 111 of this publication.

Symbols and other usages

.. Not applicable
 - Nil or rounded to zero
 — (where a line drawn across a column between two consecutive figures) break in continuity of series

Where figures have been rounded, discrepancies may occur between sums of the component items and the totals shown.

T. J. Skinner
 Deputy Commonwealth Statistician

July 1985

DIAGRAM A. FETAL DEATHS AND NEONATAL DEATHS: CAUSE OF DEATH CLASSIFIED ACCORDING TO UNDERLYING CAUSE




DIAGRAM B. PERINATAL DEATHS : CAUSE OF DEATH CLASSIFIED ACCORDING TO MAIN CONDITION IN FETUS OR INFANT BY PERIOD OF GESTATION




DIAGRAM C. PERINATAL DEATHS: CAUSE OF DEATH CLASSIFIED ACCORDING TO UNDERLYING CAUSE BY WEIGHT AT BIRTH




TABLE 1. FETAL DEATHS, NEONATAL DEATHS, AND PERINATAL DEATHS : NUMBER AND RATE, N.S.W., 1978 to 1983

Year	Fetal deaths			Neonatal deaths			Perinatal deaths		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
NUMBER									
1978	358	371	729	410	275	685	768	646	1,414
1979	383	335	718	352	258	610	735	593	1,328
1980	385	291	676	346	224	570	731	515	1,246
1981	358	328	686	314	218	532	672	546	1,218
1982	345	340	685	297	236	533	642	576	1,218
1983	320	266	586	270	233	503	590	499	1,089
RATE (a)									
1978	8.94	9.65	9.29	10.33	7.22	8.81	19.17	16.80	18.01
1979	9.56	8.86	9.22	8.87	6.89	7.91	18.35	15.69	17.06
1980	9.31	7.51	8.44	8.44	5.82	7.17	17.67	13.28	15.55
1981	8.45	8.24	8.34	7.47	5.52	6.53	15.85	13.71	14.81
1982	7.98	8.30	8.14	6.93	5.81	6.38	14.85	14.07	14.47
1983	7.49	6.55	7.03	6.37	5.77	6.08	13.82	12.28	13.07

(a) Number of fetal deaths and perinatal deaths per 1,000 live births and fetal deaths combined; and number of neonatal deaths per 1,000 live births.

TABLE 2. PERINATAL DEATHS : PERIOD OF GESTATION BY WEIGHT AT BIRTH, N.S.W., 1983

Weight at birth (grams)	Period of gestation (weeks)							Total
	Under 22	22-27	28-31	32-36	37-41	42 or more	Not stated	
Less than 500	24	59	13	4	1	-	-	101
500 - 999	15	224	39	11	3	-	2	294
1,000 - 1,499	-	22	52	30	7	-	-	111
1,500 - 1,999	1	2	20	60	20	-	2	105
2,000 - 2,499	-	2	8	61	39	-	-	110
2,500 - 2,999	-	-	-	31	78	3	1	113
3,000 - 3,499	-	1	-	15	109	6	2	133
3,500 - 3,999	-	-	1	6	58	2	1	68
4,000 - 4,499	-	-	-	1	21	1	-	23
4,500 - 4,999	-	-	-	-	5	1	-	6
5,000 or more	-	-	-	1	2	-	-	3
Not stated	-	1	-	5	7	2	7	22
Total	40	311	133	225	350	15	15	1,089

TABLE 3. PERINATAL DEATHS : AGE GROUP OF MOTHER BY STATISTICAL AREAS (a), N.S.W., 1983

Statistical area (a)	Age group of mother (years)							Total
	Under 20	20-24	25-29	30-34	35-39	40 or more	Not stated	
Sydney	40	157	250	177	57	12	6	699
Hunter -								
Newcastle Statistical District	4	31	27	11	3	-	-	76
Balance of Hunter	4	5	3	1	-	-	-	13
Total, Hunter	8	36	30	12	3	-	-	89
Illawarra -								
Wollongong Statistical District	8	13	13	6	2	1	-	43
Balance of Illawarra	-	7	5	2	1	-	1	16
Total, Illawarra	8	20	18	8	3	1	1	59
Richmond-Tweed	1	8	9	6	3	1	-	28
Mid-North Coast	2	11	14	7	2	2	-	38
Northern	7	21	5	11	4	1	-	49
North-Western	5	14	4	4	1	-	-	28
Central West	5	10	10	5	2	2	-	34
South-Eastern	2	3	2	3	1	1	1	13
Murrumbidgee	6	8	10	7	1	-	-	32
Murray	-	6	8	3	-	-	-	17
Far West	1	-	2	-	-	-	-	3
New South Wales : Number	85	294	362	243	77	20	8	1,089
Rate (b)	15.02	12.75	11.63	13.78	15.05	27.21	-	13.07

(a) See Explanatory Notes 8 and 9. (b) Number per 1,000 live births and fetal deaths combined to mothers of that age.

TABLE 4. PERINATAL DEATHS : AGE GROUP OF MOTHER BY NUMBER OF PREVIOUS PREGNANCIES, N.S.W., 1983

Age group of mothers (years)	Number of previous pregnancies												Not stated	Total
	0	1	2	3	4	5	6	7	8	9	10	11	12 or more	
Under 20	57	18	7	1	1	-	-	-	-	-	-	-	1	85
20 - 24	124	77	56	15	11	5	3	-	-	-	-	-	3	294
25 - 29	100	113	78	38	16	6	5	3	-	-	-	-	3	362
30 - 34	37	60	66	36	12	14	8	2	-	3	1	-	4	243
35 - 39	8	13	18	15	8	7	1	3	-	3	-	1	-	77
40 or more	1	3	5	1	3	1	1	-	-	2	-	2	1	20
Not stated	-	-	1	2	-	-	-	-	-	-	-	-	5	11
All ages	327	284	231	108	51	33	18	8	-	6	3	-	17	1,089

TABLE 5. PERINATAL DEATHS, N.S.W. : PLURALITY, NUMBER AND RATE, 1983

Plurality	Births		Perinatal deaths			Rate (a)		
	Live births	All births	Fetal deaths	Neonatal deaths	Total	Fetal deaths	Neonatal deaths	Perinatal deaths
Single	81,028	81,563	535	447	982	6.56	5.52	12.04
Twins	1,683	1,734	51	53	104	29.41	31.49	59.98
Other plural births	28	28	-	3	3	-	107.14	107.14
Total	82,739	83,325	586	503	1,089	7.03	6.08	13.07

(a) Number of fetal deaths and perinatal deaths per 1,000 live births and fetal deaths combined of that plurality; and number of neonatal deaths per 1,000 live births of that plurality.

TABLE 6. PERINATAL DEATHS OF ABORIGINALS AND NON-ABORIGINALS, SYDNEY STATISTICAL DIVISION AND REMAINDER OF STATE, 1983

Racial origin	Neonatal deaths		Fetal deaths		Perinatal deaths		Total, New South Wales
	Sydney Statistical Division	Remainder of state	Sydney Statistical Division	Remainder of state	Sydney Statistical Division	Remainder of state	
Aboriginal	2	8	1	14	3	22	25
Non-Aboriginal	323	170	373	198	696	368	1,064
Total	325	178	374	212	699	390	1,089

TABLE 7. PERINATAL DEATHS : ATTENDANT AT BIRTH (a), N.S.W., 1983

Attendant at birth	Current delivery resulting in -		
	Neonatal death	Fetal death	Perinatal death
Specialist obstetrician	363	397	760
Other physician	70	111	181
Trained midwife	42	64	106
Other trained person	2	-	2
Other	3	3	6
Not stated or unknown	23	11	34
Total	503	586	1,089

(a) Where more than one attendant was present, the category of attendant selected was the highest in the order as shown above (which is as it appears in Question 9 of the Medical Certificate of Cause of Perinatal Death - see Appendix B).

TABLE 8. MATERNITIES (a) RESULTING IN A PERINATAL DEATH : OUTCOME OF CURRENT MATERNITY BY OUTCOME OF PREVIOUS PREGNANCIES, N.S.W., 1983

Previous pregnancies resulting in -	Current maternity (a) resulting in -					Total
	Live birth (b) and neonatal death only	Neonatal death(s) only	Neonatal death and fetal death	Live birth (b) and fetal death only	Fetal death(s) only	
Live births only	3	168	-	13	208	392
Fetal deaths only	-	4	-	-	3	7
Abortions only	2	49	-	1	45	97
Live births and fetal deaths and/or abortions	3	97	2	1	111	214
Fetal deaths and abortions only	-	3	-	-	5	8
Not stated	1	12	-	-	4	17
Not applicable	6	133	-	10	171	320
Total	15	466	2	25	547	1,055

(a) The term 'maternities' is used here to represent the number of mothers who were delivered of live birth(s) and/or a fetal death(s). (The term 'confinement' which was formerly used in this table now excludes pregnancies resulting in a fetal death only.) (b) Excludes 'neonatal deaths'.

TABLE 9. FETAL DEATHS, NEONATAL DEATHS, AND PERINATAL DEATHS IN MUNICIPALITIES AND SHIRES OF N.S.W., 1983 : GROUPED IN STATISTICAL AREAS (a)

(Figures contained in this table relate to local government areas as defined at 1 January 1983)

Municipality (M.) or Shire (S.)	Fetal deaths	Neonatal deaths	Perinatal deaths	Municipality (M.) or Shire (S.)	Fetal deaths	Neonatal deaths	Perinatal deaths
SYDNEY STATISTICAL DIVISION				HUNTER STATISTICAL DIVISION			
Central Sydney Subdivision -				Newcastle Statistical District -			
Leichhardt M.	3	4	9	Gosnock, Greater M. (City)	7	5	12
Marrickville M.	12	10	22	(part) (b)	13	12	25
Randwick M.	9	7	16	Lake Macquarie M.	3	4	7
Sydney M. (City)	6	12	18	Maitland M. (City)	9	14	23
Maverley M.	2	4	6	Newcastle M. (City)	7	2	9
Moolahra M.	5	5	10	Port Stephens S.			
Total, Central Sydney Subdivision	39	42	81	Total, Newcastle Statistical District	39	37	76
Inner Western Sydney Subdivision -				Balance of Hunter Statistical Division -			
Ashfield M.	2	1	3	Gosnock, Greater M. (City)			
Burwood M.	5	3	8	(part) (b)			
Concord M.	3	-	3	Dungog S.	1	1	1
Drumoyne M.	2	2	4	Gloucester S.	2	1	3
Strathfield M.	2	3	5	Great Lakes S.			
Total, Inner Western Sydney Subdivision	14	9	23	Marrilee S.			
Southern Sydney Subdivision -				Murrumbidgee S.			
Banksstown M. (City)	11	16	27	Muswellbrook S.			
Batany M.	4	5	9	Scone S.			
Canterbury M.	21	5	26	Singtel S.	1	3	4
Hurstville M.	7	9	12	Total, Balance of Hunter Statistical Division	4	9	13
Kogarah M.	6	6	12	Total, Hunter	43	46	89
Rockdale M.	8	8	16				
Sutherland S.	12	15	27	ILLAWARRA STATISTICAL DIVISION			
Total, Southern Sydney Subdivision	69	60	129				
South Western Sydney Subdivision -				Wollongong Statistical District -			
Camden M.	1	1	2	Kemps M.	1	-	1
Campbelltown M. (City)	23	18	41	Shellharbour M.	4	7	11
Liverpool M. (City)	17	15	32	Wollongong M. (City)	18	13	31
Mollondilly S.	2	5	7	Total, Wollongong Statistical District	23	20	43
Total, South Western Sydney Subdivision	43	39	82	Balance of Illawarra Statistical Division -			
Western Sydney Subdivision -				Shoalhaven M. (City)	3	7	10
Auburn M.	10	12	22	Wingecarribee S.	3	3	6
Baulkham Hills S.	10	5	15	Total, Balance of Illawarra Statistical Division	6	10	16
Blacktown M. (City)	28	22	50	Total, Illawarra	29	30	59
Blue Mountains M. (City)	11	4	15				
Fairfield M. (City)	21	14	35	RICHMOND-TWEED STATISTICAL DIVISION			
Hawkesbury S.	6	4	10				
Halroyd M.	12	9	21	Gold Coast Statistical District			
Parramatta M. (City)	15	18	33	(part in N.S.W.) -			
Parrish M. (City)	22	15	37	Tweed S. (part) (c)	5	1	6
Total, Western Sydney Subdivision	135	103	238	Total, Gold Coast Statistical District (part in N.S.W.)	5	1	6
Northern Sydney Subdivision -				Balance of Richmond-Tweed Statistical Division -			
Horsey S.	12	11	23	Ballina S.	3	1	4
Hunter's Hill M.	-	2	2	Byron S.	2	4	6
Ku-ring-gai M.	4	2	6	Casino M.	1	-	1
Lane Cove M.	6	4	10	Kyogle S.	2	-	2
Manly M.	1	2	3	Lismore M. (City)	4	2	6
Rusden M.	2	3	5	Richmond River S.	-	1	1
North Sydney M.	2	8	10	Tweed S. (part) (c)	1	1	2
Ryde M.	12	6	18	Total, Balance of Richmond-Tweed Statistical Division	13	9	22
Warrington M.	11	13	24				
Willoughby M.	6	7	13	Total, Richmond-Tweed	18	10	28
Total, Northern Sydney Subdivision	56	58	114				
Gosford-Wyong Subdivision -							
Gosford M. (City)	9	7	16				
Wyong S.	9	7	16				
Total, Gosford-Wyong Subdivision	18	14	32				
Total, Sydney	374	325	699				

(a) See Explanatory Notes B and G. (b) The City of Greater Gosnock is divided between Newcastle Statistical District and Balance of Hunter Statistical Division. (c) Tweed Shire is divided between Gold Coast Statistical District (part in N.S.W.) and Balance of Richmond-Tweed Statistical Division.

TABLE 9. FETAL DEATHS, NEONATAL DEATHS, AND PERINATAL DEATHS IN MUNICIPALITIES AND SHIRES OF N.S.W., 1983 : GROUPED IN STATISTICAL AREAS (a) (continued)

(Figures contained in this table relate to local government areas as defined at 1 January 1983)

Municipality (M.) or Shire (S.)	Fetal deaths	Neonatal deaths	Perinatal deaths	Municipality (M.) or Shire (S.)	Fetal deaths	Neonatal deaths	Perinatal deaths
MID-NORTH COAST STATISTICAL DIVISION				NORTH-WESTERN STATISTICAL DIVISION			
Clarence Subdivision -				Central Macquarie Subdivision -			
Bellingen S.	1	1	2	Coah S.	-	-	-
Coff's Harbour S.	2	2	7	Combarabarra S.	2	-	2
Connahurst S.	-	3	3	Dubbo M. (City)	4	3	7
Grafton M. (City)	-	2	2	Gilgandra S.	1	-	1
Maclean S.	-	2	2	Mudgee S.	2	-	2
Nambucca S.	2	-	2	Narrandine S.	1	-	1
Nymbold S.	1	1	2	Wellington S.	3	-	3
Ulmara S.	-	-	-	Total, Central Macquarie Subdivision	13	3	16
Total, Clarence Subdivision	9	11	20	Macquarie-Barwon Subdivision -			
Hastings Subdivision -				Rogan S.	-	-	-
Hastings M.	3	1	4	Counable S.	2	1	3
Kempsey S.	-	7	7	Walgett S.	1	1	2
Greater Taree M. (City)	3	4	7	Warren S.	2	-	2
Total, Hastings Subdivision	6	12	18	Total, Macquarie-Barwon Subdivision	5	2	7
Total, Mid-North Coast	15	23	38				
NORTHERN STATISTICAL DIVISION				Upper Darling Subdivision -			
Tamworth Statistical District -				Bourke S.	1	2	3
Tamworth M. (City)	4	8	12	Brewarrina S.	2	-	2
Total, Tamworth Statistical District	4	8	12	Cobar S.	-	-	-
Balance of Northern Slopes Subdivision -				Total, Upper Darling Subdivision	3	2	5
Barraba S.	-	-	-	Total, North-Western	21	7	28
Bingara S.	-	-	-				
Gunnedah S.	3	3	6	CENTRAL WEST STATISTICAL DIVISION			
Inverell S. (part) (b)	-	-	-				
Manilla S.	1	1	2	Bathurst-Orange Statistical District -			
Mundle S.	1	1	2	Bathurst M. (City)	1	4	5
Perry S.	1	2	3	Blayney S. (part) (c)	-	-	-
Quirindi S.	-	-	-	Cabonne S. (part) (d)	-	-	-
Yalland S.	-	1	1	Evans S. (part) (c)	-	-	-
Total, Balance of Northern Slopes Subdivision	6	8	14	Orange M. (City)	2	5	7
Northern Tablelands Subdivision -				Total, Bathurst-Orange Statistical District	3	9	12
Armidale M. (City)	6	1	7	Balance of Central Tablelands Subdivision -			
Dumaresq S.	-	-	-	Blayney S. (part) (c)	-	-	-
Glen Innes M.	-	-	-	Cabonne S. (part) (d)	-	-	-
Gyngie S.	-	-	-	Evans S. (part) (c)	1	-	1
Inverell S. (part) (b)	3	1	4	Lithgow, Greater M. (City)	3	1	4
Seymour S.	-	-	-	Oberon S.	-	1	1
Tenterfield S.	1	-	1	Rylstone S.	1	-	1
Uralia S.	1	-	1	Total, Balance of Central Tablelands Subdivision	5	2	7
Welch S.	-	-	-				
Total, Northern Tablelands Slopes Subdivision	11	2	13	Lachlan Subdivision -			
North Central Plain Subdivision -				Blair S.	-	-	-
Moree Plains S.	3	3	6	Cabonne S. (part) (d)	-	3	3
Narrabri S.	1	3	4	Covera S.	1	-	1
Total, North Central Plain Subdivision	4	6	10	Forbes S.	3	2	5
Total, Northern	25	24	49	Lachlan S.	1	-	1
				Parkes S.	3	-	3
				Wodden S.	-	-	-
				Total, Lachlan Subdivision	10	5	15
				Total, Central West	18	16	34

(a) See Explanatory Notes B and G. (b) Inverell Shire is divided between Northern Tablelands and Balance of Northern Slopes Subdivisions. (c) Blayney and Evans Shires are divided between Bathurst-Orange Statistical District and Balance of Central Tablelands Subdivision. (d) Cabonne Shire is divided between Bathurst-Orange Statistical District, Balance of Central Tablelands Subdivision, and Lachlan Subdivision.

TABLE 9. FETAL DEATHS, NEONATAL DEATHS, AND PERINATAL DEATHS IN MUNICIPALITIES AND SHIRES OF N.S.W., 1983 : GROUPED IN STATISTICAL AREAS (a) (Continued)

(Figures contained in this table relate to local government areas as defined at 1 January 1983)

Municipality (M.) or Shire (S.)	Fetal deaths	Neonatal deaths	Perinatal deaths	Municipality (M.) or Shire (S.)	Fetal deaths	Neonatal deaths	Perinatal deaths
SOUTH-EASTERN STATISTICAL DIVISION				MURRAY STATISTICAL DIVISION			
Canberra Statistical District (part in N.S.W.) - Queenbeyan M. (City)	1	-	1	Albury-Mongone Statistical District (part in N.S.W.) - Albury M. (City)	6	2	8
Total, Canberra Statistical District (part in N.S.W.)	1	-	1	Hume S.	1	-	1
Balance of Southern Tablelands Subdivision -				Total, Albury-Mongone Statistical District (part in N.S.W.)	7	2	9
Bocrow S.	-	-	-	Balance of Upper Murray Subdivision -			
Cockswell S.	-	1	1	Corowa S.	-	-	-
Goulburn M. (City)	1	1	2	Culcairn S.	-	-	-
Gunning S.	1	-	-	Holbrook S.	-	-	-
Harden S.	-	-	-	Tumbarumba S.	2	1	3
Mulwren S.	-	1	1	Urana S.	1	-	1
Tallaganda S.	-	-	-	Total, Balance of Upper Murray Subdivision	3	1	4
Yarrowalla S.	-	-	-	Central Murray Subdivision -			
Yass S.	-	1	1	Berrigan S.	1	-	1
Young S.	2	1	3	Corrump S.	-	-	-
Total, Balance of Southern Tablelands Subdivision	4	5	9	Darlington M.	2	-	2
Lower South Coast Subdivision -				Jerrilder M.	-	-	-
Bea Valley S.	1	-	1	Murray S.	1	-	1
Eurobodalla S.	1	-	1	Wakool S.	-	-	-
Total, Lower South Coast Subdivision	2	-	2	Windouran S.	-	-	-
Snowy Subdivision -				Total, Central Murray Subdivision	4	-	4
Bombala S.	-	-	-	Murray-Darling Subdivision -			
Cooma-Monaro S.	-	1	1	Bairnsdale S.	-	-	-
Snowy River S.	-	-	-	Wentworth S.	-	-	-
Total, Snowy Subdivision	-	1	1	Total, Murray-Darling Subdivision	-	-	-
Total, South-Eastern	7	6	13	Total, Murray	14	3	17
MURRUMBIDGE STATISTICAL DIVISION				FAR WEST STATISTICAL DIVISION			
Wagga Wagga Statistical District - Wagga Wagga M. (City)	10	5	15	Broken Hill Statistical District - Broken Hill M. (City)	1	3	2
Total, Wagga Wagga Statistical District	10	5	15	Total, Broken Hill Statistical District	1	3	2
Balance of Central Murrumbidgee Subdivision -				Balance of Far West Statistical Division -			
Coolamon S.	1	-	1	Central Darling S.	1	-	1
Coonamundra S.	-	-	-	Unincorporated	-	-	-
Gundagai S.	2	1	3	Total, Balance of Far West Statistical Division	1	-	1
Junee S.	-	-	-	Total, Far West	2	1	3
Lockhart S.	-	1	1	LORD HOWE ISLAND			
Narrandera S.	3	1	4	Lord Howe Island	-	-	-
Temora S.	2	1	3	NEW SOUTH WALES			
Total, Balance of Central Murrumbidgee Subdivision	8	4	12	Total, New South Wales	586	503	1,089
Lower Murrumbidgee Subdivision -							
Cannathool S.	-	-	-				
Griffith S.	2	-	2				
Hay S.	-	-	-				
Lueban S.	-	3	3				
Murrumbidgee S.	-	-	-				
Total, Lower Murrumbidgee	2	3	5				
Total, Murrumbidgee	20	12	32				

(a) See Explanatory Notes 8 and 9.

TABLE 10. FETAL DEATHS, NEONATAL DEATHS, AND PERINATAL DEATHS: CAUSE OF DEATH(a), N.S.W., 1983

Code number	Cause of death (a)	Fetal deaths	Neonatal deaths	Perinatal deaths
	Slow fetal growth, fetal malnutrition and immaturity -			
B1	Slow fetal growth and fetal malnutrition	13	5	18
B2	Extreme immaturity	36	75	111
B3	Other preterm infants	5	-	5
	Birth trauma -			
B4	Birth injury to brain, spine or spinal cord	1	5	6
B5	Other birth injury	-	1	1
	Hypoxia, birth asphyxia and other respiratory conditions -			
B6	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time	202	-	202
B7	Fetal death from asphyxia or anoxia during labour	43	-	43
B8	Fetal distress or birth asphyxia in liveborn infant	-	20	20
B9	Respiratory distress syndrome	-	33	33
B10	Congenital pneumonia	5	4	9
B11	Massive aspiration syndrome	1	6	7
B12	Interstitial emphysema and related conditions	-	-	-
B13	Pulmonary haemorrhage	2	2	4
B14	Atelectasis	6	33	39
B15	Other respiratory conditions of fetus and newborn	-	18	18
	Fetal and neonatal haemorrhage -			
B16	Fetal blood loss	5	1	6
B17	Intraventricular haemorrhage	-	39	39
B18	Subarachnoid haemorrhage	3	3	6
B19	Other fetal and neonatal haemorrhage	2	2	4
	Haemolytic disease of fetus or newborn -			
B20	Haemolytic disease due to Rh isoimmunization	2	-	2
B21	Haemolytic disease due to other and unspecified isoimmunization	8	5	13
	Other conditions originating in the perinatal period -			
B22	Disorders relating to long gestation and high birthweight	1	-	1
B23	Infections specific to the perinatal period	7	24	31
B24	Perinatal jaundice not due to isoimmunization	-	-	-
B25	Endocrine and metabolic disturbances specific to the fetus and newborn	4	1	5

(a) Classified according to main disease or condition in fetus or infant, see Explanatory Note 5.

TABLE 10. FETAL DEATHS, NEONATAL DEATHS, AND PERINATAL DEATHS :
CAUSE OF DEATH(a), N.S.W., 1983 (continued)

Code number	Cause of death (a)	Fetal deaths	Neonatal deaths	Perinatal deaths
	Other conditions originating in the perinatal period (continued) -			
B26	Haematological disorders of fetus and newborn	1	2	3
B27	Perinatal disorders of digestive system	1	9	10
B28	Hydrops fetalis not due to isoimmunization	5	4	9
B29	Other conditions involving the integument and temperature regulation of fetus and newborn	1	-	1
B30	Other and ill-defined conditions originating in the perinatal period	145	11	156
	Congenital anomalies -			
B31	Anencephalus and similar anomalies	20	7	27
B32	Spina bifida	8	8	16
B33	Congenital hydrocephalus	13	5	18
B34	Other deformities of central nervous system	3	5	8
B35	Congenital anomalies of heart and circulatory system	8	60	68
B36	Congenital anomalies of respiratory system	-	22	22
B37	Congenital anomalies of digestive system	2	3	5
B38	Congenital anomalies of genital organs and urinary system	4	14	18
B39	Congenital anomalies of musculoskeletal system and limbs	3	14	17
B40	Chromosomal anomalies	2	22	24
B41	Other and unspecified congenital anomalies	21	14	35
	Infectious and parasitic diseases -			
B42	Intestinal infectious diseases	-	-	-
B43	Septicaemia	-	-	-
B44	Viral diseases	-	-	-
B45	Congenital syphilis	1	1	2
B46	Other infectious and parasitic diseases	-	-	-
	All other causes -			
B47	Pneumonia, other than congenital	-	4	4
B48	Other specified conditions	2	8	10
B49	Symptoms, signs and ill-defined conditions	-	13	13
B50	External causes of injury to newborn	-	-	-
	ALL CAUSES	586	503	1,089

(a) Classified according to main disease or condition in fetus or infant, see Explanatory Note 5.

TABLE 11. NEONATAL DEATHS (a) : CAUSE OF DEATH (b) BY AGE AT DEATH, N.S.W., 1983

Code number	Cause of death (b)	Age at death																	Total
		Under 1 hour	Hours					Total, under 1 day	Days						Total, under 1 week	Weeks			
			1	2	3-5	6-11	12-23		1	2	3	4	5	6		1	2	3	
B1-B3	Slow fetal growth, fetal malnutrition and immaturity -	42	15	5	4	4	5	75	2	1	1	-	-	-	79	-	-	1	80
B2	Extreme immaturity	41	15	5	4	3	5	73	1	-	-	-	-	-	74	-	-	1	75
B4-B5	Birth trauma -	1	1	-	-	-	-	2	1	3	-	-	-	-	6	-	-	-	6
B6-B15	Hypoxia, birth asphyxia and other respiratory conditions -	25	13	3	9	16	18	(c)85	16	6	1	4	-	1	113	2	1	-	116
B8	Fetal distress or birth asphyxia in liveborn infant	9	1	-	2	-	1	13	2	2	1	1	-	-	19	1	-	-	20
B9	Respiratory distress syndrome	-	1	1	3	7	11	23	8	-	-	1	-	-	32	-	1	-	33
B14	Atelectasis	12	8	1	3	6	2	32	1	-	-	-	-	-	33	-	-	-	33
B16-B19	Fetal and neonatal haemorrhage	2	-	-	2	4	5	13	9	6	1	-	5	1	35	10	-	-	45
B17	Intraventricular haemorrhage	1	-	-	1	2	4	8	8	6	1	-	5	1	29	10	-	-	39
B20,B21	Haemolytic disease of fetus or newborn -	2	-	-	1	1	1	5	-	-	-	-	-	-	5	-	-	-	5
B22-B30	Other conditions origination in the perinatal period -	5	3	1	3	3	4	19	1	4	4	2	3	3	36	8	7	-	51
B23	Infections specific to the perinatal period	1	1	-	2	2	2	8	-	3	3	1	1	1	17	3	4	-	24
B31-B41	Congenital anomalies -	25	16	5	13	15	9	(c)84	11	13	13	7	6	6	140	17	11	6	174
B35	Congenital anomalies of heart and circulatory system	1	1	-	-	2	4	(c)9	4	10	12	4	1	5	45	9	3	3	60
B36	Congenital anomalies of respiratory system	2	2	2	2	5	2	15	3	-	1	-	-	-	19	-	2	1	22
B40	Chromosomal anomalies	2	2	-	2	3	1	10	1	1	-	1	2	1	16	-	5	1	22
B42-B50	All other causes	-	-	1	-	1	-	2	1	-	2	1	-	1	7	5	7	7	26
ALL CAUSES		102	48	15	32	44	42	(d)285	41	33	22	14	14	12	421	42	26	14	503

(a) Children born alive (i.e. those whose heart beat after complete expulsion or extraction from the mother) who died within 28 days of birth.
 (b) Classified according to main disease or condition in infant, see Explanatory Note 5. (c) Includes one case stated as 'hours' without further specification. (d) Includes two cases stated as 'hours' without further specification.

TABLE 12. PERINATAL DEATHS : CAUSE OF DEATH (a) BY AGE GROUP OF MOTHER AND SEX OF CHILD, N.S.W., 1983

Code Number	Cause of death (a)	Age group of mother (years)							Total		
		Under 20	20-24	25-29	30-34	35-39	40 or more	Not Stated	Males	Females	Persons
B1-B3	Slow fetal growth, fetal malnutrition and immaturity -										
B2	Extreme immaturity	14	34	40	30	15	1	-	72	62	134
		12	27	32	26	13	1	-	58	53	111
B4-B5	Birth trauma -	1	2	3	1	-	-	-	5	2	7
B6-B15	Hypoxia, birth asphyxia and other respiratory conditions -	27	90	129	91	30	7	1	198	177	375
B6	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time	19	40	73	49	15	6	-	101	101	202
B7	Fetal death from asphyxia or anoxia during labour	2	13	15	8	5	-	-	23	20	43
B9	Respiratory distress syndrome	2	8	11	9	2	-	1	22	11	33
B14	Atelectasis	1	12	11	12	3	-	-	22	17	39
B16-B19	Fetal and neonatal haemorrhage -	3	15	23	14	-	-	-	36	19	55
B17	Intraventricular haemorrhage	3	12	16	8	-	-	-	26	13	39
B20,B21	Haemolytic disease of fetus or newborn -	1	5	4	4	1	-	-	10	5	15
B22-B30	Other conditions originating in the perinatal period -	16	60	77	45	10	5	3	121	95	216
B31-B41	Congenital anomalies -	17	80	79	52	20	7	3	129	129	258
B31	Anencephalus and similar anomalies	4	6	9	5	3	-	-	6	21	27
B35	Congenital anomalies of heart and circulatory system	4	23	16	16	4	2	3	32	36	68
B36	Congenital anomalies of respiratory system	3	8	5	5	-	1	-	11	11	22
B40	Chromosomal anomalies	1	7	3	5	6	2	-	8	16	24
B42-B50	All other causes	6	8	7	6	1	-	1	19	10	29
ALL CAUSES		85	294	362	243	77	20	8	590	499	1,089

(a) Classified according to main disease or condition in infant, see Explanatory Note 5.

TABLE 13. PERINATAL DEATHS : CAUSE OF DEATH (a) BY PERIOD OF GESTATION AND SEX, N.S.W., 1983

Code number	Cause of death (a)	Period of gestation (weeks)						Total			
		Under 22	22-27	28-31	32-36	37-41	42 or more	Not stated	Males	Females	Persons
B1-B3	Slow fetal growth, fetal malnutrition and immaturity -	20	91	8	10	5	-	-	72	62	134
B2	Extreme immaturity	20	89	-	2	-	-	-	58	53	111
B4-B5	Birth trauma -	-	2	-	-	5	-	-	5	2	7
B6-B15	Hypoxia, birth asphyxia and other respiratory conditions -	13	99	55	70	130	7	1	198	177	375
B6	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time	3	24	29	56	86	4	-	101	101	202
B7	Fetal death from asphyxia or anoxia during labour	2	14	4	3	20	-	-	23	20	43
B9	Respiratory distress syndrome	-	16	14	2	-	-	1	22	11	33
B14	Atelectasis	6	26	4	2	1	-	-	22	17	39
B16-B19	Fetal and neonatal haemorrhage -	-	27	14	7	7	-	-	36	19	55
B17	Intraventricular haemorrhage	-	23	12	4	-	-	-	26	13	39
B20,B21	Haemolytic disease of fetus or newborn -	1	2	6	4	2	-	-	10	5	15
B22-B30	Other conditions originating in the perinatal period -	4	59	28	56	62	3	4	121	95	216
B31-B41	Congenital anomalies -	2	28	20	69	130	4	5	129	129	258
B31	Anencephalus and similar anomalies	-	5	5	10	7	-	-	6	21	27
B35	Congenital anomalies of heart and circulatory system	-	4	1	3	55	1	4	32	36	68
B36	Congenital anomalies of respiratory system	-	3	1	9	8	1	-	11	11	22
B40	Chromosomal anomalies	1	2	1	8	11	1	-	8	16	24
B42-B50	All other causes	-	2	2	8	9	1	5	18	9	27
ALL CAUSES		40	311	133	225	350	15	15	590	499	1,089

(a) Classified according to main disease or condition in Infant, see Explanatory Note 5.

TABLE 14. PERINATAL DEATHS : CAUSE OF DEATH (a) BY MAIN MATERNAL DISEASE OR CONDITION AFFECTING FETUS OR INFANT, N.S.W., 1983

		Main maternal disease or condition					
		Fetus or Infant affected by -					
Code number	Cause of death (a)	Maternal conditions which may be unrelated to present pregnancy	Maternal complications of pregnancy	Complications of placenta, cord and membranes	Other complications of labour and delivery	No maternal condition reported	Total
B1-B3	Slow fetal growth, fetal malnutrition and Immaturity -	11	70	45	6	2	134
B2	Extreme Immaturity	3	66	38	4	-	111
B4-B5	Birth trauma -	1	1	1	3	1	7
B6-B15	Hypoxia, birth asphyxia and other respiratory conditions -	31	83	170	23	68	375
B6	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time	20	10	118	-	54	202
B7	Fetal death from asphyxia or anoxia during labour	5	3	26	8	1	43
B9	Respiratory distress syndrome	2	21	5	4	1	33
B14	Atelectasis	-	30	8	-	1	39
B16-B19	Fetal and neonatal haemorrhage -	3	22	16	7	7	55
B17	Intraventricular haemorrhage	3	20	11	3	2	39
B20,B21	Haemolytic disease of fetus or newborn -	1	1	3	3	7	15
B22-B30	Other conditions originating in the perinatal period -	23	35	80	11	67	216
B31-B41	Congenital anomalies -	13	58	14	58	115	258
B31	Anencephalus and similar anomalies	1	13	-	6	7	27
B35	Congenital anomalies of heart and circulatory system	2	3	4	10	49	68
B36	Congenital anomalies of respiratory system	2	9	1	4	6	22
B40	Chromosomal anomalies	1	8	-	5	10	24
B42-B50	All other causes	2	4	1	4	18	29
ALL CAUSES		85	274	330	115	285	1,089

(a) Classified according to the main disease or condition in fetus or infant, see Explanatory Note 5.

TABLE 15. PERINATAL DEATHS : MAIN MATERNAL DISEASE OR CONDITION (a) BY AGE GROUP OF MOTHER AND SEX OF CHILD, N.S.W., 1983

Code number	Cause of death (a)	Age group of mother (years)														Total		
		Under 20		20-24		25-29		30-34		35-39		40 or more		Not stated		Males	Females	Persons
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
Maternal conditions which may be unrelated to present pregnancy -																		
M1	Maternal hypertensive disorders	4	3	9	9	8	10	8	4	3	1	-	2	-	-	32	29	61
M2	Maternal renal and urinary tract diseases	-	-	2	-	1	3	-	-	-	-	-	-	-	-	3	3	6
M3	Maternal infections																	
M4	Other maternal conditions	2	2	4	1	3	1	-	1	2	1	1	-	-	-	12	6	18
Maternal complications of pregnancy -																		
M5	Incompetent cervix	-	3	1	3	5	5	4	2	-	2	2	-	-	-	12	15	27
M6	Premature rupture of membranes	-	-	8	3	5	9	10	1	-	4	1	1	-	-	24	18	42
M7	Polyhydramnios	3	-	2	3	5	5	3	5	-	1	-	-	-	-	13	14	27
M8	Multiple pregnancy	2	1	3	5	5	2	1	-	-	-	-	2	-	-	11	10	21
M9	Other maternal complications of pregnancy	5	5	26	24	23	30	19	14	4	3	2	1	1	-	80	77	157
Complications of placenta, cord and membranes -																		
M10	Placenta praevia	2	-	4	1	2	2	2	-	1	1	-	-	-	-	11	4	15
M11	Other placental separation and haemorrhage	6	8	23	10	22	12	23	20	6	3	-	-	-	-	80	53	133
M12	Other and unspecified morphological and functional abnormalities of placenta	4	1	6	10	17	17	5	4	-	2	-	1	-	-	32	35	67
M13	Prolapsed cord	-	-	3	-	3	2	1	1	1	-	-	-	-	-	8	3	11
M14	Other compression of umbilical cord	3	2	7	4	19	8	8	4	3	1	2	1	-	-	42	20	62
M15	Other complications of placenta, cord and membranes	1	1	4	3	5	10	5	9	2	2	-	-	-	-	17	25	42
Other complications of labour and delivery -																		
M16	Breech delivery and extraction	-	1	8	5	9	2	7	3	3	-	-	-	-	-	27	11	38
M17	Other malpresentation, malposition and disproportion during labour and delivery	-	1	3	1	-	1	1	-	1	-	-	-	-	-	5	3	8
M18	Other complications of labour and delivery	2	3	8	8	8	14	10	7	6	3	-	-	-	-	34	35	69
No maternal condition reported																		
		9	11	44	39	53	36	32	29	5	16	2	2	2	5	147	138	285
ALL CAUSES																		
		43	42	165	129	193	169	139	104	37	40	10	10	3	5	590	499	1,089

(a) Classified according to the main maternal disease or condition affecting fetus or infant, see Explanatory Note 5.

TABLE 16. PERINATAL DEATHS : CAUSE OF DEATH (a) BY TIME OF CESSATION OF HEART-BEAT, N.S.W., 1983

Code number	Cause of death (a)	Heart-beat ceased										Total
		Before labour commenced					Total	During labour	Before delivery, but unknown if before or during labour	Unknown if before or after delivery (b)	After delivery	
		Time dead in utero										
		Under 1 day	1 to 6 days	1 to 3 weeks	4 weeks or more	Not stated						
M1-M4	Maternal conditions which may be unrelated to present pregnancy -	15	23	2	1	1	42	9	1	-	11	63
M1	Maternal hypertensive disorders	13	21	2	-	1	37	6	1	-	6	50
M5-M9	Maternal complications of pregnancy -	4	7	1	1	2	15	20	8	5	92	140
M5	Incompetent cervix	1	-	-	-	-	1	10	-	1	22	34
M6	Premature rupture of membranes	2	3	-	-	-	5	4	-	1	24	34
M8	Multiple pregnancy	-	1	1	1	2	5	3	7	2	18	35
M10-M15	Complications of placenta, cord and membranes -	41	107	24	3	5	180	58	11	1	64	314
M10	Placenta praevia	1	2	-	-	-	3	5	-	-	4	12
M11	Other placental separation and haemorrhage	22	22	4	-	3	51	25	6	-	35	117
M12	Other and unspecified morphological and functional abnormalities of placenta	3	43	10	1	1	58	4	1	-	2	65
M13	Prolapsed cord	1	3	-	-	-	4	5	1	-	4	14
M14	Other compression of umbilical cord	8	30	7	2	1	48	8	1	1	2	60
M15	Other complications of placenta, cord and membranes	6	7	3	-	-	16	11	2	-	17	46
M16-M18	Other complications of labour and delivery -	-	-	-	-	-	-	13	-	1	13	27
B1-B3	Slow fetal growth, fetal malnutrition and immaturity -	-	-	2	-	-	2	-	-	-	1	3
B4,B5	Birth trauma -	-	-	-	-	-	-	-	-	-	1	1
B6-B15	Hypoxia, birth asphyxia and other respiratory conditions -	9	26	8	4	2	49	2	7	1	36	95
B6	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time	8	26	8	4	2	48	-	7	-	-	55

(a) Classified according to underlying cause of death, see Explanatory Note 5. (b) Baby did not breathe after delivery.

TABLE 16. PERINATAL DEATHS : CAUSE OF DEATH (a) BY TIME OF CESSATION OF HEART-BEAT, N.S.W., 1983 (continued)

Code number	Cause of death (a)	Heart-beat ceased										Total
		Before labour commenced					During labour	Before delivery, but unknown if before or during labour	Unknown if before or after delivery (b)	After delivery		
		Time dead in utero										
		Under 1 day	1 to 6 days	1 to 3 weeks	4 weeks or more	Not stated						
B16-B19	Fetal and neonatal haemorrhage -	2	2	1	-	-	5	3	-	-	41	49
B17	Intraventricular haemorrhage	-	-	-	-	-	-	-	-	-	37	37
B20,B21	Haemolytic disease of fetus or newborn -	-	6	-	-	-	6	1	-	-	7	14
B22-B30	Other conditions originating in the perinatal period -	4	26	15	1	1	47	4	3	5	38	97
B23	Infections specific to the perinatal period	-	-	-	-	-	-	-	-	-	15	15
B31-B41	Congenital anomalies -	5	26	4	2	2	39	40	4	1	174	258
B31	Anencephalus and similar anomalies	2	1	-	-	-	3	16	-	1	7	27
B32	Spina bifida	2	1	-	-	-	3	4	1	-	8	16
B33	Congenital hydrocephalus	-	5	-	-	1	6	6	1	-	5	18
B34	Other deformities of central nervous system	-	1	-	1	-	2	1	-	-	5	8
B35	Congenital anomalies of heart and circulatory system	-	4	1	-	-	5	2	1	-	59	67
B36	Congenital anomalies of respiratory system	-	-	-	-	-	-	-	-	-	20	20
B37	Congenital anomalies of digestive system	-	1	-	-	-	1	1	-	-	4	6
B38	Congenital anomalies of genital organs and urinary system	-	1	-	-	-	1	2	1	-	14	18
B39	Congenital anomalies of musculoskeletal system and limbs	-	2	-	-	-	2	1	-	-	17	20
B40	Chromosomal anomalies	-	2	-	-	-	2	-	-	-	21	23
B41	Other and unspecified congenital anomalies	1	8	3	1	1	14	7	-	-	14	35
B42-B50	All other causes	-	2	-	-	1	3	-	-	-	25	28
ALL CAUSES		80	225	57	12	14	388	150	34	14	503	1,089

(a) Classified according to underlying cause of death, see Explanatory Note 5. (b) Baby did not breathe after delivery.

TABLE 17. PERINATAL DEATHS : CAUSE OF DEATH (ABBREVIATED) (a) BY WEIGHT AT BIRTH, NUMBER AND RATE (b), N.S.W., 1983

Cause of Death	Weight at birth (grams)										Total (c)	
	Less than 500	500-999	1,000-1,499	1,500-1,999	2,000-2,499	2,500-2,999	3,000-3,499	3,500-3,999	4,000-4,499	4,500-4,999		5,000 or more
NUMBER												
Maternal conditions which may be unrelated to present pregnancy	6	19	10	9	9	5	4	-	-	-	1	63
Maternal complications of pregnancy	28	76	11	5	9	2	2	3	-	1	1	140
Complications of placenta, cord and membranes	35	98	26	31	31	30	42	13	4	2	-	314
Other complications of labour and delivery	1	10	2	1	1	2	4	2	2	2	-	27
Slow fetal growth, fetal malnutrition and immaturity	1	-	2	-	-	-	-	-	-	-	-	3
Birth trauma	-	-	-	-	-	1	-	-	-	-	-	1
Hypoxia, birth asphyxia and other respiratory conditions	7	17	10	9	4	11	17	11	6	-	-	95
Fetal and neonatal haemorrhage	3	23	13	2	2	-	2	3	-	-	-	49
Haemolytic disease of fetus or newborn	-	3	4	2	3	1	-	1	-	-	-	14
Other conditions originating in the perinatal period	6	21	6	12	9	15	7	13	2	1	-	97
Congenital anomalies	14	25	26	33	41	41	46	17	9	-	-	258
Infectious and parasitic diseases	-	-	1	1	-	-	-	-	-	-	-	2
All other causes	-	2	-	-	1	5	9	5	-	-	1	26
All causes	101	294	111	105	110	113	133	68	23	6	3	1,089
RATE (b)												
Maternal conditions which may be unrelated to present pregnancy	63	53	21	11	3	-	-	-	-	-	6	1
Maternal complications of pregnancy	295	213	23	6	3	-	-	-	-	1	6	2
Complications of placenta, cord and membranes	368	275	55	36	10	2	1	1	1	2	-	4
Other complications of labour and delivery	11	28	4	1	-	-	-	-	-	2	-	-
Slow fetal growth, fetal malnutrition and immaturity	11	-	4	-	-	-	-	-	-	-	-	-
Birth trauma	-	-	-	-	-	-	-	-	-	-	-	-
Hypoxia, birth asphyxia and other respiratory conditions	74	48	21	11	1	1	1	-	1	-	-	1
Fetal and neonatal haemorrhage	32	64	27	2	1	-	-	-	-	-	-	1
Haemolytic disease of fetus or newborn	-	8	8	2	1	-	-	-	-	-	-	-
Other conditions originating in the perinatal period	63	59	13	14	3	1	-	1	-	1	-	1
Congenital anomalies	147	70	55	39	13	3	-	1	1	-	-	3
Infectious and parasitic diseases	-	-	2	1	-	-	1	-	-	-	-	-
All other causes	-	6	-	-	-	-	-	-	-	-	6	-
All Causes	(d)	824	233	123	34	9	4	3	3	6	18	13

(a) Classified according to underlying cause of death, see Explanatory Note 6. (b) Rates are calculated as the number of perinatal deaths per 1,000 live births and fetal deaths combined within each weight group. (c) Includes cases where the weight at birth was not stated. (d) The number of perinatal deaths registered at this weight in 1983 exceeded the number of live births and fetal deaths registered in the same period.

TABLE 18. PERINATAL DEATHS : CAUSE OF DEATH (a) (ABBREVIATED) BY SEX, N.S.W., 1973 TO 1983

Cause of death (a)		1973	1974 (b)	1975 (b)	1976	1977	1978	1979	1980	1981	1982	1983
Maternal conditions which may be unrelated to present pregnancy	M	140	107	101	102	83	93	71	52	43	42	36
	F	116	102	81	82	66	69	50	32	39	42	27
Maternal complications of pregnancy	M	184	237	178	174	151	104	101	123	102	109	70
	F	137	161	128	127	105	87	76	96	92	71	70
Complications of placenta, cord and membranes	M	309	302	244	237	226	210	222	194	197	194	178
	F	242	238	212	185	161	184	167	133	148	165	136
Other complications of labour and delivery	M	47	51	38	28	22	23	17	25	10	20	15
	F	24	19	18	16	14	20	15	10	10	11	12
Slow fetal growth, fetal malnutrition and immaturity	M	58	43	37	36	22	26	11	4	1	2	1
	F	44	53	36	22	21	15	17	2	2	1	2
Birth trauma	M	1	-	2	2	-	1	10	5	3	4	1
	F	-	1	-	-	-	-	6	3	2	3	-
Hypoxia, birth asphyxia and other respiratory conditions	M	136	121	99	100	70	84	64	81	53	48	54
	F	91	99	57	67	56	70	55	56	47	50	41
Fetal and neonatal haemorrhage	M	22	16	15	13	7	13	17	17	27	29	33
	F	14	10	9	10	4	8	8	15	25	24	16
Haemolytic disease of fetus or newborn	M	24	24	20	16	7	9	3	4	7	5	8
	F	22	19	14	11	15	12	8	8	8	3	6
Other conditions originating in the perinatal period	M	57	67	54	49	46	40	69	61	50	52	47
	F	73	62	43	39	44	46	58	54	43	51	50
Congenital anomalies	M	157	147	128	157	134	126	131	140	163	120	128
	F	147	143	113	147	131	111	126	94	120	141	130
Infectious and parasitic diseases	M	7	7	8	5	11	14	1	1	-	3	1
	F	4	8	9	6	3	8	-	-	1	-	1
All other causes	M	42	27	29	18	22	25	18	24	16	14	18
	F	35	29	19	25	21	16	7	12	9	14	8
ALL CAUSES	M	1,184	1,149	953	937	801	768	735	731	672	642	590
	F	949	944	739	737	641	646	593	515	546	576	499
	P	2,133	2,093	1,692	1,674	1,442	1,414	1,328	1,246	1,218	1,218	1,089

(a) Classified according to underlying cause of death, see Explanatory Note 6. (b) As a result of procedural changes affecting the date of registration of fetal deaths in the years 1974 and 1975, the figures shown for these years (although correct when combined) are not strictly comparable with each other or with previous and subsequent years. The effect of these changes cannot be precisely measured, but the numbers of fetal deaths registered in 1976 and subsequent years have been compiled on a comparable basis to that of 1973 (and earlier years).

Note. Causes of death shown for the years 1973 to 1978 are classified according to the Eighth Revision of the International Classification of Diseases, 1965. See Explanatory Note 4.

TABLE 19. STATISTICAL SUMMARY : BIRTHS AND PERINATAL DEATHS (a), N.S.W.

Year	Live births	Perinatal deaths						
		Live births and fetal deaths combined	Number			Rate (b)		
			Fetal deaths	Neonatal deaths	Total	Fetal deaths	Neonatal deaths	Total
1936	46,193	47,612	1,419	1,366	2,785	29.80	29.57	59.49
1937	47,497	48,949	1,452	1,340	2,800	29.66	28.39	57.20
1938	47,319	48,792	1,473	1,320	2,793	30.19	27.90	57.24
1939	48,003	49,365	1,360	1,317	2,677	27.55	27.44	54.23
1940	49,382	50,724	1,342	1,263	2,605	26.46	25.58	51.36
1941	51,729	53,193	1,464	1,527	2,991	27.52	29.52	56.23
1942	52,647	54,058	1,411	1,342	2,753	26.10	25.49	50.93
1943	57,265	58,730	1,465	1,365	2,830	24.94	23.84	48.19
1944	59,612	61,123	1,511	1,309	2,820	24.72	21.96	46.14
1945	61,662	63,202	1,540	1,344	2,884	24.37	21.80	45.63
1946	67,247	68,794	1,547	1,477	3,024	22.49	21.96	43.96
1947	69,398	70,864	1,466	1,489	2,955	20.69	21.46	41.70
1948	67,234	68,560	1,326	1,434	2,760	19.34	21.33	40.26
1949	68,812	70,091	1,279	1,324	2,603	18.25	19.24	37.14
1950	71,592	72,998	1,406	1,345	2,751	19.26	18.79	37.69
1951	72,069	73,360	1,291	1,298	2,589	17.60	18.01	35.29
1952	74,196	75,391	1,195	1,229	2,424	15.85	16.56	32.15
1953	74,890	76,147	1,257	1,286	2,543	16.51	17.17	33.40
1954	73,125	74,332	1,207	1,294	2,501	16.24	17.70	33.65
1955	74,407	75,650	1,243	1,288	2,531	16.43	17.31	33.46
1956	75,714	76,987	1,273	1,285	2,558	16.54	16.97	33.23
1957	79,456	80,738	1,282	1,302	2,584	15.88	16.39	32.00
1958	80,045	81,253	1,208	1,225	2,433	14.87	15.30	29.94
1959	80,866	82,107	1,241	1,324	2,565	15.11	16.37	31.24
1960	81,983	83,244	1,261	1,250	2,511	15.15	15.25	30.16
1961	86,392	87,698	1,306	1,284	2,590	14.89	14.86	29.53
1962	85,439	86,538	1,099	1,321	2,420	12.70	15.46	27.96
1963	84,065	85,230	1,165	1,185	2,350	13.67	14.10	27.57
1964	80,518	81,521	1,003	1,152	2,155	12.30	14.31	26.43
1965	78,069	79,016	947	1,087	2,034	11.98	13.92	25.74
1966	77,776	78,740	964	1,085	2,049	12.24	13.95	26.02
1967	78,841	79,704	863	1,058	1,921	10.83	13.42	24.10
1968(e)	81,696	82,502	805	1,125	1,930	9.77	13.75	23.38
1969(e)	86,036	87,116	1,080	1,235	2,315	12.40	14.35	26.97
1970	88,448	89,602	1,154	1,309	2,463	12.88	14.80	27.49
1971	98,466	99,648	1,182	1,260	2,442	11.86	12.80	24.51
1972	95,278	96,429	1,151	1,237	2,388	11.94	12.98	24.76
1973	87,332	88,360	1,028	1,105	2,133	11.63	12.65	24.14
1974(d)	86,162	87,198	1,036	1,057	2,093	11.88	12.27	24.00
1975(d)	80,918	81,713	795	897	1,692	9.73	11.09	20.71
1976	78,492	79,328	836	838	1,674	10.54	10.68	21.10
1977	77,996	78,755	759	683	1,442	9.64	8.76	18.31
1978	77,773	78,502	729	685	1,414	9.29	8.81	18.01
1979	77,134	77,852	718	610	1,328	9.22	7.91	17.06
1980	79,455	80,131	676	570	1,246	8.44	7.17	15.55
1981	81,530	82,216	686	532	1,218	8.34	6.53	14.81
1982	83,489	84,174	685	533	1,218	8.14	6.38	14.47
1983	82,733	83,325	586	503	1,089	7.03	6.08	13.07

(a) Full-blood Aborigines are excluded from all figures prior to 1966. (b) Number of fetal deaths and perinatal deaths per 1,000 live births and fetal deaths combined; and number of neonatal deaths per 1,000 live births. (c) See Explanatory Notes 1 and 2. (d) As a result of procedural changes affecting the date of registration of fetal deaths in the years 1974 and 1975, the figures shown for these years (although correct when combined) are not strictly comparable with each other or with previous and subsequent years. The effect of these changes cannot be precisely measured, but the numbers of fetal deaths registered in 1976 and subsequent years have been compiled on a comparable basis to that of 1973 (and earlier years).

APPENDIX A

M LIST OF 18 MAIN MATERNAL DISEASES OR CONDITIONS AFFECTING FETUS OR INFANT

Code	Description	International Code Number
Maternal conditions which may be unrelated to present pregnancy		
M1	Maternal hypertensive disorders	760.0
M2	Maternal renal and urinary tract diseases	760.1
M3	Maternal infections	760.2
M4	Other maternal conditions	Rem. 760
Maternal complications of pregnancy		
M5	Incompetent cervix	761.0
M6	Premature rupture of membranes	761.1
M7	Polyhydramnios	761.3
M8	Multiple pregnancy	761.5
M9	Other maternal complications of pregnancy	Rem. 761
Complications of placenta, cord and membranes		
M10	Placenta praevia	762.0
M11	Other placental separation and haemorrhage	762.1
M12	Other and unspecified morphological and functional abnormalities of placenta	762.2
M13	Prolapsed cord	762.4
M14	Other compression of umbilical cord	762.5
M15	Other complications of placenta, cord and membranes	Rem. 762
Other complications of labour and delivery		
M16	Breech delivery and extraction	763.0
M17	Other malpresentation, malposition and disproportion during labour and delivery	763.1
M18	Other complications of labour and delivery	Rem. 763

B LIST OF 50 CAUSES OF PERINATAL MORTALITY (CONDITIONS OF FETUS OR INFANT)

Code	Description	International Code Number
Slow fetal growth, fetal malnutrition and immaturity		
B1	Slow fetal growth and fetal malnutrition	764
B2	Extreme immaturity	765.0
B3	Other preterm infants	765.1
Birth trauma		
B4	Birth injury to brain, spine or spinal cord	767.0, 767.4
B5	Other birth injury	Rem. 767
Hypoxia, birth asphyxia and other respiratory conditions		
B6	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time	768.0
B7	Fetal death from asphyxia or anoxia during labour	768.1
B8	Fetal distress or birth asphyxia in liveborn infant	768.2-768.9
B9	Respiratory distress syndrome	769
B10	Congenital pneumonia	770.0
B11	Massive aspiration syndrome	770.1
B12	Interstitial emphysema and related conditions	770.2
B13	Pulmonary haemorrhage	770.3
B14	Atelectasis	770.4, 770.5
B15	Other respiratory conditions of fetus and newborn	770.6-770.9

B LIST OF 50 CAUSES OF PERINATAL MORTALITY (CONDITIONS OF FETUS OR INFANT)
(continued)

Code	Description	International Code Number
	Fetal and neonatal haemorrhage	
B16	Fetal blood loss	772.0
B17	Intraventricular haemorrhage	772.1
B18	Subarachnoid haemorrhage	772.2
B19	Other fetal and neonatal haemorrhage	772.3-772.9
	Haemolytic disease of fetus or newborn	
B20	Haemolytic disease due to Rh isoimmunization	773.0
B21	Haemolytic disease due to other and unspecified isoimmunization	773.1-773.5
	Other conditions originating in the perinatal period	
B22	Disorders relating to long gestation and high birthweight	766
B23	Infections specific to the perinatal period	771
B24	Perinatal jaundice not due to isoimmunization	774
B25	Endocrine and metabolic disturbances specific to the fetus and newborn	775
B26	Haematological disorders of fetus and newborn	776
B27	Perinatal disorders of digestive system	777
B28	Hydrops fetalis not due to isoimmunization	778.0
B29	Other conditions involving the integument and temperature regulation of fetus and newborn	778.1-778.9
B30	Other and ill-defined conditions originating in the perinatal period	779
	Congenital anomalies	
B31	Anencephalus and similar anomalies	740
B32	Spina bifida	741
B33	Congenital hydrocephalus	742.3
B34	Other deformities of central nervous system	Rem. 742
B35	Congenital anomalies of heart and circulatory system	745-747
B36	Congenital anomalies of respiratory system	748
B37	Congenital anomalies of digestive system	749-751
B38	Congenital anomalies of genital organs and urinary system	752,753
B39	Congenital anomalies of musculoskeletal system and limbs	754-756
B40	Chromosomal anomalies	758
B41	Other and unspecified congenital anomalies	743,744,757, 759
	Infectious and parasitic diseases	
B42	Intestinal infectious diseases	001-009
B43	Septicaemia	038
B44	Viral diseases	045-079
B45	Congenital syphilis	090
B46	Other infectious and parasitic diseases	Rem. 001-139
	All other causes	
B47	Pneumonia, other than congenital	480-486
B48	Other specified conditions	Rem. 140-739
B49	Symptoms, signs and ill-defined conditions	780-799
B50	External causes of injury to newborn	E800-E999



APPENDIX B
NEW SOUTH WALES

Registration of Births Deaths and Marriages Act, 1973

Medical Certificate of Cause of Perinatal Death

NOTE—Please ✓ in relevant boxes thus ☒

Particulars relating to Mother

1. Full name _____
2. Address of usual residence _____
3. Date of birth (if known) ____/____/____ or Age last birthday ____ years
4. Number of previous pregnancies resulting in:
 - Live births only _____
 - Still-births _____
 - Abortions _____
5. Outcome of last previous pregnancy:
 - Live birth ☐
 - Still-birth ☐
 - Abortion ☐
 - Date ____/____/____
6. Current pregnancy:
 - 1st day of last menstrual period ____/____/____
 - or, if unknown, estimated duration of pregnancy (completed weeks) _____
7. Antenatal care, two or more visits:
 - Yes ☐
 - No ☐
 - Not known ☐
8. Delivery:
 - Normal spontaneous vertex ☐
 - Other (specify) _____
9. Attendant at birth/still-birth:
 - Specialist Obstetrician ☐
 - Other Physician ☐
 - Trained midwife ☐
 - Other trained person (specify) _____
 - Other (specify) _____

10. Is the mother considered to be an Australian Aborigine? Yes ☐ No ☐

Particulars relating to Child

11. Surname and other names, if given _____
12. Sex: Male ☐ Female ☐ Indeterminate ☐
13. Time and date of birth/still-birth ____ *a.m./p.m. on ____ 19__
14. Date of death, if live born ____ 19__
15. Age at death _____ (minutes, hours, or days)
16. Place of death/still-birth _____ Place of birth (if elsewhere) _____
17. This birth was: Single ☐ First Twin ☐ Second Twin ☐ Other Multiple _____
18. Weight at birth _____ grammes
19. Did child breathe after complete expulsion or extraction from the mother? Yes ☐ No ☐
20. Did heart beat cease—
 - (a) Before labour commenced ☐
 - (b) During labour but before delivery ☐
 - (c) Before delivery but not known whether before or during labour ☐
 - (d) After delivery ☐
 - (e) Not known whether before or after delivery ☐
21. If heart beat ceased before labour commenced, please estimate how long before: _____ hours, or _____ days.
22. If heart beat ceased after delivery, please state time ____ *a.m./p.m., and date _____

23. CAUSES OF DEATH (IN BLOCK LETTERS)

- (a) Main disease or condition in foetus or infant—
- (b) Other diseases or conditions in foetus or infant—
- (c) Main maternal disease or condition affecting foetus or infant—
- (d) Other maternal diseases or conditions affecting foetus or infant—
- (e) Other relevant circumstances—

24. UNDERLYING CAUSE OF DEATH

(See Note on Back of Cover)

25. The cause of death has been confirmed by autopsy ☐ Autopsy information may be available later ☐ Autopsy is not to be held ☐

I attended the mother of the still-born child during confinement

I hereby certify that I attended the child before death

I viewed the body of the child after death

and that the particulars stated above are true to the best of my knowledge and belief.

A notice of intention to sign this certificate was *completed on ____ (Date)
*not completed

Signature _____ Date _____

Residence _____

Full name of medical practitioner _____
(IN BLOCK LETTERS)

*Strike out whichever is inapplicable

12. FAR WEST

7. NORTH WESTERN

6c. North Central Plain

6. NORTHERN

4. RICHMOND-TWEED

5. MID-NORTH COAST

2. HUNTER

1. SYDNEY

3. ILLAWARRA

9. SOUTH-EASTERN

11. MURRAY

10. MURRUMBIDGE

8. CENTRAL WEST

8c. Lachlan

8a. Bathurst-Orange*

8b. Balance of Central Tablelands

7a. Central Macquarie

7b. Macquarie-Barwon

7c. Upper Darling

7d. Lower Murrumbidgee

7e. Balance of Upper Murray

7f. Albury-Wodonga* (part)

7g. Snowy

7h. Lower South Coast

7i. Southern Tablelands

7j. Snowy

7k. Balance of Upper Murray

7l. Albury-Wodonga* (part)

7m. Snowy

7n. Lower South Coast

7o. Southern Tablelands

7p. Snowy

7q. Balance of Upper Murray

7r. Albury-Wodonga* (part)

7s. Snowy

7t. Lower South Coast

7u. Southern Tablelands

7v. Snowy

7w. Balance of Upper Murray

7x. Albury-Wodonga* (part)

7y. Snowy

7z. Lower South Coast

7aa. Southern Tablelands

7ab. Snowy

7ac. Balance of Upper Murray

7ad. Albury-Wodonga* (part)

7ae. Snowy

7af. Lower South Coast

7ag. Southern Tablelands

7ah. Snowy

7ai. Balance of Upper Murray

7aj. Albury-Wodonga* (part)

7ak. Snowy

7al. Lower South Coast

7am. Southern Tablelands

7an. Snowy

7ao. Balance of Upper Murray

7ap. Albury-Wodonga* (part)

7aq. Snowy

7ar. Lower South Coast

7as. Southern Tablelands

7at. Snowy

7au. Balance of Upper Murray

7av. Albury-Wodonga* (part)

7aw. Snowy

7ax. Lower South Coast

7ay. Southern Tablelands

7az. Snowy

7ba. Balance of Upper Murray

7bb. Albury-Wodonga* (part)

7bc. Snowy

7bd. Lower South Coast

7be. Southern Tablelands

7bf. Snowy

7bg. Balance of Upper Murray

7bh. Albury-Wodonga* (part)

7bi. Snowy

7bj. Lower South Coast

7bk. Southern Tablelands

7bl. Snowy

7bm. Balance of Upper Murray

7bn. Albury-Wodonga* (part)

7bo. Snowy

7bp. Lower South Coast

7bq. Southern Tablelands

7br. Snowy

7bs. Balance of Upper Murray

7bt. Albury-Wodonga* (part)

7bu. Snowy

7bv. Lower South Coast

7bw. Southern Tablelands

7bx. Snowy

7by. Balance of Upper Murray

7bz. Albury-Wodonga* (part)

7ca. Snowy

7cb. Lower South Coast

7cc. Southern Tablelands

7cd. Snowy

7ce. Balance of Upper Murray

7cf. Albury-Wodonga* (part)

7cg. Snowy

7ch. Lower South Coast

7ci. Southern Tablelands

7cj. Snowy

7ck. Balance of Upper Murray

7cl. Albury-Wodonga* (part)

7cm. Snowy

7cn. Lower South Coast

7co. Southern Tablelands

7cp. Snowy

7cq. Balance of Upper Murray

7cr. Albury-Wodonga* (part)

7cs. Snowy

7ct. Lower South Coast

7cu. Southern Tablelands

7cv. Snowy

7cw. Balance of Upper Murray

7cx. Albury-Wodonga* (part)

7cy. Snowy

7cz. Lower South Coast

7da. Southern Tablelands

7db. Snowy

7dc. Balance of Upper Murray

7dd. Albury-Wodonga* (part)

7de. Snowy

7df. Lower South Coast

7dg. Southern Tablelands

7dh. Snowy

7di. Balance of Upper Murray

7dj. Albury-Wodonga* (part)

7dk. Snowy

7dl. Lower South Coast

7dm. Southern Tablelands

7dn. Snowy

7do. Balance of Upper Murray

7dp. Albury-Wodonga* (part)

7dq. Snowy

7dr. Lower South Coast

7ds. Southern Tablelands

7dt. Snowy

7du. Balance of Upper Murray

7dv. Albury-Wodonga* (part)

7du. Snowy

7dv. Lower South Coast

7dw. Southern Tablelands

7dx. Snowy

7dy. Balance of Upper Murray

7dz. Albury-Wodonga* (part)

7ea. Snowy

7eb. Lower South Coast

7ec. Southern Tablelands

7ed. Snowy

7ee. Balance of Upper Murray

7ef. Albury-Wodonga* (part)

7eg. Snowy

7eh. Lower South Coast

7ei. Southern Tablelands

7ej. Snowy

7ek. Balance of Upper Murray

7el. Albury-Wodonga* (part)

7em. Snowy

7en. Lower South Coast

7eo. Southern Tablelands

7ep. Snowy

7eq. Balance of Upper Murray

7er. Albury-Wodonga* (part)

7es. Snowy

7et. Lower South Coast

7eu. Southern Tablelands

7ev. Snowy

7ew. Balance of Upper Murray

7ex. Albury-Wodonga* (part)

7ey. Snowy

7ez. Lower South Coast

7fa. Southern Tablelands

7fb. Snowy

7fc. Balance of Upper Murray

7fd. Albury-Wodonga* (part)

7fe. Snowy

7ff. Lower South Coast

7fg. Southern Tablelands

7fh. Snowy

7fi. Balance of Upper Murray

7fj. Albury-Wodonga* (part)

7fk. Snowy

7fl. Lower South Coast

7fm. Southern Tablelands

7fn. Snowy

7fo. Balance of Upper Murray

7fp. Albury-Wodonga* (part)

7fq. Snowy

7fr. Lower South Coast

7fs. Southern Tablelands

7ft. Snowy

7fu. Balance of Upper Murray

7fv. Albury-Wodonga* (part)

7fv. Snowy

7fw. Lower South Coast

7fx. Southern Tablelands

7fy. Snowy

7fz. Balance of Upper Murray

7ga. Albury-Wodonga* (part)

7gb. Snowy

7gc. Lower South Coast

7gd. Southern Tablelands

7ge. Snowy

7gf. Balance of Upper Murray

7gg. Albury-Wodonga* (part)

7gh. Snowy

7gi. Lower South Coast

7gj. Southern Tablelands

7gk. Snowy

7gl. Balance of Upper Murray

7gm. Albury-Wodonga* (part)

7gn. Snowy

7go. Lower South Coast

7gp. Southern Tablelands

7gq. Snowy

7gr. Balance of Upper Murray

7gs. Albury-Wodonga* (part)

7gt. Snowy

7gu. Lower South Coast

7gv. Southern Tablelands

7gw. Snowy

7gx. Balance of Upper Murray

7gy. Albury-Wodonga* (part)

7gz. Snowy

7ha. Lower South Coast

7hb. Southern Tablelands

7hc. Snowy

7hd. Balance of Upper Murray

7he. Albury-Wodonga* (part)

7hf. Snowy

7hg. Lower South Coast

7hh. Southern Tablelands

7hi. Snowy

7hj. Balance of Upper Murray

7hk. Albury-Wodonga* (part)

7hl. Snowy

7hm. Lower South Coast

7hn. Southern Tablelands

7ho. Snowy

7hp. Balance of Upper Murray

7hq. Albury-Wodonga* (part)

7hr. Snowy

7hs. Lower South Coast

7ht. Southern Tablelands

7hu. Snowy

7hv. Balance of Upper Murray

7hw. Albury-Wodonga* (part)

7hv. Snowy

7hw. Lower South Coast

7hx. Southern Tablelands

7hy. Snowy

7hz. Balance of Upper Murray

7ia. Albury-Wodonga* (part)

7ib. Snowy

7ic. Lower South Coast

7id. Southern Tablelands

7ie. Snowy

7if. Balance of Upper Murray

7ig. Albury-Wodonga* (part)

7ih. Snowy

7ii. Lower South Coast

7ij. Southern Tablelands

7ik. Snowy

7il. Balance of Upper Murray

7im. Albury-Wodonga* (part)

7in. Snowy

7io. Lower South Coast

7ip. Southern Tablelands

7iq. Snowy

7ir. Balance of Upper Murray

7is. Albury-Wodonga* (part)

7it. Snowy

7iu. Lower South Coast

7iv. Southern Tablelands

7iu. Snowy

7iv. Lower South Coast

7iv. Southern Tablelands

7iv. Snowy

7iv. Balance of Upper Murray

7iv. Albury-Wodonga* (part)

7iv. Snowy

7iv. Lower South Coast

7iv. Southern Tablelands

7iv. Snowy

7iv. Balance of Upper Murray

7iv. Albury-Wodonga* (part)

7iv. Snowy

7iv. Lower South Coast

7iv. Southern Tablelands

7iv. Snowy

7iv. Balance of Upper Murray

7iv. Albury-Wodonga* (part)

7iv. Snowy

INDEX TO LOCAL GOVERNMENT AREAS

INDEX TO STATISTICAL SUBDIVISIONS

- A. Federal Capital
- B. Inner Southern Sydney
- C. Southern Sydney
- D. South Western Sydney
- E. Western Sydney
- F. New South Wales
- G. Southern Sydney



ALPHABETICAL INDEX

ALBURY, CITY OF	162	KYOGGLE S.	87
ARMIDALE, CITY OF	155	LACHLAN S.	128
ASHFIELD M.	20	LACT, ESCOLARIE M.	48
AUBURN M.	29	LANE COVE, M.	17
BALLINA S.	64	LEETON S.	158
BALRAFALO S.	172	LEICHHARDT M.	21
BANKSTOWN, CITY OF	25	LISMORE, CITY OF	85
BARBARA S.	91	LITHGOW	91
BATHURST, CITY OF	118	GREATER, CITY OF	115
BAULKHAM HILLS S.	31	OVERPOOL, CITY OF	26
BEGA VALLEY S.	129	LOCKHART S.	162
BELLINGH S.	75	MACLEAN S.	69
BERRIGAN S.	165	MART AND, CITY OF	45
BINGARA S.	90	MANILLA S.	92
BLACKTOWN, CITY OF	32	MANLY M.	2
BLAND S.	127	MARRICKVILLE M.	22
BLAYNEY S.	120	MERRIWA S.	54
BLUE MOUNTAINS,		MCCREE FLAINS S.	98
CITY OF	39	MOSMAN M.	3
BOGAN S.	110	MUDGE S.	103
BOMBALA S.	132	MULWAREE S.	133
BODROGA S.	140	MURRAY S.	159
BOTANY M.	10	MURRUMBIDGE S.	156
BURKE S.	112	MURRURUNDI S.	53
BREWARRINA S.	111	MUSWELLBROOK S.	55
BROKEN HILL, CITY OF	175	NAMBUCCA S.	70
BURWOOD M.	27	NARRABRI S.	99
BYRON S.	63	NARRANDERA S.	151
CABOON S.	123	NARRAGINE S.	126
CAMARAJ S.	73		

PUBLICATIONS ISSUED BY AUSTRALIAN BUREAU OF STATISTICS (NEW SOUTH WALES OFFICE)

The Deputy Commonwealth Statistician Issues a large range of publications presenting statistics relating to New South Wales. All of these are obtainable from the Australian Bureau of Statistics, St. Andrew's House, Sydney Square (George Street, next to Sydney Town Hall), Sydney.

The New South Wales Year Book presents a comprehensive statistical survey of the social, demographic, and economic structure and growth of the State, and describes the legislative provisions and administrative arrangements which are of significance for a proper interpretation and analysis of the statistics of the State. The Pocket Year Book and New South Wales In Brief contain a wide range of statistical and other material in compact form and are useful for handy reference. More recent statistics are available in the Monthly Summary of Statistics. The Handbook of Local Statistics presents a selection of the more important statistics available for geographical areas of the State. More detailed statistics relating to matters treated generally in the above publications are available in the various Subject Bulletins, which range from preliminary monthly statements to detailed bulletins presenting the results of periodic censuses, etc. The date of release and current price of the more important bulletins issued by this Office appears below.

Catalogue No.	Publication	Month of Issue	Price (\$)	
			Excl. postage	Incl. postage
1301.1	New South Wales Year Book, No. 69, 1985 (hardcover)	June 1985	30.00	32.75
1301.1	New South Wales Year Book, No. 69, 1985 (softcover)	June 1985	25.00	27.75
1302.1	Pocket Year Book of New South Wales, 1985	July 1985	2.60	3.20
1303.1	New South Wales In Brief, 1985	June 1985	Free	Free
1304.1	Handbook of Local Statistics, 1984	Nov. 1984	1.70	2.40
1305.1	Monthly Summary of Statistics, July 1985 Census 1981	July 1985	1.10	1.90
2201.1	Families with Children under 16 Years	Nov. 1984	2.50	3.70
2202.1	Internal Migration between 1976 and 1981 by Local Govt. Areas Characteristics of Persons and Dwellings in Local Govt. Areas	Mar. 1984	1.70	2.40
2401.1	Part 1, Sydney, Hunter and Illawarra Statistical Divisions	Feb. 1983	1.50	2.20
2402.1	Part 2, Balance of State	Feb. 1983	3.10	4.30
3101.1	Population and Migration, 1983	Jan. 1985	1.10	1.90
3206.1	Estimated Resident Population in Local Govt. Areas, June 1983	July 1984	Free	Free
3208.1	Estimated Resident Population and Components of Change In Population of Local Government Areas, 1976 to 1981	Sept. 1983	1.00	1.70
3302.1	Causes of Death, 1982	Feb. 1984	1.50	2.20
3303.1	Perinatal Deaths, 1983	July 1985	1.10	1.90
3304.1	Divorces, 1983	Jan. 1985	Free	Free
3305.1	Marriages, 1983	Mar. 1985	Free	Free
3306.1	Births, 1983	Apr. 1985	Free	Free
3307.1	Deaths, 1983	June 1985	1.10	1.90
4202.1	Schools, 1983	Nov. 1984	1.00	1.70
4203.1	Tertiary Education, 1983	Dec. 1984	Free	Free
4310.1	Census of Mental Health and Long-Stay In-Patients In Hospitals and Nursing Homes	Feb. 1985	1.10	1.90
4502.1	Higher Criminal Courts, 1982	Apr. 1984	1.00	1.70
5502.1	Local Government Finance, 1982	Nov. 1984	1.50	2.20
6201.1	The Labour Force (Including Regional Estimates), (quarterly) February 1985	July 1985	1.80	2.60
7221.1	Livestock and Livestock Products, 1983-84	Mar. 1985	1.80	2.60
7321.1	Crops and Pastures, 1983-84	Mar. 1985	1.80	2.60
7322.1	Fruit, 1983-84	Mar. 1985	1.10	1.90
7411.1	Agricultural Land Use and Selected Inputs, 1983-84	Mar. 1985	1.10	1.90
7501.1	Value of Agricultural Commodities Produced, 1983-84 Census of Manufacturing Establishments -	June 1985	Free	Free
8201.1	Summary of Operations, by Industry Class, 1982-83	Aug. 1984	Free	Free
8203.1	Small Area Statistics, by Industry, 1982-83	Nov. 1984	1.00	1.70
8204.1	Selected Items of Data Classified by Industry and Employment Size, 1982-83	Nov. 1984	Free	Free
8401.1	Mining, 1983-84	July 1985	Free	Free
8608.1	Tourist Accommodation, March Quarter 1985	July 1985	Free	Free
8731.1	Building Approvals, (monthly) May 1985	July 1985	Free	Free
8741.1	Dwelling Unit Commencements Reported by Approving Authorities October - December 1984	July 1985	Free	Free
8752.1	Building Activity, December Quarter, 1984	June 1985	1.10	1.90

New South Wales Statistical Publications

The publications shown are issued annually, except where otherwise indicated.

The date of release and current price of the more important bulletins issued by this Office appear in the inside back cover.

CATALOGUES, GUIDES, WORK MANUALS

- 1201.1 Information Paper: Some Guidelines to the Development and Assessment of a Community Survey (Special)

GENERAL PUBLICATIONS

- 1301.1 New South Wales Year Book
1302.1 Pocket Year Book of New South Wales
1303.1 New South Wales in Brief
1304.1 Handbook of Local Statistics
1305.1 Monthly Summary of Statistics (Monthly)

CENSUS OF POPULATION AND HOUSING, 1981

- 2201.1 Families with Children under 16 Years (Special)
2202.1 Internal Migration between 1976 and 1981 by Local Government Areas (Irregular)
Characteristics of Persons and Dwellings in Local Government Areas:
2401.1 Part 1 Sydney, Hunter and Illawarra Statistical Divisions (Irregular)
2402.1 Part 2 Balance of State (Irregular)

POPULATION AND VITAL STATISTICS

- 3101.1 Population and Migration
3206.1 Estimated Resident Population of Local Government Areas
3208.1 Estimated Resident Population and Components of Change in Population of Local Government Areas (Irregular)
3209.1 Age and Sex Distribution of the Estimated Resident Population of Local Government Areas (Irregular)
3210.1 Estimated Resident Population of Local Government Areas, Preliminary
3301.1 Summary of Vital Statistics
3302.1 Causes of Death
3303.1 Perinatal Deaths
3304.1 Divorces
3305.1 Marriages
3306.1 Births
3307.1 Deaths

GENERAL SOCIAL, EDUCATION, HEALTH, WELFARE

- 4110.1 Household Telephone Connections (Special)
4202.1 Schools
4203.1 Tertiary Education
4306.1 Hospital and Nursing Home In-patients
4310.1 Census of Mental Health and Long-stay In-Patients in Hospitals and Nursing Homes
4401.1 Public Awareness and Knowledge of Selected Welfare Services (Special)

LAW AND CRIME

- 4502.1 Higher Criminal Courts

PUBLIC FINANCE

- 5502.1 Local Government Finance

LABOUR FORCE

- 6101.1 Information Paper on the Sources of Labour Statistics (Special)
6201.1 The Labour Force (Quarterly)
6310.1 Weekly Earnings of Employees (Distribution)

AGRICULTURE

- 7111.1 Principal Agricultural Commodities, Preliminary
7203.1 Livestock Slaughtered and Meat Production in Statistical Divisions
7221.1 Livestock and Livestock Products
7321.1 Crops and Pastures
7322.1 Fruit
7411.1 Agricultural Land Use and Selected Inputs
7501.1 Value of Agricultural Commodities Produced

MANUFACTURING, MINING, INTERNAL TRADE, BUILDING AND CONSTRUCTION

- Census of Manufacturing Establishments:
8201.1 Summary of Operations by Industry Class
8203.1 Small Area Statistics by Industry
8204.1 Selected Items of Data by Industry and Employment Size
8302.1 Production of Aerated and Carbonated Waters, Frozen Dairy Foods, Water Ices, etc., and Confectionery (Monthly)
8303.1 Production of Building Materials and Fittings (Monthly)
8401.1 Mining
8635.1 Tourist Accommodation (Quarterly)
8730.1 Building Approvals, Preliminary (Monthly)
8731.1 Building Approvals (Monthly)
8733.1 Building Approvals in Local Government Areas
8740.1 Dwelling Unit Commencements Reported by Approving Authorities, Preliminary (Monthly)
8741.1 Dwelling Unit Commencements Reported by Approving Authorities (Quarterly)
8752.1 Building Activity (Quarterly)

TRANSPORT

- 9301.1 Motor Vehicle Census (Irregular)