

References

1. IARC, WHO: IARC Monographs on the evaluation of carcinogenic risks to humans, Vol. 52. Lyons: IARC, 1991 Chlorinated Drinking-water; Chlorination By-products; Some Other Halogenated compounds; Cobalt and Cobalt Compounds).
2. Rook JJ: Formation of Haloforms During Chlorination of Natural Waters. *Water Treatment and Examination* 1974; 23: 234-243.
3. Bellar TA, Lichtenberg JJ, Kroner RC: The Occurrence of Organohalides in Chlorinated Drinking Waters. *Journal American Water Works Association* 1974; 66(12): 703-706.
4. Bull RJ, Birnbaum LS, Cantor KP, et al.: Water chlorination: essential process or cancer hazard? (Symposium overview). *Fundam Appl Toxicol* 1995; 28(2): 155-166.
5. Boorman GA, Dellarco V, Dunnick JK, et al.: Drinking Water Disinfection By-Products: Review and Approach to Toxicity Evaluation. *Environmental Health Perspective* 1999; 107(Supplement 1, February 1999): 207-217.
6. Simpson KL, Hayes KP: Drinking water disinfection by-products: An Australian Perspective. *Water Research* 1998; 32(5): 1522-1528.
7. Lahl U, Cetinkaya M, Duszeln JV, Gabel B, Stachel B, Thiemann W: Health risks for infants caused by trihalomethane generation during chemical disinfection of feeding utensils. *Ecol. Food Nutrition* 1982; 12: 7-17.
8. NHMRC (National Health and Medical Research Council) and ARMCANZ (Agricultural Resource Management Council of Australia and New Zealand): Australian Drinking Water Guidelines - Summary. Canberra: Commonwealth of Australia, 1996.
9. McCann B: By-product blues (Regulatory Review). *Water* 21, 1999 (July-August): 15-18.
10. Hemming J, Holmbom B, Reunanen M, Kronberg L: Determination of the strong mutagen 3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone in chlorinated drinking and humic water. *Chemosphere* 1986; 15: 549-556.
11. Meier JR, Bull RJ: Mutagenic properties of drinking water disinfectants and by-products. In: Jolley RL, Bull RJ, Davis WP, et al. (eds). *Water chlorination: Environmental Impact and Health Effects*. Chelsea: Lewis, 1985; 207-220.
12. Kronberg L, Vartiainen T: Ames mutagenicity and concentration of the strong mutagen 3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone and its geometric isomer E-2-chloro-3-(dichloromethyl)-4-oxo-butenoic acid in chlorine-treated tap water. *Mutation Research* 1988; 206: 177-182.
13. Langvik V, Holmbom B: Formation of mutagenic organic by-products and AOX by chlorination of fractions of humic water. *Water Research* 1994; 28(3): 553-557.
14. Stevens AA, Slocum CJ, Seeger DR, Robeck GG: Chlorination of organics in drinking water. In: Jolley, ed. *Water chlorination: Environmental Impact and Health Effects*, vol 1. Michigan: Ann Arbor Science Publishers, Inc., 1978; 77- 104.

- 15.** Olin SS: Exposure to contaminants in drinking water: Estimating uptake through the skin and by inhalation. : International Life Sciences Institute, 1999.
- 16.** Fawell J, Robinson D, Bull R, et al.: Disinfection By-Products in Drinking Water: Critical Issues in Health Effects Research. *Environmental Health Perspectives* 1997; 105, Number 1(January 1997): 108 -109.
- 17.** Pontius FW: Chloroform: Science, Policy, and Politics. *Journal American Water Works Association* 2000; 92(5): 12, 14, 16 & 18.
- 18.** Fawell JK, Young WF: Assessment of the human risk associated with the presence of carcinogenic compounds in drinking water. *Ann Ist Super Sanita* 1993; 29(2): 313-6.
- 19.** Page NP, Saffiotti U: Report on carcinogenesis bioassay of chloroform. . Bethesda: National Cancer Institute, 1976.
- 20.** National Toxicology Program, US. Department of Health and Human Services, and Public Health Service: Ninth Report on Carcinogens: National Toxicology Program, MD EC-14, PO Box 12233, Research Triangle Park, NC 27709, USA, 2000.
- 21.** National Toxicology Program: Toxicology and Carcinogenesis Studies of Tribromomethane (Bromoform) (CAS No. 75-25-2) in F344/N Rats and B6C3F1 Mice (Gavage Studies): EHIS web site <http://ehis.niehs.nih.gov/htdocs/LT-studies/tr350.html>, 2000.
- 22.** Loper JC: Mutagenic Effects of organic compounds in drinking water. *Mutation Research* 1980; 76: 241-268.
- 23.** Mills CJ, Bull RJ, Cantor KP, Reif J, S.E. H, Huston P: Workshop Report: Health Risks of Drinking Water Chlorination By-products: Report of an Expert Working Group. *Chronic Diseases in Canada* 1998; 19(3): 91-102.
- 24.** Holmbom B: Mutagenic compounds in chlorinated pulp bleaching waters and drinking waters. In: Vainio H, Sorsa M, McMichael AJ (eds). *Complex Mixtures and Cancer Risk*, vol No 104. Lyon: IARC Scientific Publications, 1990; 333-340.
- 25.** Meier JR, DeAngelo AB, Daniel FB, et al.: Genotoxic and Carcinogenic Properties of Chlorinated Furanones: Important by-products of water chlorination. In: Waters MD, Daniel FB, Lewtas J, et al. (eds). *Genetic Toxicology of Complex Mixtures*. New York: Plenum Press, 1990; 185 - 195.
- 26.** Cantor KP, Hoover R, Mason TJ, McCabe LJ: Associations of Cancer Mortality With Halomethanes in Drinking Water. *J. Natl. Cancer Inst.* 1978; 61(4 (October)): 979-985.
- 27.** Wilkins JR, Comstock G: Source of drinking water at home and site-specific cancer incidence in Washington County, Maryland. *American Journal of Epidemiology* 1981; 114(2): 178-190.
- 28.** Isacson P, Bean JA, Splinter R, Olson DB, Kohler J: Drinking water and cancer incidence in Iowa. *American Journal of Epidemiology* 1985; 121(6): 856-869.
- 29.** Koivusalo M, Jaakkola JJ, Vartiainen T, et al.: Drinking water mutagenicity and gastrointestinal and urinary tract cancers: an ecological study in Finland. *Am J Public Health* 1994; 84(8): 1223-8.

- 30.** Yang C-Y, Chiu H-F, Cheng M-F, Tsai S-S: Chlorination of drinking water and cancer mortality in Taiwan. *Environmental Research*, 1998; 78(Section A): 1-6.
- 31.** Gottlieb MS, Carr JK, Morris DT: Cancer and drinking water in Louisiana: colon and rectum. *International Journal of Epidemiology* 1981; 10(2): 117-125.
- 32.** Gottlieb MS, Carr JK, Clarkson JR: Drinking water and cancer in Louisiana: A retrospective mortality study. *American Journal of Epidemiology* 1982; 116(4): 652-657.
- 33.** Young TB, Kanarek MS, Tslatis AA: Epidemiological Study of Drinking Water Chlorination and Wisconsin Female Cancer Mortality. *JNCI* 1981; 67: 1191-1198.
- 34.** Kannio A, Ridanpaa M, Koskinen H, et al.: A molecular and epidemiological study on bladder cancer: p53 mutations, tobacco smoking, and occupational exposure to asbestos. *Cancer Epidemiol Biomarkers Prev* 1996; 5(1): 33-9.
- 35.** Zierler S, Danley RA, Feingold L: Types of disinfectant in drinking water and patterns of mortality in Massachusetts. *Environ Health Perspective* 1986; 69: 275-279.
- 36.** Cantor KP, Hoover R, Hartage P, et al.: Bladder Cancer, Drinking Water Source, and Tap Water Consumption: A Case-Control Study. *J. Natl. Cancer Inst.* 1987; 79 (December): 1269-1279.
- 37.** McGeehin MA, Reif JS, Becher JC, Mangione EJ: Case-control study of bladder cancer and water disinfection methods in Colorado. *Am J Epidemiol* 1993; 138(7): 492-501.
- 38.** King WD, Marrett LD: Case-control study of bladder cancer and chlorination by-products in treated water (Ontario, Canada). *Cancer Causes and Control* 1996; 7: 596 -604.
- 39.** Freedman DM, Cantor KP, Lee NL, et al.: Bladder cancer and drinking water: a population-based case-control study in Washington County, Maryland (United States). *Cancer Causes Control* 1997; 8(5): 738-744.
- 40.** Cantor KP, Lynch CF, Hildesheim ME, et al.: Drinking water source and chlorination by-products - I. Risk of bladder cancer. *Epidemiology* 1998; 9: 21-28.
- 41.** Koivusalo M, Hakulinen T, Vartiainen T, Pukkala E, Jaakkola JJK, Tuomisto J: Drinking water mutagenicity and urinary tract cancers: A population-base case-control study in Finland. *American Journal of Epidemiology* 1998; 148(7): 704-712.
- 42.** Koivusalo M, Pukkala E, Vartiainen T, Jaakkola J, Hakulinen T: Drinking water chlorination and cancer - a historical cohort study in Finland. *Cancer Causes and Control* 1997; 8: 192 - 200.
- 43.** Vena JE, Graham S, Freudenheim J, et al.: Drinking water, fluid intake, and bladder cancer in western New York. *Arch Environ Health* 1993; 48(3): 191-8.
- 44.** Neutra RR, Ostro B: An evaluation of the role of epidemiology in assessing current and future disinfection technologies for drinking water. *Sci Total Environ* 1992; 127(1-2): 91-122.
- 45.** Morris RD, Audet AM, Angelillo IF, Chalmers TC, Mosteller F: Chlorination, chlorination by-products, and cancer: a meta-analysis [published erratum appears in *Am J Public Health* 1993 Sep;83(9):1257]. *Am J Public Health* 1992; 82(7): 955-63.

- 46.** AIHW (Australian Institute of Health and Welfare), AACR (Australian Association of Cancer Registries): *Cancer in Australia 1997: Incidence and Mortality Data for 1997 and Selected Data for 1998 and 1999*. Canberra, Australian Institute of Health and Welfare, 2000.
- 47.** Perera F, Boffetta P: Perspectives on Comparing Risks of Environmental Carcinogens (Review). *Journal of the National Cancer Institute* 1988; 80(No 16, October 19): 1282-1289.
- 48.** Golden RJ, Holm SE, Robinson DE, Julkunene PH, Reese EA: Chloroform Mode of Action: Implications for Cancer Risk Assessment. *Regulatory Toxicology and Pharmacology* 1997; 26: 142-155.
- 49.** Hulka BS, Wilcosky TC, Griffith JD: *Biological markers in epidemiology*: Oxford University Press, 1990.
- 50.** McMichael AJ, Hall AJ: The use of biological markers as predictive early-outcome measures in epidemiological research. In: Toniolo P, Boffetta P, Shuker DEG, et al.,(eds). *Application of Biomarkers in Cancer Epidemiology*, IARC Scientific Publication No. 142, vol 142. Lyon: IARC, 1997; 281-289.
- 51.** Wright AS, Bradshaw TK, Watson WP: Prospective detection and assessment of genotoxic hazards: A critical appreciation of the contribution of L. Ehrenberg. In: Bartsch H, Hemminki K, O'Neill IK, (eds). *Methods for detecting DNA damaging agents in humans: Applications in cancer epidemiology and prevention*, vol 89. Lyon: IARC Scientific Publications, 1988; 237-248.
- 52.** McMichael AJ: "Molecular Epidemiology": New Pathway or New Travelling Companion? (Invited Commentary). *American Journal of Epidemiology* 1994; 140(1): 11-11.
- 53.** Le XC, Xing JZ, Lee J, Leadon SA, Weinfeld M: Inducible Repair of Thymine Glycol Detected by an Ultrasensitive Assay for DNA Damage. *Science* 1998; 280(15 May): 1066 - 1069.
- 54.** Schulte PA, Perera FP: *Molecular Epidemiology: Principles and Practices*. London: Academic Press, 1993.
- 55.** Waters MD: *Genetic Toxicology of Complex Mixtures*. New York: Plenum Press, 1990.
- 56.** Weisel CP, Jo W-K: Ingestion, Inhalation, and Dermal Exposure to Chloroform and Trichloroethene from Tap Water. *Environmental Health Perspective* 1996; 104: 48-51.
- 57.** Cossman J: *Molecular Genetics in Cancer Diagnosis*: Elsevier Science Publishing Co., Inc., 1990.
- 58.** Rosin MP, Gilbert A: Modulation of genotoxic effects in humans. *Mutation and the Environment* 1990 (Part E): 351-359.
- 59.** Rosin MP, German J: Evidence for chromosome instability in vivo in Bloom syndrome: increased numbers of micronuclei in exfoliated cells. *Hum Genet* 1985; 71(3): 187-91.
- 60.** Rosin MP: The use of the micronucleus test on exfoliated cells to identify anti-clastogenic action in humans: a biological marker for the efficacy of chemopreventive agents. *Mutation Research* 1992; 267(265-276).

- 61.** Titenko-Holland N, Moore LE, Smith MT: Measurement and characterisation of micronuclei in exfoliated human cells by fluorescence in-situ hybridization with a centromeric probe. *Mutat Res* 1994; 312: 39 - 50.
- 62.** Reali D, Di Marino F, Bahramandpour S, Carducci A, Barale R, Loprieno N: Micronuclei in exfoliated urothelial cells and urine mutagenicity in smokers. *Mutation Research* 1987; 192: 145-149.
- 63.** Smith AH, Hopenhayn Rich C, Warner M, Biggs ML, Moore L, Smith MT: Rationale for selecting exfoliated bladder cell micronuclei as potential biomarkers for arsenic genotoxicity. *J Toxicol Environ Health* 1993; 40(2-3): 223-34.
- 64.** Biggs ML, Kalman DA, Moore LE, Hopenhayn Rich C, Smith MT, Smith AH: Relationship of urinary arsenic to intake estimates and a biomarker of effect, bladder cell micronuclei. *Mutat Res* 1997; 386(3): 185-95.
- 65.** Bolognesi C, Parrini M, Bonassi S, Ianello G, Salanitto A: Cytogenic analysis of a human population occupationally exposed to pesticides. *Mutation Research* 1993; 285: 239-249.
- 66.** Da Cruz AD, McArthur AG, Silva CC, Curado MP, Glickman BW: Human micronucleus counts are correlated with age, smoking, and cesium-137 dose in the Goiania (Brazil) radiological accident. *Mutation Research* 1994; 313: 57-68.
- 67.** Prosser JS, Moquet JE, Lloyd DC, Edwards AA: Radiation induction of micronuclei in human lymphocytes. *Mutation Research* 1988; 199: 37-45.
- 68.** National Food Authority: Food standards code. Standard S5: Packaged water and packaged ice - Incorporating amendments up to and including Amendment 27. Australian Government Publishing Service, Canberra, 1995.
- 69.** NHMRC (National Health and Medical Research Council): Australian Drinking Water Guidelines. Canberra, ACT, 1996.
- 70.** Ultraviolet Technology of Australia Pty Ltd: Installation and operating instruction manual: Ultraviolet sterilisation system - Model LC 20. Marden, South Australia, 1996; 5.
- 71.** Jo W, Weisel CP, Lioy PJ: Chloroform Exposure and the Health Risk Associated With Multiple Uses of Chlorinated Tap Water. *Risk Analysis* 1990; 10(4): 581- 585.
- 72.** Weisel CP, Chen WJ: Exposure to chlorination by-products from hot water uses. *Risk Analysis* 1994; 14(1): 101 - 106.
- 73.** Jo WK, Weisel CP, Lioy PJ: Routes of Chloroform Exposure and Body Burden from Showering with Chlorinated Tap Water. *Risk Analysis* 1990; 10(4): 575 - 580.
- 74.** Oz-On-Disc: Read Only Memory Pty Ltd, Petersham, NSW 2049, 1996.
- 75.** Warner ML, Moore LE, Smith MT, Kalman DA, Fanning E, Smith AH: Increased micronuclei in exfoliated bladder cells of individuals who chronically ingest arsenic-contaminated water in Nevada. *Cancer Epidemiol Biomarkers Prev* 1994; 3(7): 583-90.
- 76.** Edwards CRW, Boucher IAD (eds): Davidson's Principles and Practice of Medicine, Sixth edition, Churchill Livingstone: Edinburgh, London, Melbourne, New York, Tokyo, 1991.

- 77.** AIHW (Australian Institute of Health and Welfare), AACR (Australian Association of Cancer Registries): Cancer in Australia 1989 - 1990 (with projections to 1995). Canberra, ACT: Commonwealth of Australia, 1996.
- 78.** Giles G, Armstrong BK, Smith LH (eds): Cancer in Australia 1982: National Cancer Statistical Clearing House, Scientific Publication No. 1, Australian Institute of Health and Welfare, and The Australian Association of Cancer Registries, Canberra, 1987.
- 79.** Fenech M, Neville S, Rinaldi J: Sex in an important variable affecting spontaneous micronucleus frequency in cytokinesis-blocked lymphocytes. *Mutation Research* 1994; 313: 203 - 207.
- 80.** Vine M: Micronuclei. In: Hulka BS WT, Griffith JD, (eds). *Biological markers in epidemiology*: Oxford University Press, 1990.
- 81.** Grogan WM, Collins JM: *Guide to flow cytometry methods*. New York: Marcel Decker, Inc., 1990.
- 82.** Fenech M, Rinaldi J: The relationship between micronuclei in human lymphocytes and plasma levels of vitamin C, vitamin E, vitamin B12 and folic acid. *Carcinogenesis* 1994; 15(7): 1405-11.
- 83.** DPO: Datacol Data Processing Operator. Datacol Research Pty Ltd, Suite 14, 134 Bunda St, Canberra, ACT 2601, Australia.
- 84.** SPSS: Statistical Package for Social Sciences, SPSS Inc. Headquarters, 233 S. Wacker Drive, 11th floor, Chicago, Illinois 60606, USA (Version 8)
- 85.** STATA Corporation, 1997, 702 University Drive East, College Station, Texas, 77840, USA (Version 5.0)
- 86.** Au WW, Walker DM, Ward JB, Whorton E, Legator MS, Singh V: Factors contributing to chromosome damage in lymphocytes of cigarette smokers. *Mutat Research* 1991; 260: 137-144.
- 87.** Catalan J, Autio K, Wessman M, et al.: Age-associated micronuclei containing centromeres and the X chromosome in lymphocytes of women. *Cytogenet Cell Genet* 1995; 68: 11-16.
- 88.** Holmen A, Karlsson A, Bratt I, Hogstedt B: Increased frequencies of micronuclei in T8 lymphocytes of smokers. *Mutat Research* 1995; 334: 205-208.
- 89.** Richard F, Muleris M, Dutillaux B: The frequency of micronuclei with X chromosome increases with age in human females. *Mutat Research* 1994; 316: 1-7.
- 90.** Thierens H, Vral A, De Ridder L: A cytogenetic study of radiological workers: effect of age, smoking and radiation burden on the micronucleus frequency. *Mutat Research* 1996; 360: 75-82.
- 91.** Lewis N, Nguyen H, Smith D, Coates M, Armstrong B: *Cancer Maps for New South Wales*. : Cancer Epidemiology Research Unit, NSW Central Cancer Registry, Cancer Research and Registers Division, NSW Cancer Council, 2000.
- 92.** AIHW (Australian Institute of Health and Welfare): *Cancer in Australia 1989-1990 (With projections to 1995)*. AIHW, Canberra, 1996.

- 93.** AIHW (Australian Institute of Health and Welfare): Cancer in Australia 1995 - Incidence and Mortality Data for 1995 and selected Data for 1996. AIHW, Canberra, 1998.
- 94.** AIHW (Australian Institute of Health and Welfare), AACR (Australian Association of Cancer Registries): Cancer in Australia 1996 - Incidence and Mortality Data for 1996 and Selected Data for 1997 and 1998. Cancer Series. Australian Institute of Health and Welfare, 6A Traeger Court, Fern Hill Park, Bruce, ACT, Australia, 1999.
- 95.** Armstrong B, White E, Saracci R: Principles of Exposure Measurement in Epidemiology: Oxford University Press, 1994 Monographs in Epidemiology and Biostatistics, Volume 21.
- 96.** Bland JM, Altman DG: Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet* 1986; 1(February 8): 307 - 310.
- 97.** Altman D: Practical statistics for medical research. London: Chapman and Hall, 1991.
- 98.** Shimokura GH, Savitz DA, Symanski E: Assessment of water use for estimating exposure to tap water contaminants. *Environ Health Perspect* 1998; 106(2): 55-59.
- 99.** Robertson DB: Cooperative Research Centre for Water Quality and Treatment, at Department of Epidemiology and Preventive Medicine, Monash University, Alfred Hospital, Prahran, VIC 3181. 2000.
- 100.** Flegal KM: Agreement between two dietary methods in the measurement of alcohol consumption. *J. Stud. Alcohol* 1990; 51: 408-414.
- 101.** Smith W, Mitchell P, Reay EM, Webb K, Harvey PWJ: Validity and reproducibility of a self-administered food frequency questionnaire in older people. *Aust N Z J Public Health* 1998; 22: 48- 55.
- 102.** Pryer JA, Vrijheid M, Nichols R, Kiggins M, Elliott P: Who are the 'Low Energy Reporters' in the Dietary and Nutritional Survey of British Adults. *Int J Epidemiology* 1997; 26(1): 146 - 153.
- 103.** Moore LE, Smith AH, Hopenhayn Rich C, et al.: Micronuclei in exfoliated bladder cells among individuals chronically exposed to arsenic in drinking water. *Cancer Epidemiol Biomarkers Prev* 1997; 6(1): 31-6.
- 104.** Cammann K, Hubner K: Trihalomethane Concentrations in Swimmers' and Bath Attendants' Blood and Urine after Swimming or Working in Indoor Swimming Pools. *Archives of Environmental Health* 1995; 50(1): 61-65.
- 105.** Gensebatt ME, Vega L, Salazar AM, et al.: Cytogenetic effects in human exposure to arsenic. *Mutat Res* 1997; 386(3): 219-28.
- 106.** Moore LE, Warner ML, Smith AH, Kalman D, Smith MT: Use of the fluorescent micronucleus assay to detect the genotoxic effects of radiation and arsenic exposure in exfoliated human epithelial cells. *Environ Mol Mutagen* 1996; 27(3): 176-84.
- 107.** Hayashi M, Norppa H, Sofuni T, Ishidate M, Jr.: Mouse bone marrow micronucleus test using flow cytometry. *Mutagenesis* 1992; 7(4): 251-6.

- 108.** Melnick RL, Kohn MC, Portier CJ: Implications for Risk Assessment of Suggested Nongenotoxic Mechanisms of Chemical Carcinogenesis. *Environmental Health Perspective* 1996; 104(Supplement 1): 123-34.
- 109.** WHO: International Programme on Chemical Safety (IPCS), *Environmental Health Criteria 216: Disinfectants and Disinfectants By-products*. Geneva: WHO, 1997.
- 110.** Barwick RS, Levy DA, Craun GF, Beach MJ, Calderon RL: Surveillance for waterborne-disease outbreaks-United States, 1997-1998. *Morb Mort Weekly Report CDC Surveillance Summary* 2000; 49(4): 1-21.
- 111.** Willocks L, Crampin A, Milne L, et al.: A large outbreak of cryptosporidiosis associated with a public water supply from a deep chalk borehole. *Commun Dis Public Health* 1998; 1(4): 239-243.
- 112.** McCarthy N, de Jong B, Ziese T, Sjolund R, Hjalt CA, Giesecke J: Epidemiological explanation of an outbreak of gastro-enteritis in Sweden in the absence of detailed microbiological information. *Eur J Epidemiol* 1998; 14(7): 711-718.
- 113.** Furtado C, Adak GK, Stuart JM, Wall PG, Evans HS, Casemore DP: Outbreaks of waterborne infectious intestinal disease in England and Wales, 1992-5. *Epidemiol Infect* 1998; 121(1): 109-119.
- 114.** Morris RD, Naumova EN, Griffiths JK: Did Milwaukee experience waterborne cryptosporidiosis before the large documented outbreak in 1993. *Epidemiology* 1998; 9(3): 264-270.
- 115.** Aieta EM, Berg JD: A review of Chlorine Dioxide in Drinking Water Treatment. *Journal AWWA* 1986; June 1986: 63-72.
- 116.** Condie LW: Toxicological Problems Associated with Chlorine Dioxide. *Journal AWWA* 1986; June 1986: 73-78.
- 117.** Kruithof JC, Schippers JC, van Dijk JC: Drinking water production from surface water in the 1990s. *J Water Supply Research and Technology - AQUA* 1994; 42(2): 47-57.