



ELSEVIER

Journal of Physics and Chemistry of Solids 64 (2003) 2517–2523

JOURNAL OF
PHYSICS AND CHEMISTRY
OF SOLIDS

www.elsevier.com/locate/jpcs

High pressure Raman spectroscopy of spinel-type ferrite ZnFe_2O_4

Zhongwu Wang^{a,b,*}, David Schiferl^a, Yusheng Zhao^a, H.St. C. O'Neill^c

^aLos Alamos National Laboratory, Los Alamos, NM 87545 USA

^bCenter for Study of Matter at Extreme Conditions (CeSMEC), Florida International University, VH-150, University Park, Miami, FL 33199 USA

^cResearch School of Earth Sciences, Australian National University, Canberra, 2000, Australia

Received 22 April 2003; revised 13 August 2003; accepted 22 August 2003

Abstract

An in-situ Raman spectroscopic study was conducted to explore the pressure induced phase transformation of spinel-type ferrite ZnFe_2O_4 . Results indicate that ferrite ZnFe_2O_4 initially transforms to an orthorhombic structure phase (CaFe_2O_4 -polymorph) at a pressure of 24.6 GPa. Such a phase transformation is complete at 34.2 GPa, and continuously remains stable to the peak pressure of 61.9 GPa. The coexistence of the two phases over a wide range of pressure implies a sluggish mechanism upon the spinel-to-orthorhombic phase transition. Upon release of pressure, the high pressure ZnFe_2O_4 polymorph is quenchable at ambient conditions.

© 2003 Elsevier Ltd. All rights reserved.

Keywords: C. High-pressure; C. Raman Spectroscopy; D. Phase transitions

1. Introduction

Spinel-type ferrites (AFe_2O_4) are compounds that stabilize in the cubic spinel structure at ambient conditions. Considerable interest has been attracted in current studies due to the large diversity and the practical usefulness of their physical and chemical properties, including humidity-sensing, oxygen-sensing, photoelectrical and super-paramagnetic as well as high temperature ceramic properties [1–4]. Given the recent achievement of successfully synthesizing the spinel type Ge_3N_4 and Si_3N_4 as the super hard materials in terms of the pressure tuning [5–7], it is also of particular interest to investigate the pressure induced post-spinel phase transformations of those spinel solids, including spinel type ferrites, which may have potential applications in fields ranging from applied physics to material sciences.

ZnFe_2O_4 is one of the most important ferrite binary oxides with the spinel structure, and is usually used as a ferrimagnet with the strong dependence of magnetic properties on the

state of chemical order and on the cation site occupancy in the materials [3,4]. The structural formula is generally written as $(\text{ZnFe})_x[\text{ZnFe}]_{2-x}\text{O}_4$, where round and square brackets denote sites of tetrahedral (A) and octahedral [B] coordination, respectively, and where x represents the degree of inversion defined as the fraction of the (A) sites occupied by Fe^{3+} . Temperature and mechanical treatment mostly result in the appearance of the disorder of Zn and Fe ions over the tetrahedral and octahedral sites [2,3,5], which in turn leads to a significant variation of the magnetic properties. Such a variation can be distinguished by the distinct temperatures of the antiferromagnetic long-range orders [3]. Recent studies on spinel ZnCr_2O_4 indicate that pressure tuning can also result in the presence of an order-disorder effect for the two metallic ions over the tetrahedral and octahedral sites [8,9]. Such an effect is thus expected to occur in the ferrite ZnFe_2O_4 . Moreover, silicate spinel is considered as a key composition of the transition zone of the Earth [10]. Therefore, investigation of the high-pressure behavior of ZnFe_2O_4 as a similar spinel candidate may provide crucial implications for better understanding the dynamics of the Earth's interior. To date, only one in-situ X-ray diffraction study has been conducted to clarify the pressure induced

* Corresponding author. Tel.: +1-505-667-8839; fax: +1-505-665-2676.

E-mail address: z_wang@lanl.gov (Z. Wang).

phase transformation of ZnFe_2O_4 [11]. In this study, an orthorhombic phase was observed at pressures over 24 GPa, and such a phase was assigned to either the CaTi_2O_4 or CaFe_2O_4 structure [11]. Unfortunately, this study did not address the structural stability of the observed high-pressure phase upon release of pressure. Moreover, the corresponding structure assignment is still questionable because of the similarity between several orthorhombic structural polymorphs, including CaTi_2O_4 , CaFe_2O_4 and CaMn_2O_4 , which were observed in numerous spinel solids under pressure [11–15]. The XRD pattern obtained from the single post-spinel phase can be reasonably refined to any of those structures. The key factor is still due to the lack of enough resolution of the X-ray diffraction pattern, even when collected by using the high-energy synchrotron source [12–14]. Raman spectroscopy is one powerful technique, which has often been used to identify the microscopic vibrations caused by the slight structural distortion, so it is very likely that using Raman spectroscopy will provide additional information for reconciling the existing structural disagreement. On the other hand, we have to consider the pressure induced negative effect that frequently occurs in pressure-Raman measurement. Application of super high-pressure mostly results in a significant extinction of the Raman peaks, which in turn leads one to incorrectly assume the presence of a pressure-induced amorphization, rather than the formation of a crystal phase. As is well known, the substitute of cations with larger ionic radii in the spinel can ease the transition into higher coordination [15], and accordingly, the transition may take place at lower pressures compared to that in other spinels. Therefore, ZnFe_2O_4 is considered as a best candidate for checking the pressure induced phase transformation by Raman spectroscopy due to the larger ionic radius of iron (III). To this end, we were motivated to use Raman spectroscopy to clarify the high-pressure behaviour of the ferrite ZnFe_2O_4 .

In this paper, we present the phase transformation from ZnFe_2O_4 spinel to its high-pressure polymorph, which was confirmed by in-situ high pressure Raman spectroscopy. We also tested the structural stability of the high-pressure phase upon release of pressure. Combined with the previous X-ray diffraction data of several spinel solids, the results will be used to discuss and to elucidate the structure characteristics and the dynamics of the pressure induced phase transformation.

2. Experimental

The spinel ZnFe_2O_4 sample was synthesized by a high temperature flux method [16]. ZnO (4 g), Fe_2O_3 (4 g), Na_2WO_4 (23 g) and WO_3 (2 g) were mixed together, and heated in a 100 ml Pt crucible with a lid to 1100 °C. After 3 h, the mixture was cooled at 6 °C/h to 859 °C, at which temperature it was left for 40 h, and then removed from the

furnace. The flux was dissolved in warm water, with the help of an ultrasonic bath. The product consisted of euhedral octahedra of ZnFe_2O_4 , 2–10 μm across. The ZnFe_2O_4 was a magenta-tinged brown color to the naked eye, and translucent brown ZnO , which could be easily discerned under binocular lenses, was white (colorless in the grain mount), and usually contained one or two ($\sim 1 \mu\text{m}$) inclusions of spinel. The recovered sample was analyzed by an electronic probe (CAMECA SX50 Mode) in the wavelength-dispersive mode, using standards of synthetic Fe_2O_3 and ZnO . The average from five analyses was: ZnO 33.4 ± 0.4 wt%, Fe_2O_3 65.9 ± 0.30 wt%, sum 99.3%, molar ratio $\text{ZnO}/\text{Fe}_2\text{O}_3 = 0.995 \pm 0.013$. The coexisting oxides had ZnO 99.03 ± 0.12 and Fe_2O_3 0.98 ± 0.21 (total 100.01, Analytical number = 11). No Na or W could be detected in either phase. The ZnO was then removed by washing in dilute nitric acid. Aliquots of the single-phase spinel were loaded into Pt capsules, and equilibrated in air at 50 °C internals to 700 °C before quenching into water for this Raman study. X-ray diffraction indicates that the ZnFe_2O_4 crystallizes in a cubic structure with the unit cell parameter of $a = 8.4416 \text{ \AA}$. The ZnFe_2O_4 sample has a certain degree of disorder of Fe and Zn ions over the tetrahedral and octahedral sites with the inverse parameter of $x = 0.10$ [16].

High pressure Raman measurements were conducted at room temperature by using a gasketed high pressure Diamond Anvil Cell (DAC) and Raman spectrometer in the back scattering configuration. A Ti^{3+} : sapphire laser pumped by an argon ion laser was tuned at 785 nm, which can effectively suppress the strong fluorescence of diamond. To avoid a heating effect, lasers were operated at 3 mW (after filter) to excite the sample, which was in contact with the low fluorescence diamond tips. Raman spectra were collected by using high throughput holographic imaging spectrograph with volume transmission grating, holographic notch filter and thermoelectrically cooled CCD detector (Physics Spectra) with the resolution of 4 cm^{-1} [17]. The spectrometer was regularly calibrated by the neon lines. Pressures were determined from the pressure-induced shift of the ruby fluorescence R_1 line [18]. The sample was placed in a T301 steel gasket hole 60 μm in initial thickness and 150 μm in diameter with a few ruby chips as the pressure maker. The laser beam was focused on the sample with a spot size of 5 μm . To avoid a possible chemical reaction between the sample and the ruby caused by the laser heating, the exposure spot on the sample is only close to the ruby chip, in which the pressure difference does not exceed ± 0.5 GPa from the exactly measured pressure. A 15 min exposure time was used for Raman collection at each run.

3. Results and discussion

ZnFe_2O_4 spinel has a cubic structure that belongs to the space group O_h^7 ($Fd3m$). Although the full unit cell contains

Table 1
Raman modes of spinel ZnFe₂O₄ observed at ambient conditions, their assignments and pressure dependences

| Raman modes (cm ⁻¹) | Assignment | Raman shift (cm ⁻¹ /GPa) | Mode Gruneisen parameter (γ_0) |
|---------------------------------|---------------------|-------------------------------------|---|
| 221 | F _{2g} (1) | 1.31 | 0.99 |
| 246 | E _g | 0.77 | 0.52 |
| 355 | F _{2g} (2) | 4.01 | 1.88 |
| 451 | F _{2g} (3) | 3.95 | 1.46 |
| 647 | A _{1g} | 2.76 | 0.71 |

56 atoms ($Z = 8$), the smallest Bravais cell only consists of 14 atoms ($Z = 2$). As a result, the factor group analysis predicts the following modes in ZnFe₂O₄ spinel:

$$A_{1g}(R) + E_g(R) + F_{1g} + 3F_{2g}(R) + 2A_{2u} + 2E_u + 4F_{1u}(\text{IR}) + 2F_{2u}$$

There are five first-order Raman active modes ($A_{1g} + E_g + 3F_{2g}$), and all these modes were observed at ambient conditions, as shown in Table 1 and Fig. 1. In the cubic spinels including ferrites, the modes at above 600 cm⁻¹ mostly correspond to the motion of oxygen in tetrahedral AO₄ groups [8], so the mode at 647 cm⁻¹ can be reasonably considered as A_{1g} symmetry. The other low frequency modes represent the characteristics of the octahedral sites (BO₆). The three first-order Raman modes at 355, 451 and 647 cm⁻¹ exhibit the broad characteristics. Nevertheless, the origin of the broadening of those first-order modes remains unclear. The X-ray diffraction of this sample exhibits a slightly inverted structure [16], which implies that a certain amount of disorder of the Zn and Fe cations occurs in the tetrahedral and octahedral sites. Hence, the vibrations relating to these two types of cations at the same site may display two separated first-order Raman modes. If the two modes have very close vibrational frequencies, an overlapped broad peak with their average value should be observed. In this slightly inverted ZnFe₂O₄ spinel, Zn and Fe ions distribute at the same atomic crystal site, either the tetrahedral or octahedral, and result in the corresponding vibrations with different frequencies. Since these two vibrations have very close wavenumbers, the three broad first-order Raman spectroscopic peaks were observed in this ZnFe₂O₄ spinel (Fig. 1). This is a plausible interpretation for the three observed broad first order Raman modes.

Fig. 2 presents the Raman spectra of ZnFe₂O₄ spinel at high pressure and at room temperature. Upon elevation of pressure to 24.6 GPa, we observed that one additional peak starts to grow at 655 cm⁻¹, whereas six modes of the spinel phase either disappear or reduce their intensities. At a pressure of 34.2 GPa, all peaks belonging to the spinel phase completely disappear, and simultaneously another new mode begins to appear at 419 cm⁻¹. The third new mode at 640 cm⁻¹ appears at 56.6 GPa. The pressure dependences of the observed

Raman modes are plotted in Fig. 3. Of these Raman modes of the spinel phase, the two low-frequency modes (F_{2g} and E_g) display the pressure dependences of 1.31 and 0.77 cm⁻¹/GPa, and three high wavenumber modes (two F_{2g} and one A_{1g}) exhibit the pressure dependences of 4.01, 3.95 and 2.67 cm⁻¹/GPa, respectively. Such a pressure induced significant Raman variation suggests that a phase transformation initially takes place at 24.6 GPa, and finishes at ~34.2 GPa. The three modes of the newly formed phase display the pressure dependences of 3.26, 2.57 and 2.26 cm⁻¹/GPa, respectively. Significant difference between the spinel and high-pressure polymorph can be distinguished in which the newly observed modes do not emerge at the wavenumbers, which are extracted from the pressure shifts of the spinel phase modes at the corresponding pressures. The coexistence of 24.6–34.2 GPa suggests that a sluggish transition mechanism contributes to this pressure-induced phase transformation.

Previous studies document two types of high-pressure behavior of spinels: one displays the formation of the single high-pressure polymorph [12–15], and another is




Fig. 1. The Raman spectrum of spinel ferrite ZnFe₂O₄ at ambient conditions. The peak at about 800 cm⁻¹ is noise, because it keeps at the same wavelength at any pressure, and was also found at other studied samples.




Fig. 2. Raman spectra of ZnFe_2O_4 under compression. The downward arrows (\downarrow) and upward arrows (\uparrow) represent the disappearance of spinel phase peaks and the occurrence of the new phase peaks.




Fig. 3. The pressure dependences of the observed Raman modes from ZnFe_2O_4 at elevated pressures.

decomposition [15,19]. This poses the question of whether the newly formed high-pressure phase is one single phase or a mixture of the decomposed constituents. The pressure-induced dissociation of the spinel-type solids (AB_2O_4) has been investigated both experimentally and theoretically [19–21]. Ab initio simulations conducted by Catti et al. [19] reveal that spinel chromites (MCr_2O_4 ; $\text{M} = \text{Zn, Mg, Mn}$) break down to a mixture of their constituent oxides ($\text{MO} + \text{Cr}_2\text{O}_3$) under pressure. In-situ pressure X-ray diffraction studies indicate that the spinel silicates, including Mg_2SiO_4 and $(\text{Mg,Fe})_2\text{SiO}_4$, dissociate to the perovskite [MgSiO_3 and $(\text{Mg,Fe})\text{SiO}_3$] plus periclase phases [MgO and $(\text{Mg,Fe})\text{O}$] [20,21]. In ferrite ZnFe_2O_4 , Fe ion has a quite large average bond length in the FeO_6 octahedron, which may result in the instability of the spinel structure under compression as compared to other spinels with small average-bond-length ions in the octahedral site. This was found in the pressure study of enstatite (FeSiO_3). The substitution of Fe ion in A site (ASiO_3) leads to a dissociation of enstatite FeSiO_3 to FeO and SiO_2 , rather than the formation of a single FeSiO_3 perovskite phase [20]. As a result, ferrite ZnFe_2O_4 is expected to dissociate as pressure increases. Thus, the most probable composition could be a mixture of Fe_2O_3 and ZnO . High-pressure studies indicate that Fe_2O_3 crystallizes in the corundum (Al_2O_3) structure at ambient conditions, and remains stable to pressures as high as 60 GPa [21,22]. With factor group theory, Fe_2O_3 should have seven Raman active modes ($2A_{1g} + 5E_g$), which can be easily observed both at ambient and at high-pressure conditions [21]. ZnO stabilizes in the hexagonal structure (C_{6v}^4 - $P6_3mc$) below 10 GPa [23,24], and four Raman active modes ($A_1 + E_1 + 2E_2$) are expected [25]. Upon pressurizing to 10 GPa, ZnO transforms to the rocksalt (B_1) phase, which is Raman inactive [23–25]. In our Raman results, no Raman peak suggests the occurrence of the Fe_2O_3 phase. Therefore, we believe that ferrite ZnFe_2O_4 directly transforms to a single high-pressure phase, rather than a pressure-induced dissociation. This result may be caused by a large volumetric collapse between the spinel and the single high-pressure polymorph, in which a more negative free energy ($-P\Delta V$), as compared to the free energy variation between the spinel and the mixture of ZnO and Fe_2O_3 , contributes to the formation of the high-pressure polymorph.

High-pressure studies on MgAl_2O_4 , which crystallizes in a perfect normal spinel structure, reveal that MgAl_2O_4 undergoes a phase transformation at pressures above 25 GPa, with a similar structure to that of calcium ferrite (CaFe_2O_4) or calcium titanite (CaTi_2O_4) [26,27]. Differences between the spinel structure and these two types of structures can be found, with atomic arrangements denser in the two new high-pressure phases. In these two high-density structures, the coordination around the cations is higher than that in the spinel, and Ca^{2+} is observed in a dodecahedral site (CaO_8), whereas Fe and Ti ions in octahedral sites. A more compact three-dimensional network is formed by edge

and corner-sharing octahedra, with hollow channels parallel to the *c* axis, wherein the Ca cations are located. The difference between these two denser structures lies in a slight modification of the polyhedral linkage, which results in the presence of two types of FeO₆ sites in CaFe₂O₄, a more symmetric CaO₈ polyhedron in CaTi₂O₄. Most recently, a new assignment to a CaMn₂O₄ structure was found in the high-pressure phase of the spinel Fe₃O₄ [14]. The difference between this phase and other two structures (CaFe₂O₄ and CaTi₂O₄) is that the CaMn₂O₄ structure is somewhat more distorted than the CaFe₂O₄, but a little more ordered than the CaTi₂O₄ structure [Havvik et al., 2001]. These three structures, CaFe₂O₄, CaMn₂O₄ and CaTi₂O₄, belong to the *D*_{2h} space group. The unit cell comprises four formula units (*Z* = 4). According to group theory, one could expect four types of Raman active modes (A_g, B_{1g}, B_{2g}, B_{3g}) and three types of IR active modes (B_{1u}, B_{2u} and B_{3u}). Based on the correlation between the Raman active modes of the two point groups (*O*_h and *D*_{2h}), the A_{1g} and E_g modes in the *O*_h representations transform to the A_g modes in the *D*_{2h} representation, and the F_{2g} modes transform to the B_{1g} + B_{2g} + B_{3g} modes. As shown in Figs. 2 and 3 which were plotted with Raman data of ZnFe₂O₄, the parallel behavior of the novel mode at 655 cm⁻¹ at 24.6 GPa and the spinel A_{1g} mode upon increase and release of pressure allows one to assume that the mode at 655 cm⁻¹ is of A_g symmetry. Two additional new modes at 419 and 640 cm⁻¹ initially arising at 34.2 and at 56.6 GPa respectively, display similar behavior. They correlate to the F_{2g} spinel mode and as such they should have B_{(1,2,3)g} symmetry. Upon release of pressure to ~35 GPa, two novel modes start to emerge at 782 and 288 cm⁻¹ (Figs. 5 and 6). Since these two modes have similar behavior to the E_g and the overtone mode which were observed in this and other spinel solids, respectively [8], it is reasonable to assume that these two modes are of A_g and B_{(1,2,3)g} symmetry. Nevertheless, the newly observed B_{(1,2,3)g} mode is most likely caused by a slight distortion throughout the Brillouin zone due to the relaxation effect induced by the release of pressure. The above analyses and structural assignment have been confirmed by the recent in-situ high-resolution synchrotron X-ray diffraction measurements [11]. Such an observation is also analogous to that observed from spinel MgFe₂O₄ [13, 28]. In a pioneering XRD study [11], the X-ray diffraction pattern was successfully used to refine the high-pressure phase into either the CaTi₂O₄ or CaFe₂O₄ structure, but it was found that the XRD pattern obtained could also be well refined to the CaMn₂O₄ structure [13]. This implies that the current X-ray diffraction resolution is still not sufficient to provide a satisfactory structural assignment for the observed high-pressure polymorph. We have collected the Raman spectra of the above three structure candidates [29]. It is shown that the Raman spectra of CaMn₂O₄ and CaTi₂O₄ are inconsistent with that of the high-pressure polymorph of ZnFe₂O₄. Since CaFe₂O₄ is also one end member of the ferrite solution, it is reasonable to assume that the

high-pressure polymorph of ZnFe₂O₄ should have the CaFe₂O₄ structure. Moreover, the observed high-pressure phase from spinel ZnFe₂O₄ remains stable up to the peak pressure of 61.9 GPa (Figs. 2 and 3).

The pressure dependences of the observed Raman modes for the spinel and high-pressure polymorphs were calculated to be 0.77–4.01 cm⁻¹/GPa and 1.45–1.52 cm⁻¹/GPa, respectively (Fig. 3 and Table 1). With the bulk modulus calculated from previous X-ray diffraction data [11], the mode Gruneisen parameters (γ_i) can be obtained by using the following equation:

$$\gamma_i = -[(d \ln v_i)/(d \ln P)] = (B_0/v_i)(dv_i/dP)$$

where *v_i* is the *i*th vibration mode of the spinel (*i* = 1–5); *P* and *B*₀ are pressure and bulk modulus in GPa. At ambient conditions, the mode Gruneisen parameters (γ_0) of the spinel phase are 0.52–1.88 (Table 1). The mode Gruneisen parameters as a function of pressure are shown in Fig. 4. However, we could not calculate the Gruneisen parameters of the high-pressure polymorph of ZnFe₂O₄, due to the unavailability of its bulk modulus.

Upon release of pressure, the Raman spectra of high-pressure polymorph of ZnFe₂O₄ were also collected (Fig. 5). High-pressure ZnFe₂O₄ polymorph maintains three significant modes visible under decompression. The pressure dependences of the three Raman modes are comparable to those observed during the compressed run (Fig. 6). Moreover, two more modes at 288 and 782 cm⁻¹ were observed upon release of pressure to ~35 GPa. These two modes exhibit quite low pressure-dependences, which are close to 0 (Fig. 6). The three original modes of the high-pressure phase do not change in their pressure dependences over the whole reduced pressure range. Therefore, this allows one to assume that the high-pressure orthorhombic polymorph of ZnFe₂O₄ is quenchable upon release of pressure to ambient conditions.




Fig. 4. The mode Gruneisen parameters of spinel ZnFe₂O₄ phase as a function of pressure.




Fig. 5. Raman spectra of ZnFe_2O_4 at released pressures. The dotted lines guide eyes.




Fig. 6. The pressure dependences of the observed Raman modes from ZnFe_2O_4 under decompression.

4. Conclusion

An in-situ Raman spectroscopic study was carried out to explore the pressure induced phase transformation in spinel-type ferrite ZnFe_2O_4 to pressures of 61.9 GPa. Spinel ZnFe_2O_4 transforms to an orthorhombic structure phase at a pressure of 24.6 GPa, which was assigned to the CaFe_2O_4 structure. This high pressure ZnFe_2O_4 polymorph remains stable to 61.9 GPa. Upon release of pressure to ambient conditions, the high-pressure phase is quenchable.

Acknowledgements

We appreciate the financial support from Director funded Fellowship of Los Alamos National Laboratory, which made this study possible. Special thanks go to Dr Peter Lazor for invaluable discussion.

References

- [1] W.F.J. Fontijn, P.J. van der Zaag, L.F. Feiner, R. Metselaar, M.A.C. Devillers, *J. Appl. Phys.* 85 (1999) 5100–5105.
- [2] W. Schafer, W. Kockelman, A. Kirfel, W. Potzel, F.J. Burghart, G.M. Kalvius, A. Martin, W.A. Kaczmarek, S.J. Campbell, *Mater. Sci. Forum* 321 (2000) 802–807.
- [3] H.H. Hamdeh, J.C. Ho, S.A. Oliver, R.J. Willey, G. Oliveri, G. Busca, *J. Appl. Phys.* 81 (1997) 1851–1857.
- [4] S.A. Oliver, H.H. Hamdeh, *Phys. Rev. B* 60 (1999) 3400–3405.
- [5] E. Soignard, M. Somayazulu, H.K. Mao, J.J. Dong, O.F. Sankey, P.F. McMillan, *Solid State Commun.* 120 (2001) 237–242.
- [6] A. Zerr, G. Miehe, G. Serghiou, M. Schwarz, E. Kroke, R. Riedel, H. Fuess, P. Kroll, R. Boehler, *Nature* 400 (1999) 340–342.
- [7] G. Serghiou, G. Miehe, O. Tschauner, A. Zerr, R. Boehler, *J. Chem. Phys.* 111 (1999) 4659–4662.
- [8] Z.W. Wang, P. Lazor, S.K. Saxena, G. Artioli, *J. Solid State Chem.* 165 (2002) 165–170.
- [9] J. Wittlinger, S. Werner, H. Schulz, *Acta Crystallogr. B* 54 (1998) 714–721.
- [10] S.H. Shim, T.S. Duffy, G. Shen, *Nature* 411 (2001) 571–574.
- [11] D. Levy, A. Pavese, M. Hanfland, *Phys. Chem. Mineral* 27 (2000) 638–644.
- [12] Y.W. Fei, D.J. Frost, H.K. Mao, C.T. Prewitt, D. Hausermann, *Am. Mineral.* 84 (1999) 203–206.
- [13] D. Andrault, N. Bolfan-Casanova, *Phys. Chem. Mineral.* 28 (2001) 211–217.
- [14] C. Haavik, S. Stolen, H. Fjellvag, M. Hanfland, D. Hausermann, *Am. Mineral.* 85 (2000) 514–523.
- [15] A.E. Ringwood, A. Reid, *Earth Planet. Sci. Lett.* 6 (1969) 245–250.
- [16] H.S.C. O'Neill, *Eur. J. Mineral.* 4 (1992) 571–580.
- [17] Z.W. Wang, S.K. Saxena, *Solid State Commun.* 118 (2001) 75–78.

- [18] H.K. Mao, J. Xu, P.M. Bell, *J. Geophys. Res.* 91 (1986) 4673–4681.
- [19] M. Catti, F. Freyria, C. Zicovich, R. Dovesi, *Phys. Chem. Mineral.* 26 (1999) 389–395.
- [20] A. Navrotsky, *Physics and Chemistry of Earth Materials*, Cambridge University Press, Cambridge, 1994, p. 417.
- [21] S. Shim, T.S. Duffy, *Am. Mineral.* 87 (2002) 318–326.
- [22] M.P. Pasternak, G.K. Rozenberg, G.Y. Machavariani, O. Naaman, P. Taylor, R. Jeanloz, *Phys. Rev. Lett.* 82 (1999) 4663–4666.
- [23] J.M. Recio, M.A. Blanco, V. Luana, R. Pandey, L. Gerward, J.S. Olsen, *Phys. Rev. B* 58 (1998) 8949–8954.
- [24] F. Decremps, J. Zhang, R.C. Liebermann, *Europhys. Lett.* 51 (2000) 268–274.
- [25] F. Decremps, J. Pellicer-Porres, A.M. Saitta, J.C. Chervin, A. Polian, *Phys. Rev. B* 65 (2001) 092101.
- [26] N. Funamori, R. Jeanloz, J.H. Nguyen, A. Kavner, W.A. Caldwell, K. Fujino, N. Miyajima, T. Shinmei, N. Tomioka, *J. Geophys. Res.* 103 (1998) 20813–20818.
- [27] M. Catti, *Phys. Chem. Mineral.* 28 (2001) 729–736.
- [28] Z.W. Wang, S.K. Saxena, P. Lazor, H.S.C. O’Neill, *Mater. Res. Bull.* 37 (2002) 1589–1602.
- [29] Z.W. Wang, S.K. Saxena, J.J. Neumeier, *J. Solid State Chem.* 179 (2003) 382–389.